

Rittal – The System.

Faster – better – everywhere.

Mounting angles, 482.6 mm (19") for FlatBox – DK 7507.712

Date : Jul 1, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Mounting angles, 482.6 mm (19") for FlatBox – DK 7507.712

created: 01.07.2021 on www.rittal.com/com-en



Product description

| | |
|-------------------------|--|
| Description: | L-shaped bracket as 2nd attachment level |
| Material: | Sheet steel, spray-finished |
| Colour: | RAL 7035 |
| Supply includes: | Assembly parts for fast, tool-free assembly |
| Note: | The 2nd attachment level should always be ordered in the same height as the basic enclosure Partial configuration is not possible |

Product description

| | |
|--------------------------------------|-------------------------|
| To fit: | Enclosure type: FlatBox |
| Units: | 12 U |
| Packs of: | 2 pc(s). |
| Weight/pack: | 1.2 kg |
| Copper weight (kg per piece): | 0 |
| EAN: | 4028177551510 |

| | |
|-------------------------------|---|
| Customs tariff number: | 73269098 |
| ETIM 7.0: | EC002620 |
| ETIM 6.0: | EC002620 |
| eCl@ss 8.0/8.1: | 27189261 |
| eCl@ss 6.0/6.1: | 27180907 |
| Product description: | DK Mounting angles, 482.6 mm (19"), 12 U, For FlatBox |
| Approvals | |
| Certificates: | NA |