



International
mains sockets
on demand:
CH, F, IT/Schuko

CablePort desk²

Technology meets design

Today conference and office furniture must feature mains, network and multimedia interfaces for the use of digital media.

The new CablePort desk² combines technology, functionality and a top design.

The plain style and the striking radius of the curving metal parts contribute to the unique design.

The flexible clamp mechanism of the CablePort desk² guarantees its universal use in the modern office world.

Mains and data cables can thus be fixed to the desktop as required, without causing any damages.

A cable chain guides the cables from the desk to the floor box or wall channel.

- Individual configuration possible with Konnect flex 45 click multimedia adapter plates (7464 000 xxx)
- Integration of media control, USB charger etc. possible
- Available in two different lengths - max. 4 or 6 mains sockets
- Anodized aluminium or powder-coated steel
- On demand with international mains sockets
- Fit for the future, new components can be integrated
- Concealed clamps for easy anti-slip mounting on desktops 10 - 60 mm thick
- Mains cable 1 m, GST 18 plug



For desktops 10 - 60 mm

Quality
made
in
Germany
by Kindermann

CablePort desk², 6-fold

- Anodized aluminium
- Rear side powder-coated, white, RAL 9003



CablePort desk², 4-fold

- Powder-coated, slate gray, RAL 7015
- Rear side powder-coated, white, RAL 9003



CablePort desk²

Pre-configured and ready for use

CablePort desk²

6-fold for Quickselect 3.0



CablePort desk² / 6-fold for Quickselect 3.0

Width	331 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	2 x mains 1 x VGA (HD15) 1 x audio jack (3.5 mm stereo) 1 x HDMI 1 x USB type A 1 x cat-6 all with cable+plug, 1 m, socket / plug 3 x stainless steel button with blue LED light ring, inkl. 3 m control line with open ends

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 008

Aluminium, anodized

Ref. No. 7430 000 018

CablePort desk²

4-fold



CablePort desk² / 4-fold

Width	241 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	2 x mains 1 x VGA 1 x HDMI 1 x audio jack (3.5 mm stereo) 1 x cat-6 (RJ45) all with cable+plug, 1 m, socket / plug

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 004

Aluminium, anodized

Ref. No. 7430 000 014

CablePort desk²

6-fold



CablePort desk² / 6-fold

Width	331 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	3 x mains 1 x VGA 1 x HDMI 1 x audio jack (3.5 mm stereo) 1 x USB, 2.0 (type A) 2 x cat-6 (RJ45) all with cable+plug, 1 m, socket / plug

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 006

Aluminium, anodized

Ref. No. 7430 000 016

CablePort desk²

For individual configuration

CablePort desk²

4-fold



CablePort desk² / 4-fold

Width	241 mm				
Dimensions	99 x 124 mm (HxD)				
Pre-mounted with	Empty casing 4 x empty	1 x mains 3 x empty	2 x mains 2 x empty	3 x mains 1 x empty	4 x mains

Powder-coated, slate grey (RAL 7015)

Ref. No.	7430 000 070	7430 000 071	7430 000 072	7430 000 073	7430 000 074
----------	--------------	--------------	--------------	--------------	--------------

Aluminium, anodized

Ref. No.	7430 000 050	7430 000 051	7430 000 052	7430 000 053	7430 000 054
----------	--------------	--------------	--------------	--------------	--------------

CablePort desk²

6-fold



CablePort desk² / 6-fold

Width	331 mm					
Dimensions	99 x 124 mm (HxD)					
Pre-mounted with	1 x mains 5 x empty	2 x mains 4 x empty	3 x mains 3 x empty	4 x mains 2 x empty	5 x mains 1 x empty	6 x mains

Powder-coated, slate grey (RAL 7015)

Ref. No.	7430 000 081	7430 000 082	7430 000 083	7430 000 084	7430 000 085	7430 000 086
----------	--------------	--------------	--------------	--------------	--------------	--------------

Aluminium, anodized

Ref. No.	7430 000 061	7430 000 062	7430 000 063	7430 000 064	7430 000 065	7430 000 066
----------	--------------	--------------	--------------	--------------	--------------	--------------



Accessories for CablePort desk²

Specification

Ref. No.

Deposit tray for signal management components, e. g. Quickselect 3.0, easy mounting on the table clamp of the CablePort desk²

7446 000 021

Colour: white, RAL 9003

Recommended maximum size of unit:
223 x 124 x 35 mm (WxDxH)

Outer dimensions:
331 x 239 x 40 mm (WxDxH)

CablePort desk²

With USB charger - for individual configuration

CablePort desk²

4-fold



CablePort desk² / 4-fold

Width	241 mm	
Dimensions	99 x 124 mm (HxD)	
Version	USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA)	
Pre-mounted with	1 x mains 1 x USB charger 2 x empty	2 x mains 1 x USB charger 1 x empty
Powder-coated, slate grey (RAL 7015)		
Ref. No.	7430 000 171	7430 000 172
Aluminium, anodized		
Ref. No.	7430 000 151	7430 000 152

CablePort desk²

6-fold



CablePort desk² / 6-fold

Width	331 mm		
Dimensions	99 x 124 mm (HxD)		
Version	USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA)		
Pre-mounted with	1 x mains 1 x USB charger 4 x empty	2 x mains 1 x USB charger 3 x empty	3 x mains 1 x USB charger 2 x empty
Powder-coated, slate grey (RAL 7015)			
Ref. No.	7430 000 181	7430 000 182	7430 000 183
Aluminium, anodized			
Ref. No.	7430 000 161	7430 000 162	7430 000 163