

Mac mini



Space Gray

Price

\$799

\$1099

Processor

4-Core

3.6GHz quad-core Intel Core
i3 6MB shared L3 cache

Configurable to:

6-Core

3.2GHz 6-core Intel Core i7
Turbo Boost up to 4.6GHz
12MB shared L3 cache

6-Core

3.0GHz 6-core Intel Core
i5 Turbo Boost up to
4.1GHz 9MB shared L3
cache

Configurable to:

6-Core

3.2GHz 6-core Intel Core
i7 Turbo Boost up to
4.6GHz 12MB shared L3
cache

Memory

8GB

of 2666MHz DDR4 SO-DIMM
memory

Configurable to:

16GB, 32GB, or 64GB

Storage

256GB

PCIe-based SSD

Configurable to:

512GB, 1TB, or 2TB

SSD

512GB

PCIe-based

SSD

Configurable

to: 1TB or 2TB

SSD

Graphics

Intel UHD Graphics 630

Video Support

Support for the following combination of maximum concurrent display setups:

- Up to three displays:
Two displays with 4096-by-2304 resolution at 60Hz connected via Thunderbolt 3 plus one display with 4096-by-2160 resolution at 60Hz connected via HDMI 2.0
or
- Up to two displays:
One display with 5120-by-2880 resolution at 60Hz connected via Thunderbolt 3 plus one display with 4096-by-2160 resolution at 60Hz connected via HDMI 2.0

Thunderbolt 3 digital video output supports

Native DisplayPort output over USB-C

Thunderbolt 2, DVI, and VGA output supported using adapters (sold separately)

HDMI 2.0 display video output

Support for one display with 4096-by-2160 resolution at 60Hz

DVI output using HDMI to DVI Adapter (sold separately)


Audio

Built-in speaker

3.5 mm headphone jack

HDMI 2.0 port supports multichannel audio output

Connections and Expansion



Four Thunderbolt 3 (USB-C) ports with support for:

- DisplayPort
- Thunderbolt (up to 40 Gbps)
- USB 3.1 Gen 2 (up to 10 Gbps)
- Thunderbolt 2, HDMI, DVI, and VGA supported using adapters (sold separately)

Two USB 3 ports (up to 5 Gbps)

HDMI 2.0 port

Gigabit Ethernet port (configurable to 10Gb

Ethernet) 3.5 mm headphone jack

Communications

Wi-Fi

802.11ac Wi-Fi wireless networking

IEEE 802.11a/b/g/n compatible

Bluetooth


Bluetooth 5.0 wireless technology

Ethernet

10/100/1000BASE-T Gigabit Ethernet (RJ-45 connector)

Configurable to 10Gb Ethernet (Nbase-T Ethernet with support for 1Gb, 2.5Gb, 5Gb, and 10Gb Ethernet using RJ-45 connector)

Size



Weight

2.9 pounds (1.3 kg)

Electrical and Operating Requirements

Line voltage: 100–240V AC

Frequency: 50Hz to 60Hz, single phase

Maximum continuous power: 150W

Operating temperature: 50° to 95° F (10° to 35° C)

Storage temperature: –40° to 116° F (–40° to 47° C)

Relative humidity: 5% to 90% noncondensing

Operating altitude: tested up to 16,400 feet (5000 meters)


Typical acoustical performance: Sound pressure level (operator position): 5 dBA at idle

Limited Warranty and Service

Your Mac mini comes with 90 days of complimentary technical support and a one-year limited warranty. Purchase AppleCare+ for Mac to extend your coverage to three years from your AppleCare+ purchase date and add up to two incidents of accidental damage coverage, each subject to a service fee of \$99 for external enclosure damage, or \$299 for other repairable damage, plus applicable tax.

In the Box

Mac mini
Power cord



Operating System

macOS

macOS is the operating system that powers every Mac. macOS Catalina gives you more of everything you love about Mac. So you can take everything you do above and beyond.

Accessibility

Accessibility features help people with disabilities get the most out of their new Mac mini. With built-in support for vision, hearing, mobility, and learning, you can create and do amazing things.

**Features
include:**

Voice Control
VoiceOver Zoom

Increase
Contrast Reduce
Motion Siri and
Dictation

Switch Control
Closed Captions
Text to Speech
