

BlackBelt™ EQ Rugged Case for Surface Pro 9, 10 and Copilot+ PC Surface Pro (11th Edition)

Part Number: K97503WW | UPC Code: 0 85896 97503 8

A durable case for your Surface Pro.

Surface Pro users navigating the demands of harsh work environments need a case that can withstand the toughest conditions without compromising productivity.

Designed exclusively for Surface Pro, the BlackBelt[™] EQ Rugged Case for Surface Pro 9, 10 and Copilot+ PC Surface Pro (11th Edition) is the ultimate case for protecting your Surface Pro - delivering military-grade protection and professional next-level features for productivity and security.

The slimline design protects without impeding functionality and features plastic composed of 43% post-consumer recycled (PCR) material.*

- Built in collaboration with Microsoft for exceptional form, fit and function
- · Meets military drop test and wipe down protection standards
- Slim, lightweight and easy to use when travelling
- Heat dissipation channels protect the device from overheating
- Precision cutouts provide unhindered access to all ports
- · Self-adjusting hand strap provides a firm grip and allows the device to lie flat
- Stretch band to secure and protect your Flex, Type Cover or Signature keyboard
- · Removable Surface Pen holder
- Cable lock and privacy screen filter compatible
- · 2-year limited warranty
- * Excludes silicone hand strap, pen holder and keyboard holder.





Kensington

BlackBelt™ EQ Rugged Case for Surface Pro 9, 10 and Copilot+ PC Surface Pro (11th Edition)

Part Number: K97503WW | UPC Code: 0 85896 97503 8



Recycled Materials

The plastic used in this case is composed of 43% post-consumer recycled (PCR) content.*

* Excludes silicone hand strap, pen holder and keyboard holder.



Designed Exclusively for Surface Pro

Built in collaboration with Microsoft for exceptional form, fit and function.



Military-Grade Protection

Ready for anything, this case meets drop testing (MIL-STD-810H Method 516.8 Shock) and wipe down (MIL-STD-810H Method 504.3 Contamination by Fluids) standards.



Next-Level Functionality

A self-adjusting hand strap provides a firm grip with a stretch band securing your Signature keyboard or Type Cover when not in use. The removable Surface Pen holder accommodates Surface, Classroom and Slim pen styles (Surface Pen not included).

Kensington

BlackBelt™ EQ Rugged Case for Surface Pro 9, 10 and Copilot+ PC Surface Pro (11th Edition)

Part Number: K97503WW | UPC Code: 0 85896 97503 8



Smart Compact Design

Slim, lightweight and easy to use when travelling, the case provides full access to the Surface Pro kickstand. The hand strap automatically stows when not in use so the device can lie flat and stable.



Precision Engineered

Precision cutouts provide unhindered access to all ports and heat dissipation channels protect your device from overheating.



Cable Lock Compatible

A Kensington cable lock allows you to protect your investment (Part No. K68134WW, sold separately).



Privacy Screen Filter Compatible

Reduce the risk of exposing sensitive information to unwanted viewers with a Kensington privacy screen filter (Part No. K51700WW, sold separately).

Kensington

BlackBelt™ EQ Rugged Case for Surface Pro 9, 10 and Copilot+ PC Surface Pro (11th Edition)

Part Number: K97503WW | UPC Code: 0 85896 97503 8

	Frame	PC ABS with 43% recycled material, TPU overmole
	Hand Strap, Keyboard Strap	Silicone
	Pen Loop holder	Elastic Fabric
	Colour	Black 43% PC ABS with TPU overmold
Product Dimensions		
	Unit Dimensions	Width: 218.9mm (8.61") Length: 297.8mm (11.72") Height: 17.5mm (0.69")
	Unit Weight	177.8g (6.27oz)
Packaging Dimensions		
	Packaging Style	Plastic Free Retail Wrap
	Packaging Dimensions	Width: 220mm (8.66") Length: 327mm (12.87") Height: 20mm (0.79")
	Packaging Weight	249g (8.78oz)
	Packaging Content	1 x BlackBelt Case 1 x Instruction Guide 1 x Warranty Insert
	Master Carton	10pcs
Other Features		
	Drop Protection	MIL STD 810H 516.8 Shock - 1.22m (48") drop all surfaces, 26 Drops total
	Wipe Down Protection	MIL STD 810H 504.3 Contamination by Fluids
Power & Environmenta	I	
	Relative Humidity	5% to 95% non-condensing
	Operating Temperature	-10 to 45°C (14 to 113°F)
	Storage Temperature	-20 to 60°C (-4 to 140°F)
Country Of Origin, Regu	latory And Warranty	
	Country of Origin	China
	Warranty	2-year Limited
	Certifications & Compliance	WEEE, RoHS



