

APC SYMMETRA LX 9 BATTERY Rack-Mount XR FRAME, 230V

SYBFXR9RMI

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	

Main

Product or component type	Battery accessory
Number of rack unit	13U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	Installation guide User manual
Range of product	Symmetra Battery Systems

Batteries & Runtime

Battery location	Battery cabinet	
Number of battery free slots	9	
Number of battery filled slots	0	
Battery manufacturer	Panasonic	
Device mounting	Enclosed battery cabinet	
Number of battery replacement quantity	9	

Physical

•		
Colour	Black	
Height	60.2 cm	
Width	48.3 cm	
Depth	72.6 cm	
Product weight	50.91 kg	
Mounting mode	Rack-mounted	

Conformance

Standards	EN 50091-1	
	EN 50091-2	
	EN 60950	
	IEC 60950	

-		
Product certifications	BSMI	
i roddet eer tilleations	DOIVII	
	VCCI	
	VCCI	
	VDF	

Environmental

Ambient air temperature for operation	040 °C	
Operating altitude	010000 ft	
Relative humidity	095 %	
Ambient air temperature for storage	-1545 °C	
Storage altitude	0.00000000004572.0000000000 m	
Storage Relative Humidity	095 %	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	91.4 cm
Package 1 Width	99.7 cm
Package 1 Length	59.9 cm
Package 1 Weight	72.73 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration
Optimized Energy Efficiency	Energy efficient product

Use Again

○ Repack and remanufacture	
Removable battery	User replaceable
Take-back	Yes