



PJ-700



A4 Portable Printer Series

The smallest, most advanced A4 portable thermal printer on the market with all-inclusive mobile device support and 'out of the box' performance.

PJ-700 Series

Quality A4 printing on the move



USER FLEXIBILITY

Compatible with a wide range of mobile devices and operating systems, including support for Apple AirPrint.



RELIABLE

Direct thermal print suitable for a wide range of environmental conditions.



LIGHTWEIGHT & PORTABLE

Ideal for A4 and A5 printing on the move, weighing only 610g with battery.



EASY TO INTEGRATE

Simple integration into existing applications with free software development kit (SDK)*.



EASY TO USE

No ink cartridges or toners to change on the move.



CUSTOMISABLE

Variety of charging and accessory options. (including vehicle mounting)

*Available from: <https://online.brother.co.uk/developer>

Step 1. Choose your printer

	PJ-722	PJ-723	PJ-762	PJ-763	PJ-763MFi	PJ-773
USB	✓	✓	✓	✓	✓	✓
Bluetooth			✓	✓	✓	
Wi-Fi CERTIFIED						✓
203 x 200dpi	✓		✓			
300 x 300dpi		✓		✓	✓	✓
OS Compatibility	Apple Mac		Apple Mac		Apple Mac	

Vertical Markets and Applications

We've combined smart design with in-depth knowledge of today's evolving mobile workforce. The PJ-700 series can be used in just about any physical configuration that a customer's work environment requires – mounted in a vehicle, transportable to a jobsite, carried in a case, or simply stowed in a backpack. Users are free to print, anytime and anywhere.

FIELD WORKFORCE

- ✓ Service reports
- ✓ Safety reports and appliance certifications
- ✓ Sales invoices and contracts

PEST MANAGEMENT

- ✓ Printing regulatory notices
- ✓ Inspection and service reports
- ✓ Material safety data sheet (MSDS)

COMMUNITY HEALTHCARE

- ✓ Printing patient case notes and treatment reports

EMERGENCY SERVICES






- ✓ Incident reports, heat maps, schematics
- ✓ Patient treatment information
- ✓ Ticketing, penalty notices



FARM/LARGE ANIMAL VETS



- ✓ Printing visit/treatment report as part of Veterinary Practice.



Step 2. Choose your Accessories

Power Options				
PA-BT-002	PA-AD-600EU	PA-AD-600UK	PA-CD-600CG	PA-CD-600WR
Li-ion rechargeable battery	AC adapter (EU)	AC adapter (UK)	12V car adapter (cigarette socket)	12V car adapter (permanently wired)
				

Carrying / Protection / Mounting Options				
PA-RH-600	PA-RB-001	PA-RC-001	PA-CC-500	PA-CM-500
Paper roll holder	Protective cover	Roll printer case	Carry case	Car mounting kit
				

Paper Options	
PA-R-410	PA-C-411
A4 paper roll	A4 cut sheet paper
	

Specifications

PRINTING	PJ-722	PJ-723	PJ-762	PJ-763	PJ-763MFi	PJ-773
Print resolution	203 x 200dpi	300 x 300dpi	203 x 200dpi	300 x 300dpi	300 x 300dpi	300 x 300dpi
Print technology	Direct thermal					
Printing speed	Ave.: 8ppm (under Brother standard environment) [1]					
Paper feed method	Manual paper feed					
Print width	204.2mm	208.8mm	204.2mm	208.8mm	208.8mm	208.8mm
No. of pages per battery charge	Rechargeable Li-ion Battery: approximately 600 Sheets (1.9% printing duty and using a fully charged new battery)					
INTERFACES						
USB	USB Ver.2.0 (full speed) type A to mini type B (printer)					
Bluetooth	N/A	N/A	Ver.2.1+EDR Class 2 SPP, BIP, OPP and HCRP supported	Ver.2.1+EDR Class 2 SPP, BIP, OPP, HCRP and iAP(MFi) supported	N/A	
Wireless-LAN	N/A	N/A	N/A	N/A	N/A	IEEE802.11b/g/n (Infrastructure mode) IEEE802.11b/g/n (Adhoc mode) IEEE802.11g/n (Wireless direct)
Wireless-LAN Security	N/A	N/A	N/A	N/A	N/A	INFRASTRUCTURE MODE < Personal mode > Open System (None/WEP) Public Key Authentication (WEP) WPA-PSK/WPA2-PSK (TKIP/AES) < Enterprise mode > LEAP (CKIP/AES) EAP-FAST (TKIP/AES) PEAP (TKIP/AES) EAP-TTLS (TKIP/AES) EAP-TLS (TKIP/AES) ADHOC MODE Open System (None/WEP) WIRELESS DIRECT WPA2-PSK (AES)
PJ ESC/P LANGUAGE						
Built-in fonts	Bitmap font: Helsinki, Brussel, Letter Gothic Bold Outline font: Helsinki, Brussel, Letter Gothic					
Font sizes	10 cpi, 12 cpi, 15 cpi and proportional sizes					
Barcode support	Yes					
TEMPLATE/Form STORAGE						
Memory size (RAM/Flash/User)	32MB / 32MB / 6MB					
GENERAL						
Dimensions	255(W) x 55(D) x 30(H) mm					
Weight excl battery & paper	480g (approx)					
Battery	Rechargeable Li-ion Battery 10.8V (optional accessory)					
AC adapter	AC adapter 15 V (optional accessory)					
Car adapter	Cigarette lighter plug or permanently wired (optional accessories)					
Operating system support	Windows® Vista/7/8/10/Windows® Server 2008/2008 R2; Windows® Server 2012/2012 R2 - Mac OS X v 10.8/10.9/10.10 - Linux					
Mobile OS	Android - USB	Android	Android/iOS			
ENVIRONMENTAL						
Temperature	-10°C to +50°C (during operation) / -20°C to +60°C (during storage)					
Humidity	20% to 80% (no condensation - during operation and storage)					
Auto power off	Yes: 15 settings					
CONTENTS						
	(PJ-722 / PJ-723 / PJ-762 / PJ-763 / PJ-763MFi / PJ-773), Quick setup guide, CD-ROM (Printer driver and user guide), USB cable, Head cleaning sheet					

[1] Brother standard environment is based on using A4 size with JAITA J1 pattern at 23 degrees C via USB using AC adaptor or Li-ion battery

Contact:

Brother UK

Shepley Street, Audenshaw, Manchester, M34 5JD
Tel: 0333 777 4444
www.brother.co.uk/portable

All specifications correct at time of publication, October 2015.
Brother is a registered trademark of Brother Industries Ltd.
Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side