

VeriMark™ Guard USB-C™ Fingerprint Key

Part Number: K64709WW | UPC Code: 0 85896 64709 6

The latest in biometric authentication technology, at your fingertips.

Member of Microsoft Intelligent Security Association

Microsoft

The VeriMark™ Guard USB-C Fingerprint Key offers the latest in biometric authentication. FIDO2 and FIDO U2F certified with expanded authentication options, including strong single-factor (passwordless), dual, multi-factor and Tap-and-Go¹ for FIDO U2F services. Maximum compatibility with web services including Google, Facebook and Microsoft (for Windows Hello, refer to VeriMark or VeriMark IT), with support for Chrome, Edge, Firefox and Safari. Exceeds industry standards for false acceptance rate (FAR) and false rejection rate (FRR). Supports GDPR compliance.

Features include:

- · Cross-platform compatibility
- · One solution for single-factor (passwordless), dual, multi-factor and Tap-and-Go authentication¹
- FIDO2 and FIDO U2F certified
- · Web-based support across major browsers²
- · Encrypted end-to-end security with Match-in-Sensor™ Fingerprint • Supports GDPR compliance Technology
- · Exceeds industry standards for false acceptance rate (FAR) and false rejection rate (FRR)
- Compact design
- · Convenient tether makes carrying easy and helps prevent loss when not in use
 - · Two-year warranty



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT30104EN



Kensington

VeriMark™ Guard USB-C™ Fingerprint Key

Part Number: K64709WW | UPC Code: 0 85896 64709 6



Cross-Platform Compatibility

Designed for Windows 10, this biometric authentication solution with security key functionality supports the latest web browsers (Chrome, Edge, Firefox and Safari). Please note that some services may require Security Key sign-in setup to be performed on a Windows-based computer, in order to allow biometric authentication.

See our support page www.kensington.com/software/verimark-setup for a list of compatible services.





FIDO2 and FIDO U2F Certified

VeriMark™ Guard offers expanded authentication options for FIDO2 biometric authentication services as well as FIDO U2F services requiring security key functionality. Provides strong single-factor (passwordless), dual, multi-factor, and Tap-and-Go support, making it the best biometric authentication key on the market. Supports up to 10 fingerprints.



Allows Biometric and Security Key Authentication

While FIDO2 is the latest in comprehensive online security, with new services being added all the time, not all services support this standard yet. VeriMark™ Guard was developed to grow with you and your authentication needs. We encourage you to view our listing of services under the support section (kensington.com/software/verimark-setup) of our site, to ensure you receive the best possible experience.



Encrypted End-to-End Security with Match-in-Sensor™ Fingerprint Technology

Combines superior biometric performance and 360° readability with anti-spoofing technology, while exceeding industry standards for false rejection rate (FRR 2%) and false acceptance rate (FAR 0.001%).



Compact Design with Convenient Tether

Features protective cover and tether for easy transport and to help prevent loss when not in use.



Supports GDPR Compliance

Can be used to support cybersecurity measures consistent with (but not limited to) such privacy laws and regulations as GDPR, BIPA and CCPA.



Two-Year Warranty

Rest assured knowing you're covered by Kensington.

^{*} Biometrics support GDPR compliance

^{1.} Tap-and-Go combines a username and password with second-factor security key authentication, to enable extra security on non-FIDO2 services.

^{2.} For services leveraging the older FIDO U2F standard, instead of using biometric authentication, the user can simply place their finger on the VeriMark Guard Fingerprint Key to enable a security token experience. See complete list on the VeriMark ™ support page (kensington.com/software/verimark-setup). Tap-and-Go combines a username and password with second-factor security key authentication, to enable extra security on non-FIDO2 services.



VeriMark™ Guard USB-C™ Fingerprint Key

Part Number: K64709WW | UPC Code: 0 85896 64709 6

System	Requirement
--------	-------------

System Requirement			
	Operating Systems Supported	Windows 7, 8.1, 10, macOS, Chrome OS, and iOS 13.5.1 or above	
	Plug & Play	No driver needed	
	Fingerprint Registration	Register Fingerprint in Win10 RS 1903 or later	
	FIDO2 Web Authentication	Windows 10, Mac and Chrome OS	
	Browser Compatibility	Edge, Chrome, Firefox, Safari (some of the browsers provide limited support on FIDO2)	
JSB Interface			
	Connector	USB 2.0	
	Host Connector	Support USB 2.0/3.0 Type C	
Security			
	Secure Fingerprint Match-in-sensor	Synaptics FS7600	
	USB Data Encryption	AES-256/SHA-256	
	Secure Session Establishment	SSLv3	
	Secure Communication	TLS 1.2	
	Key Exchange, Authentication, and Data Validation	RSA-2048 Public Key Cryptography	
	False Rejection Rate (FRR)	2%	
	False Acceptance Rate (FAR)	0.001%	
Product Dimensions			
	Unit Dimensions	Width: 17.82mm (0.7") Length: 20.8mm (0.82") Height: 7.31mm (0.29")	
	Unit Weight	5g (0.18oz)	
	Unit Dimensions (Main Body)	Width: 17.82mm (0.7") Length: 16.25mm (0.64") Height: 7.31mm (0.29")	
	Unit Weight (Main Body)	3.5g (0.12oz)	
	Unit Dimensions (Cap)	Width: 17.82mm (0.7") Length: 11.15mm (0.44") Height: 7.31mm (0.29")	
	Unit Weight (Cap)	1g (0.04oz)	
	Key Chain Weight	0.5g (0.02oz)	
		, w	
	Key Chain Length	45mm (1.77")	
	Key Chain Length Enclosure Colour and Material	45mm (1.77") Zinc Alloy	







VeriMark™ Guard USB-C™ Fingerprint Key

Part Number: K64709WW | UPC Code: 0 85896 64709 6

n 1		n ·	
Pack	aging	l)ım	ensions
IUCI	USITIS		

	Packaging Style	Retail Box		
	Packaging Dimensions	Width: 80mm (3.15") Depth: 20mm (0.79") Height: 134mm (5.28")		
	Packaging Weight	36g (0.08lbs)		
	Master Carton	5pcs		
	Package Content	VeriMark Guard Fingerprint Key VeriMark Guard USB-C Protection Cap with Key Chain Welcome Insert Warranty Information		
Power and Environme	ental			
	Power Imaging	100mA @ 5V		
	Power Standby	330uA @ 5V		
	Relative Humidity	5% to 95% Non-condensing		
	Operating Temperature	0 to 45°C (32 to 113°F)		
	Storage Temperature	-40 to 85°C (-40 to 185°F)		
Country of Origin, Reg	gulatory, and Warranty			
	Country of Origin	Taiwan		
	Warranty	2-Year Limited – worldwide		
	Certifications and Compliance	FCC, CE, RCM, REACH, WEEE, RoHS, VCCI		
LED Indicator				
	White LED	Light on: Request fingerprint for login Light blinking (1 time): Recognise the correct fingerprin Light off: Stand-by mode		
	Red LED	Light blinking (3 times): Error/ Incorrect fingerprint scanned		



