

Fujitsu recommends Windows 11 Pro.

Data Sheet

Fujitsu Workstation CELSIUS H7510

Mobility. Security. Virtual Reality.

Experience the real workstation power on the move, with the new FUJITSU CELSIUS H7510. It is a 15.6-inch mobile workstation that combines ultimate security with future technologies. While engineers and creative professionals are working with huge datasets, this machine will not weigh them down when showcasing designs in virtual reality at events or at the customer site.



Need For Speed

True workstation performance on the move

- Choose between 10th Gen Intel® Core™ processors or the powerful Intel® Xeon® W-10885M and W-10855M processors supporting ECC memory
- Windows 11 Pro support
- Full HD anti-glare display
- Up to 128 GB DDR4 memory (ECC optional)
- Dual M.2 PCIe-SSD NVMe technology (up to 4 TB NVMe storage capacity)

Full connectivity and worry-free docking experience

No compromise in terms of connectivity, regardless of whether you are away, in a meeting or at your desk

- Mechanical port replicator: Cable-free connectivity, with charging capabilities for mobile workstation
- Full monitor connectivity support: 1x VGA and 1x HDMI

Mobility Meets Security

Data security and peace of mind

- Optional PalmSecure™, a leading-edge highly secure authentication system using biometric technology that authenticates users through vein pattern recognition
- Integrated SmartCard reader
- TPM 2.0 and Advanced Theft Protection

We are (VR) ready

Allows architects, engineers and designers to showcase their work in a real-time, fully immersive VR environment

- Powered by the latest graphics card for mobile workstations (up to NVIDIA® Quadro RTX™ 3000)
- Ideal for mobile VR showcases at the customer site or at an event
- Easy connectivity of the head-mount display to the HDMI port



Components

Base unit	CELSIUS H7510
Operating systems	
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.
Operating system compatible	FREE Upgrade to Windows 11* *Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see aka.ms/windows11-spec).
Operating system notes	After the end of the product life Fujitsu will continue to test and support all upcoming Windows releases for a period of maximum 5 years, depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see "Fujitsu Service Statement for Windows General Availability Channel" at https://support.ts.fujitsu.com/IndexProdSupport.asp?lng=com&OpenTab=
Processor	
	Intel® Xeon® processor W-10885M (8 Cores / 16 Threads, 2.4 GHz, up to 5.3 GHz, NVIDIA® Quadro RTX™ 3000)
	Intel® Xeon® processor W-10855M (6 Cores / 12 Threads, 2.80 GHz, up to 5.1 GHz, NVIDIA® Quadro® T2000)
	Intel® Core™ i9-10885H processor (8 Cores / 16 Threads, 2.40 GHz, up to 5.3 GHz, NVIDIA® Quadro RTX™ 3000)
	Intel® Core™ i7-10875H processor (8 Cores / 16 Threads, 2.30 GHz, up to 5.1 GHz, NVIDIA® Quadro® T2000)
	Intel® Core™ i7-10875H processor (8 Cores / 16 Threads, 2.30 GHz, up to 5.1 GHz, NVIDIA® Quadro® T1000)
	Intel® Core™ i7-10850H processor (6 Cores / 12 Threads, 2.70 GHz, up to 5.1 GHz, NVIDIA® Quadro® T2000)
	Intel® Core™ i7-10850H processor (6 Cores / 12 Threads, 2.70 GHz, up to 5.1 GHz, NVIDIA® Quadro® T1000)
	Intel® Core™ i5-10400H processor (4 Cores / 8 Threads, 2.60 GHz, up to 4.6 GHz, NVIDIA® Quadro® T1000)
	Intel® Core™ i5-10400H processor (4 Cores / 8 Threads, 2.60 GHz, up to 4.6 GHz, NVIDIA® Quadro® P620)
	Please note that only certain combinations of processors, graphics and displays can be ordered *with Intel® Turbo Boost Technology 2.0 (clock speed and performance will vary depending on workload and other variables)
Memory modules	
	8 GB (1 module(s) 8 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	16 GB (2 module(s) 8 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	16 GB (2 module(s) 8 GB) DDR4, ECC, 2,666 MT/s, PC4-2666, SO DIMM
	32 GB (2 module(s) 16 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	32 GB (2 module(s) 16 GB) DDR4, ECC, 2,666 MT/s, PC4-2666, SO DIMM
	64 GB (2 module(s) 32 GB) DDR4, 2,666 MT/s, PC4-2666, SO DIMM
	64 GB (2 module(s) 32 GB) DDR4, ECC, 2,666 MT/s, PC4-2666, SO DIMM
Hard disk drives (internal)	
	SSD SATA III, 512 GB, M.2 module, SED
	PCIe-SSD, NVMe, 2048 GB Highend, M.2 module
	PCIe-SSD, NVMe, 1024 GB Highend, M.2 module
	PCIe-SSD, NVMe, 512 GB Highend, M.2 module, SED
	PCIe-SSD, NVMe, 512 GB Highend, M.2 module
	PCIe-SSD, NVMe, 256 GB Highend, M.2 module
	HDD SATA III, 5,400 rpm, 1000 GB
	HDD SATA III, 5,400 rpm, 500 GB
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software.
Interface add on cards/components (optional)	
3G/4G (optional)	Sierra Wireless EM7421 (Cat. 7)
Camera	Built-in webcam (Full HD) with Status LED

Base unit

Base unit	CELSIUS H7510
Mainboard	
Chipset	Intel® QM480 or WM490 (depending on CPU)
Chipset notes	Intel® vPro™ technology
Supported capacity RAM (min.)	8 GB
Supported capacity RAM (max.)	128 GB
Memory slots	4 SO DIMM
Memory notes	Based on Intel® design, systems built with four DIMM slots run at 2400 MT/s.
LAN	10/100/1,000 MBit/s Intel® I219LM
Integrated WLAN	Intel WiFi 6 AX201
BIOS features	InsydeH2O BIOS
Audio type	On board
Audio codec	Realtek ALC255 with MaxxAudio
Audio features	Stereo speakers, 2 digital microphones
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Diagonal Size	39.6 cm (15.6-inch)
Display Technology	LED backlit
Display type	Anti-glare IPS display
Display Resolution type	FHD
Brightness - typical	500 or 300 cd/m ² (depending on display) HDR400 (depending on display)
Contrast - typical	800:1 or 700:1 typ. (depending on display)
High color gamut - typical	100% sRGB
Viewing angle (h/v) - typical	160°/160°
Display notes	ISO 9241-307 - Pixel class II - anti-glare level
Graphics	
Base unit	CELSIUS H7510
Max. resolution external display	up to 4,096 x 2,160 @ 60 Hz
Max. resolution display port	3,840 x 2,160 pixel via DisplayPort and Type-C and 1,920 x 1,200 pixel via VGA
Interfaces	
DC-in	1x
Audio: line-in / line-out	1
Internal microphones	2x digital array microphones
Internal speakers	2
USB 3.1 Gen1 (USB 3.0) total	1x (type A) power off charge
USB 3.1 Gen2 total	2x (type A)
USB Type-C	2 (USB 3.1 Gen2 (10 Gbps), Thunderbolt 3 (20/40Gbps), Power Delivery (15W), DP 1.4)
VGA	1x
HDMI	1 v2.0b
Ethernet (RJ-45)	1x
SmartCard slot	1x
SIM card slot	1
Multicardreader	1x (SD/SDXC, UHS-II support) SD/microSD = 2GB, SDHC/micro SDHC = 32GB, SDXC = 512GB
Interface Module notes	1x Kensington Lock support, 1x Docking connector

Keyboard

Keyboard w/o touchstick (spill-resistant), Backlit keyboard w/o touchstick (spill-resistant)
Multi gesture touchpad with three mouse buttons

Input devices (optional)

TouchStick (optional)

Wireless technologies

Bluetooth 5.0

Integrated WLAN Intel WiFi 6 AX201

I/O Controller

SATA RAID support 0,1

Power supply

AC adapter 19.5 V / 230 W (11.8 A)

Rated voltage range 100 V - 240 V (AC Input)

Rated frequency range 50 Hz - 60 Hz

1st battery 1st Li-Ion battery 8-cell, 96 Wh, 6700 mAh

Runtime 1st battery up to 12 hours (depending on configuration)

Battery charging time up to 80% within 1.3 hrs; up to 100% within 2.5hrs.

Dimensions / Weight / Environmental

Dimensions (W x D x H) 380.0 x 258.0 x 31.9 mm

14.96 x 10.16 x 1.26 inch

Weight from 2.7 kg

Weight (lbs) from 5.95 lbs

Weight notes Actual weight may vary depending on configuration

Operating ambient temperature 5 - 35 °C (41 - 95 °F)

Operating relative humidity 20 - 80 % (relative humidity, non-condensing)

Compliance

Product CELSIUS H7510

Europe CE Marking

USA/Canada cULus
FCC Class B part 15C/E + 22 + 24 (depending on wireless configuration)

Global RoHS (EU & China)
ENERGY STAR® 8.0
EPEAT® Silver (dedicated regions)

Compliance link <https://sp.ts.fujitsu.com/sites/certificates>

Additional Software

Additional software (preinstalled) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed)
Fujitsu Display Manager
EasyGuide online user documentation
Power Saving Utility
ShockSensor Utility
SmartAccess
Fujitsu Plugfree Network (network management utility)
Intel® SBA (manageability suite for local administration)
DTS® Sound Enhance Software
Fujitsu Application Button Utility
Fujitsu DeskUpdate (driver and utility tool)
Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)

Additional software (optional) Drivers & Utilities DVD (DUDVD)
LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS)
Workplace Protect (secure authentication solution)
Microsoft® Office Professional 2021
Microsoft® Office Home and Business 2021
(Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)

Additional Software

Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
-----------------------------	---

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology/iAMT
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability

Security

Physical Security	Kensington Lock support
System and BIOS Security	Advanced Theft Protection Computrace® enabled BIOS EraseDisk (optional) Write protect option for the Flash EPROM Trusted Platform Module (TPM 2.0) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1809; requires 8 GB or more system RAM and SSD PCIe NVME)
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure™ sensor (optional) Separate SmartCard slot Hard disk password User and supervisor BIOS password Preboot Authentication with SystemLock 3
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.
Packaging dimension (mm)	200 x 442 x 335 mm
Packaging dimension (inch)	7.87 x 17.4 x 13.19 inch

Warranty






Warranty period	3 years (depending on country)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.

Product Support Support - the perfect extension

Warranty

Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

<p>CELSIUS® H780 Port Replicator Kit</p>		<p>Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.</p>	<p>Order Code: S26391-F2249-L300</p>
<p>Privacy Filters</p>		<p>To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.</p>	<p>Order Code: S26391-F6098-L215</p>
<p>Prestige Case 15 (2021)</p>		<p>The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The front compartment provides space for your power cord and office supplies. The large compartment is divided for your notebook and a tablet.</p>	<p>Order Code: S26391-F1120-L60</p>
<p>PLEVIER MOGGRIDGE 15</p>		<p>The Plevier Moggridge 15 leather bag is designed in a classic black leather shade to carry devices up to 15.6 inches in size. It features a front compartment for additional accessories, as well as a main compartment with padding to protect your device. Both its secure and elegant design create the optimal carrier for your device.</p>	<p>Order Code: S26391-F1193-L66</p>
<p>Wireless Keyboard Set LX960</p>		<p>The Wireless Keyboard Set LX960 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions and better features than a conventional interface device. It even includes 2.4 GHz technology and 128-bit AES encryption.</p>	<p>S26381-K960-L4** (**: Country specific variation)</p>

More information

Fujitsu products, solutions & services

In addition to the Fujitsu Workstation CELSIUS H7510, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about the Fujitsu Workstation CELSIUS H7510, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/emeia/CELSIUS

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com
2022-08-01 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>
Copyright 2020 Fujitsu Technology Solutions GmbH