



Delock Adapter USB 3.0 to 4K HDMI + VGA

Description

This adapter by Delock enables the connection of an additional HDMI and VGA monitor, projector etc. to a PC or laptop via USB Type-A connector. There is **no DisplayPort Alternate Mode support required**, this allows the operation on older computers. The adapter attached to the cable also allows connection to the USB Type-C™ port. **Two monitors can be operated simultaneously**, e.g. to extend the desktop.

UHD and Full HD resolution

At the HDMI port a resolution up to **4K 30 Hz** is possible, at the VGA port up to 1080p at 60 Hz. This also applies if both video outputs are operated simultaneously.

Mirror and extend

If only one additional video output is used, the desktop can optionally be extended or mirrored. If both video outputs are used additionally, both can be extended, or one monitor can be extended and the other mirrored.



Specification

- Connectors:
 - On device:
 - 1 x USB 3.0 Type-A male >
 - 1 x HDMI-A female
 - 1 x VGA female
 - On adapter:
 - 1 x USB 3.0 Type-A female >
 - 1 x USB Type-C™ male
- Chipset: Silicon Motion
- Resolution:
 - HDMI up to 3840 x 2160 @ 30 Hz
(depending on the system and the connected hardware)
 - VGA up to 1920 x 1080 @ 60 Hz
(depending on the system and the connected hardware)
- Supports HDCP 1.4
- Downwards compatible to USB 2.0
- Transmission of audio and video signals
- Features: mirror and extend
- Cable length without connectors: ca. 12 cm
- Colour: black

System requirements

- Mac OS 10.12.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port or
- PC or laptop with a free USB Type-C™ port

Package content

- USB 3.0 to HDMI + VGA adapter
- Adapter USB Type-A female to USB-C™ male
- User manual

Item no. 64085

EAN: 4043619640850

Country of origin: China

Package: • Retail Box



Images





General	
Function:	mirror and extend
Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Mac OS 10.12.6 or above
Interface	
Output:	1 x HDMI-A 19 pin female
	1 x VGA 15 pin female
Input:	1 x USB 3.0 Type-A male
	1 x USB Type-C™ male
Technical characteristics	
Chipset:	Silicon Motion
Maximum screen resolution:	3840 x 2160 @ 30 Hz
	1920 x 1080 @ 60 Hz
Physical characteristics	
Cable length:	12 cm
Colour:	black