

Rittal – The System.

Faster – better – everywhere.

Captive nuts – EL 2092.500

Date : Nov 12, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Captive nuts – EL 2092.500

created: 12.11.2020 on www.rittal.com/com-en



Product description

Design:	without contact
Description:	For the attachment of rack-mounted electronic equipment, 482.6 mm (19") installed equipment and blanking plates to mounting angles, 482.6 mm (19"). For use with metal thickness from 0.8 – 2.5 mm. Optionally with or without contact of the installed equipment to the 482.6 mm (19") section/enclosure.

Product features

Thread:	Type: M5
For metal thicknesses:	0,8 mm - 2,5 mm
Packs of:	50 pc(s).
Weight/pack:	0.2 kg
Copper weight (kg per piece):	0
EAN:	4028177187344
Customs tariff number:	73181692
ETIM 7.0:	EC002358
ETIM 6.0:	EC002358
eCl@ss 8.0/8.1:	23110815

eCl@ss 6.0/6.1:	27182590
Product description:	EL Captive nuts, M5, Without contact, For metal thickness: 0,8-2 mm
Approvals	
Certificates:	EAC