



## 2m DisplayPort to DVI-D Cable

Part No.: 41491

## **Description**

- Connects a DisplayPort equipped device to a DVI display
- Supports resolutions up to 1920x1200@60Hz
- Supports video mirroring and extended desktop modes
- Male to male connections for a secure direct connection
- 2 year warranty

The Lindy DisplayPort to DVI Cable is ideal for connecting a DisplayPort equipped source such as a PC or laptop to an DVI display. It supports high definition video resolutions up to 1920x1200@60Hz.

This cable can also be used to add another display to extend the available desktop workspace and increase productivity, great for use in residential or workplace office setups.

#### **Technical details**

#### Connectors

• Connector A: DisplayPort Male

• Connector B: DVI-D Male

• Housing Material:

DisplayPort: ABS

o DVI: PVC

Connector Plating: Gold plated

• Pin Construction: Copper

• Pin Plating: Gold plated

- Dimensions (approx.) WxDxH:
  - DisplayPort: 42x22x9.4mm (1.65x0.87x0.37in)
  - DVI: 46x39.8x15.9mm (1.81x1.57x0.63in)

#### Cable Construction

• Length: 2m (6.56ft)

Standard: DVI-D (Single Link), DisplayPort 1.1

Colour: BlackType: Round

• Jacket Diameter: 5.5mm (0.22in)

Jacket Material: PVC

Conductor Material: Tinned Copper

Conductor Gauge: 30AWGShielding: Aluminum Braid 85%

### **Specifications**

Supported Bandwidth: 1.65Gbps

Maximum Resolution: 1920x1200@60Hz

Nominal Attenuation:

∘ 300KHz-825MHz <5dB

o 825MHz-2.475GHz <5dB - <12dB

• Minimum Bend Radius: 60mm (2.36in)

• Operating Temperature: 0°C - 45°C (32°F - 113°F)

• Storage Temperature: -10°C - 80°C (14°F - 176°F)

#### Miscellaneous

Packaging Type: Polybag

Warranty (Years): 2

• Certificated: CE, FCC, RoHS, REACH, UL & California Proposition 65

### Purchasing Information

• No.: 41489

• EAN: 4002888414890

#### This product is also available in other lengths

- 41489 0.5m (1.64ft)
- 41490 1m (3.28ft)
- 41491 2m (6.56ft)
- 41492 3m (9.84ft)
- 41493 5m (16.44ft)

# © LINDY 2021