



# **OVERVIEW**





1. Optical drive *	10. Flex IO *
2. Power button	11. HDMI 2.1 TMDS
3. Microphone (3.5mm)	12. 2x DisplayPort 1.4a
4. Card reader *	13. 4x USB 2.0
5. Headphone / microphone combo jack (3.5mm)	14. 2x PS/2 ports (keyboard / mouse) *
6. USB-C 3.2 Gen 1	15. Ethernet (RJ-45)
7. 2x USB 3.2 Gen 1	16. Optional ports on expansion cards *
8. 2x USB 3.2 Gen 2	17. Power connector
9. Line-out (3.5mm)	

## Notes:

- Items with \* are only available on selected models
- More ports are available through the optional expansion cards (not shown on the sample product above)



# **PERFORMANCE**

## **Processor**

#### **Processor Family**

13th Generation Intel® Core™ i3 / i5 / i7 Processor

#### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core i3- 13100	4 (4 P-core + 0 E-core)	8	P-core 3.4GHz	P-core 4.5GHz	12MB	Intel UHD Graphics 730
Core i5- 13400	10 (6 P-core + 4 E-core)	16	P-core 2.5GHz / E- core 1.8GHz	P-core 4.6GHz / E-core 3.3GHz	20MB	Intel UHD Graphics 730
Core i5- 13500	14 (6 P-core + 8 E-core)	20	P-core 2.5GHz / E- core 1.8GHz	P-core 4.8GHz / E-core 3.5GHz	24MB	Intel UHD Graphics 770
Core i5- 13600	14 (6 P-core + 8 E-core)	20	P-core 2.7GHz / E- core 2.0GHz	P-core 5.0GHz / E-core 3.7GHz	24MB	Intel UHD Graphics 770
Core i7- 13700	16 (8 P-core + 8 E-core)	24	P-core 2.1GHz / E- core 1.5GHz	Max Turbo up to 5.2GHz / P-core 5.1GHz / E-core 4.1GHz	30MB	Intel UHD Graphics 770

#### Notes:

[1] Intel Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see http://www.intel.com/technology/turboboost/ for more information.

# **Operating System**

## Operating System\*\*

- Ubuntu Linux[1]
- Windows® 10 IoT Enterprise LTSC 2021[2]
- Windows 11 DG Windows 10 Pro 64
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- No operating system

#### Notes:

[1] Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, Human Presence Detection, etc.

[2] Windows 10 IoT Enterprise LTSC 2021 is special bid only.

# **Graphics**

## Graphics\*\*

Graphics	Type	Memory	Connector	Max Resolution	Key Features
Intel UHD graphics 730	Integrated	Shared	2x DP 1.4a (HBR2, DSC), 1x HDMI® 2.1 TMDS, 1x Flex IO (VGA / DP 1.2 / HDMI 2.1 TMDS / USB-C®)	4096x2304@60Hz(DP), 4096x2160@60Hz[HDMI / Flex IO(HD MI) / Flex IO(DP)], 3840x2160@60Hz[Flex IO(USB-C)], 2048x1536@50Hz[Flex IO(VGA)]	DirectX®
Intel UHD		2x DP 1.4a (HBR2, DSC), 1x HDMI 2.1 TMDS, 1x Flex IO (VGA / DP 1.2 / HDMI 2.1 TMDS / USB-C)	4096x2304@60Hz(DP), 4096x2160@60Hz[HDMI / Flex IO(HD MI) / Flex IO(DP)], 3840x2160@60Hz[Flex IO(USB-C)], 2048x1536@50Hz[Flex IO(VGA)]	DirectX 12	

# **Monitor Support**

## **Monitor Support**

Supports up to 4 independent displays via onboard ports (2x DP, 1x HDMI, and 1x optional Flex IO)

## **Chipset**



#### Chipset

Intel Q670 chipset

# **Memory**

Max Memory[1]

Up to 128GB DDR4-3200

**Memory Slots** 

Four DDR4 DIMM slots, dual-channel capable

**Memory Type** 

DDR4-3200

**Memory Protection** 

Non-ECC

. . . . . \_ . .

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

# **Storage**

## Storage Support[1][2]

Up to three drives, 1x 2.5"/3.5" HDD + 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB each
- 3.5" HDD up to 2TB
- M.2 SSD up to 2TB

# Storage Type\*\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	7.2K	-
3.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2280 SSD	PCIe® NVMe®, PCIe 4.0 x4 Performance	-	Opal 2.0
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4 Value	-	Opal 2.0

#### **RAID**

RAID 0/1 support for HDDs (RAID preset only available via special bid models)

#### Notes:

- [1] The max capacity of each disk type is based on the test results with current Lenovo storage offerings.
- [2] 2TB SSD is special bid only.

# Removable Storage

## Optical\*\*

- DVD-ROM, SATA connector, slim (9.0mm)
- DVD burner (DVD±RW), SATA connector, slim (9.0mm)
- None

## **Card Reader**

- 3-in-1 card reader (SD, SDHC, SDXC)
- No card reader

# Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC897Q-CG codec

## **Speakers**

Single speaker, 1W x1

# **Power Supply**

# Power Supply\*\*

Power	Туре	Efficiency	Key Features
-------	------	------------	--------------



180W	Fixed	85%	100-240V, 50-60Hz
260W	Fixed	90%	100-240V, 50-60Hz
310W	Fixed	92%	100-240V, 50-60Hz
380W	Fixed	92%	100-240V, 50-60Hz

# **DESIGN**

# **Input Device**

#### Keyboard\*\*

- · Lenovo Calliope Keyboard (USB connector), black
- · Lenovo Calliope Wireless Keyboard, black
- · Lenovo Traditional Keyboard (USB connector), black
- · No keyboard

#### Mouse\*\*

- Lenovo Calliope Mouse (USB connector), black
- · Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
- No mouse

## Mechanical

#### **Form Factor**

SFF (8.2L)

#### Dimensions (WxDxH)[1]

92.5 x 297.7 x 339.5 mm (3.6 x 11.7 x 13.4 inches)

#### Packaging Dimensions (WxDxH)

195 x 395 x 530 mm (7.68 x 15.55 x 20.87 inches)

#### Weight<sup>[2]</sup>

Around 5.3 kg (11.7 lbs)

#### **Packaging Weight**

Around 7.6 kg (16.76 lbs)

## **Case Color**

Black

# Bays

- 1x 2.5" disk bay<sup>[3]</sup>
- 1x 3.5" disk bay<sup>[4]</sup>
- 1x slim ODD bay

## **Expansion Slots**

- One PCIe 4.0 x16, low-profile, length ≤ 155mm, height ≤ 70mm
- Two PCle 3.0 x1, low-profile, length ≤ 155mm, height ≤ 70mm
- Two M.2 slots (one for WLAN, one for SSD)

#### **EOU**

Toolless cover, disk, optical, extension card assembly / removal

#### Stand

- Vertical stand
- No stand

#### Others

- (Optional) Dust filter
- (Optional) Smart Cable (USB-A to USB-C)
- Supports Smart Power On

## Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight



for each specific model.

[3] 2.5" HDD tray is optional, or comes with 2.5 HDD.

[4] 3.5" bay supports 2.5" / 3.5" HDD, 3.5" to 2.5 converter comes with 2nd 2.5" HDD.

# CONNECTIVITY

#### **Network**

#### **Onboard Ethernet**

Gigabit Ethernet, Intel Ethernet Connection I219-LM, 1x RJ-45, supports Wake-on-LAN

#### **Optional Ethernet**

- 2.5 Gigabit Ethernet, Realtek RTL8125BGS, 1x RJ-45, PCIe x1
- No optional Ethernet

#### WLAN + Bluetooth®\*\*

- Realtek Wi-Fi® 6 RTL8852BE, 802.11ax Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card<sup>[1]</sup>
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card<sup>[2]</sup>
- Intel Wi-Fi 6E AX211, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, Intel vPro® technology support, M.2 Card<sup>[3]</sup>
- · No WLAN and Bluetooth

#### Notes:

[1], [2], [3] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

## **Ports**<sup>[1]</sup>

#### **Front Ports**

- 1x USB-C 3.2 Gen 1 (15W charging)
- 2x USB 3.2 Gen 1
- 2x USB 3.2 Gen 2
- 1x headphone / microphone combo jack (3.5mm)
- 1x microphone (3.5mm)

## **Optional Front Ports**

1x card reader

#### Rear Ports[2]

- 4x USB 2.0
- 1x HDMI 2.1 TMDS
- 2x DisplayPort<sup>™</sup> 1.4a (HBR2, DSC)
- 1x Ethernet (RJ-45)
- 1x line-out (3.5mm)

#### Optional Rear Ports\*\*\*

- 1x USB-C 3.2 Gen 1 with DisplayPort function and 5V@3A charging (Flex IO)
- 1x HDMI 2.1 TMDS (Flex IO)
- 1x DP 1.2 (Flex IO)
- 1x VGA (Flex IO)
- 2x USB 3.2 Gen 1 (via 2-port USB expansion card, PCle x1)
- 1x parallel
- 1x serial
- 1x 2nd serial
- 4x serial (via 4-port serial expansion card, PCle x1)
- 2x PS/2
- None

## Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;



Thunderbolt™ 3/4: 40 Gbit/s.

[2] For video ports on discrete graphics, please see graphics section.

## **Monitor Cable**

## Monitor Cable\*\*\*

- HDMI to HDMI cable (1.5m)
- · HDMI to VGA dongle
- DP to VGA dongle
- · DP to DVI-D dongle
- DP to HDMI dongle
- · No monitor cable

# **SECURITY & PRIVACY**

# Security

#### **Security Chip**

Discrete TPM 2.0, TCG certified

## **Physical Locks**

- (Optional) E-lock
- (Optional) Smart Cable Clip
- Kensington® Security Slot™, 3 x 7 mm
- Padlock Loop

#### **Chassis Intrusion Switch**

- · Chassis intrusion switch
- · No chassis intrusion switch

## **Fingerprint Reader**

No fingerprint reader

## **BIOS Security**

- · Administrator password
- Power-on password
- Hard disk password
- · Boot sequence control
- · Boot without keyboard and mouse
- Self-healing BIOS (Level 2)
- Smart USB protection (allows keyboard / mouse only, blocks all storage devices)
- · Individual USB port disablement

# **MANAGEABILITY**

# **System Management**

#### **System Management**

- Intel vPro Enterprise[1]
- Non-vPro

# Notes:

[1] Intel vPro offers a superset of DASH's defined capabilities.

# **SERVICE**

# **Warranty**<sup>[1]</sup>

## Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year limited onsite service
- 3-year limited onsite service
- No base warranty



#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

# **ENVIRONMENTAL**

# **Operating Environment**

## **Temperature**

Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -40°C (-40°F) to 60°C (140°F)

#### Humidity

Operating: 20% to 80%Storage: 10% to 90%

#### **Altitude**

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

# **CERTIFICATIONS**

## 

#### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Gold Registered<sup>[2]</sup>
- (Optional) EPEAT Silver Registered<sup>[3]</sup>
- ErP Lot 3
- · RoHS compliant
- TCO Certified 9.0

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

[2], [3] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

# Other Certifications

## **Other Certifications**

- (Optional) TÜV Rheinland® Low Noise
- (Optional) TÜV Rheinland Ultra Low Noise

#### Mil-Spec Test

MIL-STD-810H military test passed (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation, Contamination by Fluids, Salt Fog)

- $\bullet$  Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.

# ThinkCentre M70s Gen 4



•	The specifications on this page may not be available in all regions, and may be changed or updated without
	notice.





intel.



intel.



intel



intel



intel



intel