

LCD 23.8" Enterprise Display

# Sharp MultiSync® EA242F



## Re-imagine your desktop computing experience

With the MultiSync EA Series, Sharp has developed monitor solutions that push the boundaries of what you've come to know as business-class screen performance. The EA Series deliver a completely redesigned chassis with a host of enhanced features, advanced technologies, future-proof connectivity and environmentally friendly benefits. All models utilise IPS LCD panels, which boast the best possible colour accuracy and minimal viewing angle shift.

Every model features LED backlights, enabling a thin and light design. Other green features include ECO Mode™, a carbon footprint meter and an ambient light sensor, which automatically adjusts the brightness to the optimal setting depending on ambient lighting, screen content or both.

## Benefits

**In-demand display size** – the popular 23.8" display with Full HD resolution is the perfect size for busy office workspaces.

**Future-proof flexibility** – wide connectivity provides high-level flexibility with DP, HDMI, USB Type C, USB A and audio output.

**Clutter-free workspace** – Powerful 65W USB Type-C connectivity manages video, audio, power and USB via a single cable

**Easy multi-screen set-up** – Daisy-chain multiple display configurations through DisplayPort-out, no additional cables needed

**Maximum attention to health and well-being** – the outstanding ergonomic height adjustment from 0 to 150 mm; eye pleasing built-in Low Blue Light and Flicker-Free technology; plus integrated ambient light sensor all combines to tailor the perfect individual setup to boost productivity.

# Specifications

## Product Information

### Product Name

Sharp MultiSync® EA242F

### Product Group

LCD 23.8" Enterprise Display

### Order Code

60006215 (BK), 60006217 (WH)

## Display

### Panel Technology

IPS TFT with W-LED backlight

### Screen Size [inch/cm]

24 / 60.47

### Screen Aspect Ratio

16:9

### Colour Gamuts

101.6 % sRGB; 75.3% AdobeRGB, 72% NTSC

### Pixel Pitch [mm]

0.275

### Brightness (typ.) [cd/m<sup>2</sup>]

250

### Contrast Ratio (typ.)

1000:1 (5000:1 dynamic contrast ratio)

### Viewing Angle [°]

178 horizontal / 178 vertical (typ. at contrast ratio 10:1)

### Response Time (typ.) [ms]

5 (grey-to-grey)

### Colours [Mio.]

16.78 (6-bit per colour)

## Synchronisation Rate

### Horizontal Frequency [kHz]

31.5 - 83

### Vertical Frequency [Hz]

50 - 75

## Resolution

### Optimum Resolution

1920 x 1080 at 60 Hz

### Supported

1024 x 768;	1440 x 900;	720 x 400;
1280 x 1024;	1680 x 1050;	720 x 480;
1280 x 720;	1920 x 1080;	720 x 576;
1280 x 960;	640 x 480;	800 x 600

## Connectivity

### Digital

1 x DisplayPort; 1 x DisplayPort out; 1 x HDMI; 1 x USB Type C; USB ver. 3.1 (3 down / 1 up)

### Analog

1 x D-sub 15 pin

## Electrical

### Power Consumption on Mode [W]

15 (Eco Mode 2); 21 (typ.)

### Power Savings Mode [W]

0.3

### Power Supply

0.9 A/0.5 A; 100-240 V; internal power supply

## Environmental Conditions

### Operating Temperature [°C]

+5 to +35

### Operating Humidity [%]

20 to 80

### Storage Humidity [%]

10 to 85

### Storage Temperature [°C]

-10 to 60

## Ergonomics

### Height adjustable stand [mm]

150 (Landscape mode)

### Screen Tilt [°]

-5 to 35

#### Screen Swivel [°]

-170 to 170

#### Screen Rotate [°]

0 to 90 (landscape to portrait mode)

### Mechanical

#### Bezel Width [mm]

0.8 (left/right/top); 15.8 (bottom)

#### Dimensions (W x H x D) [mm]

319.1 x 555.6 - 615.4 x 250 (Portrait mode); 537.7 x 336.6 - 486.6 x 250 (Landscape mode)

#### Weight [kg]

With stand: 7

#### VESA Mounting [mm]

100 x 100 (4 points)

### Additional Features

#### Colour Versions

Black Front Bezel, Black Back Cabinet

#### Cable Management

yes

#### Kensington security slot

yes

### Plug and Play

DDC2B/2Bi; VESA DDC/CI; VESA DDC2Bi

### Audio

Integrated Speakers (1 W + 1 W)

### Adjust Functions

Advanced NTAA (Advanced Non-Touch-Auto-Adjustment)

### Shipping Content

Control Sync Cable; DisplayPort cable; Monitor; Power Cable; Set-up Manual; USB Cable; USB-C Cable

### Safety and Ergonomics

CE; EAC; EnergyStar 8.0; ErP; Flicker-free; ISO 9241-307 (pixel failure class I); Low Blue Light; PSB; RoHS; TCO 8.0; TÜV Ergonomics; TÜV GS; UL/C-UL or CSA; WEEE

### Warranty

3 years warranty incl. backlight; optional 1st to 3rd year 24/7 usage warranty; optional 4th to 5th year warranty extension

### Green Features

#### Energy Efficiency

Ambient light sensor; Energy consumption: 13 kWh/1000 h; Energy efficiency class: D; Human sensor

#### Ecological Standards

ErP compliant; RoHS compliant; WEEE

\* TCO 8.0

\* EnergyStar 8.0



CE



TÜV GS



TÜV Ergonomics



TCO 8.0



RoHS



ErP

This document is © 2025 Sharp Display Solutions Europe GmbH.

All rights reserved in favour of their respective owners. All hardware and software names are brand names and/or registered trademarks of the respective manufacturers. All specifications are subject to change without notice. Errors and omissions are excepted. 04.11.2025