

# Product data sheet

Specifications



## APC Symmetra RM 2-6kVA Battery Module

SYBT2

### Overview

<b>Presentation</b>	Extended run power protection for servers, networks, and telecommunications
---------------------	---

**Lead time**

### Main

<b>Product or Component Type</b>	Battery accessory
<b>Number of rack unit</b>	2U
<b>Number of cables</b>	1.0
<b>Battery Type</b>	Lead-Acid battery
<b>Range of Product</b>	Symmetra Battery Systems

### Batteries & Runtime

<b>Battery Placement</b>	Internal Battery
<b>Battery Slots Empty</b>	0
<b>Included Battery Modules</b>	0
<b>Device mounting</b>	Enclosed battery cartridge
<b>RBC Quantity</b>	1

### Physical

<b>Color</b>	Beige
<b>Height</b>	3.3 in (8.3 cm)
<b>Width</b>	8.5 in (21.6 cm)
<b>Depth</b>	21.5 in (54.6 cm)
<b>Net Weight</b>	49.10 lb(US) (22.27 kg)
<b>Mounting Mode</b>	Not rack-mountable
<b>USB compatible</b>	No

### Environmental

<b>Ambient Air Temperature for Operation</b>	32...104 °F (0...40 °C)
<b>Operating altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 %
<b>Ambient Air Temperature for Storage</b>	5...113 °F (-15...45 °C)
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Storage Relative Humidity	0...95 %
---------------------------	----------

## Ordering and shipping details

---

GTIN	731304016908
------	--------------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	9.8 in (24.8 cm)
------------------	------------------

---

Package 1 Width	14.02 in (35.6 cm)
-----------------	--------------------

---

Package 1 Length	26.0 in (66 cm)
------------------	-----------------

---

Package 1 Weight	52.60 lb(US) (23.86 kg)
------------------	-------------------------

## Contractual warranty

---

Warranty	2 years repair or replace, optional on-site warranties available, optional extended warranties available
----------	--

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

 RoHS Exemption Information Yes

## Certifications & Standards

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> "