

Fellowes

Let your
productivity flow



Tallo™
Dual Monitor Arm

TALLO™

Dual Monitor Arm

Features:

- Experience perfect harmony through dynamic design and ergonomic excellence with our award winning range
- Dynamic gas spring movement helping you to reduce eye, neck and back strain and work in comfort
- Telescopic sliders allow for seamless alignment of multiple screens without taking up valuable desk space
- Awarded Ergonomic Excellence by Fira International
- Independently tested to meet ergonomic requirements outlined in European Health and Safety Legislation: EN ISO 9241-5
- Increase your productivity with dual screen working - holds two screens between 1 - 9kg and 40° each
- Made from 77% recycled materials and 45% recyclable



Specification:

| Code | 8614401 | 8614701 | 8613101 |
|-------------------------------------|---|-----------------|------------------|
| Colour | Black: RAL 9017 | White: RAL 9016 | Silver: RAL 9006 |
| Product Dimensions (H x W x D) | 145 x 570 x 430 mm | | |
| Product Weight | 6.7 kg | | |
| Outer Carton Dimensions (H x W x D) | 180 x 470 x 635 mm | | |
| Outer Carton Weight | 9.2 kg | | |
| Dynamic Height Adjustability | 322 mm | | |
| Height Adjustment Range | 178 mm – 500 mm | | |
| Reach Range | 120 mm – 667 mm | | |
| Rotation | ± 90° (180°) | | |
| Pan | ± 90° (180°) | | |
| Tilt | ± 60° (120°) | | |
| Arm Swivel | 270° (180° lockout) | | |
| Tension Adjustment | Yes | | |
| USB Connectivity | Optional with Tallo™ Flexcharge hub | | |
| VESA | 75 x 75 / 100 x 100 quick release plate | | |
| Clamp: Desk Thickness | 0 – 45 mm | | |
| Grommet: Desk Thickness | 10 – 75 mm | | |
| Grommet: Diameter | 10 – 80 mm | | |
| Weight Capacity (kg) | 1 – 9 kg per arm | | |
| Maximum Monitor Size | 40° (101.6cm) diagonally / 144.2 (W) x 100 cm (H) | | |
| Retail Barcode (UPC) | 043859753048 | 043859753079 | 043859752911 |
| Outer Carton Barcode (SCS) | 50043859753043 | 50043859753074 | 50043859752916 |
| Quantity per Outer Carton | 1 | | |
| Country of Origin | China | | |
| Warranty | 15 years limited | | |

Environmental:

| Product | Product Material Breakdown | | Product Recycled Content | | |
|--------------|----------------------------|---------------|-----------------------------------|------------------------------------|----------------------------|
| | Weight (g) | Weight (%) | Pre-Consumer Recycled Content (g) | Post Consumer Recycled Content (g) | Total Recycled Content (%) |
| Aluminium | 4467.40 | 66.2% | - | 4467.40 | 100% |
| Steel | 1858.40 | 27.5% | - | 743.36 | 40% |
| Brass | 16.40 | 0.2% | - | - | - |
| Plastic | 368.10 | 5.5% | - | - | - |
| Other | 35.60 | 0.5% | - | - | - |
| Total | 6745.90 | 100.0% | - | 5210.76 | 77.2% |


| Packaging | Product Material Breakdown | | Product Recycled Content | | |
|---------------------------|----------------------------|-------------|-----------------------------------|------------------------------------|----------------------------|
| | Weight (g) | Weight (%) | Pre-Consumer Recycled Content (g) | Post Consumer Recycled Content (g) | Total Recycled Content (%) |
| Paper / Card / Corrugated | 2371.59 | 95.6% | - | 672.48 | 28.4% |
| LDPE (4) plastic bag | 105.71 | 4.3% | - | - | - |
| Polystyrene foam | 4.00 | 0.2% | - | - | - |
| Total | 2481.30 | 100% | - | 672.48 | 27.1% |

Pre-Consumer Recycled Content: Waste material that was created during the process of manufacturing or delivering goods prior to their delivery to consumers.

Post-Consumer Recycled Content: Waste material created by consumers. This material is diverted from landfills and utilized in the production of other commodities.

Recyclability:

Percentage of the product and packaging that can be easily separated for recycling.



Ergonomic Working:




ZONE 3

RELIEVE NECK STRAIN

Achieve comfortable viewing.
Ensure your eyes are in line with
the top of your screen.

How to use a monitor arm

- 1. Arms Reach:** Whether sitting or standing check that your monitor is positioned so you can touch the screen with your fingertips and that you can easily read what is on your screen without straining.
- 2. Eye level:** Adjust the monitor arm until the top of your monitor/s are roughly level with your eyes.
- 3. Tilt:** Tilting the screen slightly upwards can help achieve a more neutral posture and reduce glare.
- 4. Multiple screens:** If you're using more than one monitor make sure:
 - The tops of each screen are level and positioned side by side;
 - You sit in the middle or in front of your main screen to reduce twisting and turning.



Certifications:

Red Dot Award: Product Design 2022

Ergonomic Excellence by Fira International

EN ISO 9241-5 1999 Ergonomic requirements for office work with visual display terminals (VDT's): part 5: 1999. workstation layout and postural requirements.

ANSI / BIFMA x5.5 – 2014 Desk/Table Products. Clause 22, 23, 24.



reddot winner 2022



CAD Files:

.dwg CAD files available to download from pCon Catalog

OFML data available on all pCon platforms



Aftercare:


Servicing: Check joint parts regularly to make sure the screws have not loosened.

Spare Parts: Available. Contact CS-UK@Fellows.com or telephone 00800 18101810.

Cleaning: Wipe over with a damp microfibre cloth. Do not use any cleaning solutions.

Handling & Storage: Read and follow all instructions and warnings before use. This product is intended for indoor use only.

Dimensional Drawings:



Every effort has been made to ensure that information provided in this document is up to date and accurate. However, Fellows cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provide. In case of any query please contact us as www.Fellows.com/locations.