HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm

Intelligent conferencing: Recreating reality

Effortlessly make a great impression with built-in AI on the HP 27" 4K Conferencing Monitor. Intelligent conferencing delivers productive, high-quality collaboration every time. And it's all on a dazzling display with powerful Thunderbolt™ 4.



*Product image may differ from actual product

Productivity at its most beautiful

Get the power to take on any task, unhindered.

This superfast Thunderbolt[™] 4 display delivers

high-resolution video, high-speed data, and up

to 100W charging.¹ Ditch the extra cables, and

enjoy the freedom and performance of this

sinale-cable solution.



Put your best self on display

Usher in a new era of intelligent conferencing with effortless Al experiences across any OS. Collaborate like you're face to face thanks to lifelike audio and visual clarity from the 5MP HDR Al webcam with integrated speakers so you can always conference with confidence.

Sustainability in action

Materials that make an impact

The better choice for a brighter tomorrow, this energy-efficient monitor is made with at least 90% recycled plastic content.⁵ And with 100% sustainably sourced packaging⁶, you can be confident knowing your monitor does good things for you and the planet.





Your vision, exactly as you dream it

See your work at its most bold and beautiful. Trust what you see right out of the box with factory-calibrated color accuracy on a DreamColor-class display.² Jump into a wide array of vivid, lifelike hues and rich contrast thanks to IPS Black 4K monitor, HDR400, 98% Display P3, and more.³

HP Series 7 Pro 27 inch 4K Conferencing Monitor -727pm

Featuring



Intelligent 5MP HDR AI Webcam

The Poly Studio 5MP HDR AI webcam adapts to lighting conditions and always keeps you in focus with built-in AI collaboration features across any OS.

Full-Suite AI Experience

Collaborate confidently with a host of built-in Al webcam features. Auto framing keeps you front and center, background blur minimizes distractions, and auto lock and awake offers added security so you can focus on your conversation, not your tech.

Al Noise Reduction

Upgrade your conference call experience with HP Al-based noise reduction filters. Limit distractions including dogs, sirens, construction, and other meetings so you're heard loud and clear no matter what's happening around you.

Poly Studio Audio with DTS® Virtual:X™

Never miss a beat with the high-quality, immersive sound of 4 speakers with DTS[®] Virtual:X[™] technology – perfect for music, meetings, and more.

4K UHD Resolution

Get lost in the captivating definition and ultra-precise details of 4K UHD on this 27" monitor. The pixel-dense 3840 x 2160 resolution expands your workspace and transforms all your content into a remarkable, lifelike experience.

IPS Black Technology

View brilliant visuals from any angle with deeper colors, darker shadows, and brighter highlights with IPS Black. Enjoy a stunning 2,000:1 contrast ratio – twice that of a traditional IPS – and ultra-wide viewing angles.³

Superb Color Accuracy

For color-critical projects, trust this Pantone-validated[™] display with superb color accuracy, achieved by strict factory color calibration that ensures over 400 colors achieve a Delta E < 2, making any color difference virtually indistinguishable.

HDR and Wide Color Gamut

Replicate reality on your screen with 98% Display P3, 100% sRGB and VESA DisplayHDR[™] 400 for a wide range of vibrant colors and deeper hues that represent colors as they are in the real world.³

HP User Color Recalibration

For professionals who demand exact, consistent, and top-quality color for their monitor, this feature allows users to recalibrate their displays to maintain professional-grade color accuracy throughout the life of the monitor.⁷

Thunderbolt[™] 4 Technology

Multitask as a pro with a display that supports up to two 4K monitors through superfast Thunderbolt[™] 4 to deliver video and data at speeds up to 40Gpbs while charging devices up to 100W with a single cable for a seamless work setup.¹

Smart KVM and PbP

Boost your productivity with Smart KVM switch that seamlessly detects and switches between two different computers, so you can multi-task with just one keyboard and mouse. Plus, see both devices side-by-side on screen with Picture-by-picture.⁸

More Ports. More Flexibility

More ports mean more capabilities. With Thunderbolt[™] 4, USB-C[®] upstream, HDMI 2.0, DisplayPort[™] 1.4 In and Out, RJ-45, 1 USB-C[®] 3.2 Gen 2, and 5 USB-A 3.2 Gen 2 ports, you can daisychain multiple monitors and connect a mouse, keyboard, and more.⁹

Always-on, True Color, Low-Blue Light Filter

HP Eye Ease is an always-on, low-blue light filter that helps keep your eyes comfortable throughout the day by reducing blue light without impacting color accuracy or adding a yellow color shift.

Sleek and functional design

Add an aesthetic appeal to your workspace with a sleek 4-sided micro-edge bezel and fully adjustable stand that seamlessly blends form and function. The fresh, light silver color and smooth, seamless back suit any home or office setting.

HP Display Center

Customize your monitor with the intuitive HP Display Center that lets you tailor your settings, partition screens, and more – all through the host PC. Plus, learn how to find your perfect posture with help from the included HP Ergonomic Setup Guide.¹⁰

Remote Management Reimagined

HP Display Manager makes remote management of the monitor easy with a stable ethernet connection enabled by RJ-45. Simplify deployment, asset tracking, and remotely control monitor settings, like turning the power off.¹¹

Peace of Mind

Enjoy peace of mind with a 3-year limited warranty and HP Zero Bright Dot Guarantee. For all HP Series 7 Pro monitors, even if one subpixel fails, HP will replace the entire monitor, no questions asked.¹²



HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm

Specifications

| Display specifications | Connectivity and communications |
|--|---|
| Display size (diagonal, metric) 68.6 cm (27") | Port and connectors 1 HDMI 2.0 |
| Aspect ratio | 1 DisplayPort™ 1.4 |
| 16:9 ¹ Curvature | 1 DisplayPort™ 1.4-out 1 USB Type-C* 10Gbps signaling rate upstream (Up to 15W USB Power Delivery); 1 USB Type-C* 10Gbps signaling |
| Flat | rate (15 W charging) |
| Native resolution | 1 Thunderbolt [™] 4 with USB Type-C [®] 40Gbps signaling rate (up to 100 W USB Power Delivery, DisplayPort [™] 1.4); 1 |
| 4K UHD (3840 x 2160) ¹² Resolution (maximum) | Thunderbolt™ 4 Out for Daisy chain (15 W charging) 5 USB Type-A 10Gbps signaling rate (1 charging with 7.5 W) |
| 4K UHD (3840 x 2160 @ 60 Hz) ¹ | 1 RJ-45 (10/100/1000 Mbps) |
| Resolutions supported 640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x | HDCP Yes, DisplayPort™, HDMI and Thunderbolt™ |
| 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440; 3840 x 2160 | Power supply |
| Panel type | 100 - 240 VAC 50/60 Hz (Internal) |
| IPS Black ¹ Bezel | Power consumption |
| 4-sided borderless | 236 W (maximum), 46 W (typical), 0.5 W (standby) |
| Panel active area 59.67 x 33.57 cm | Legistics and Dhysical |
| Panel bit depth | Logistics and Physical |
| 10 bit (8 bit + FRC) ¹ Display colors | Product color |
| Up to 1.07 billion colors supported ¹³ | Black; Silver Stand color |
| Display color gamut | Black; Silver |
| 100% sRGB; 98% Display P3 HDR Support | Detachable stand Yes |
| VESA DisplayHDR™ 400 | Physical security |
| Refresh rate (maximum) 60 Hz ¹ | Security lock-ready ⁵ Base area footprint |
| Display scan frequency | 25.6 x 19.5 cm |
| 29-60 Hz (Vertical) ¹ 30-140 kHz (Horizontal) ¹ | Dimensions without Stand (W x D x H) |
| Response time 5ms GtG (with overdrive) ¹ | 61.34 x 7.55 x 35.4 cm Dimensions with stand (W x D x H) |
| Brightness | 61.34 x 22.52 x 54.05 cm |
| 400 nits ¹ Contrast ratio | Weight |
| 2000:1 (Static) ¹ 10000000:1 (Dynamic) ¹ | 7 kg (with stand) Packaged Dimensions (W x D x H) |
| Pixel pitch | 71.5 x 16.1 x 45.5 cm |
| 0.15 x 0.15 mm ¹ Pixels per inch (ppi) | Packaged weight 10.3 kg |
| 163 ppi ¹ | |
| Viewing angle 178° (Vertical) ¹ 178° (Horizontal) ¹ | Certification and compliance |
| Backlight type | Energy efficiency |
| Edge-lit Basklicht lamp life | ENERGY STAR* certified |
| Backlight lamp life 30,000 hours | Ecolabels TCO Certified; TCO Certified Edge; EPEAT* Gold with Climate+ ⁷ |
| Display features | Environmental specifications |
| Single Power ON; Height Adjust/Tilt/Swivel/Pivot; Integrated speakers; HP Eye Ease; Integrated microphone; IPS Black; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture; Presence detection | Low halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and |
| sensor; Pantone validated; Factory color calibration; HP User Color recalibration | corrugated cushions are 100% sustainably sourced and recyclable; 90% post-consumer recycled plastic; Made with 15% recycled steel; 90% recycled aluminum ^{8,9,0,11,12} |
| Display User Control Options Color; Image; Input; Power; Menu; Management; Information; Split screen; Audio | Certifications |
| Management software | BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; FCC; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; Low blue light; WW application; ICE; UAE; GS; Ukraine EE; Belarus EE; Korea MEPS; CEL Grade 2 |
| HP Display Center; HP Display Manager ⁶ Remote manageability | Microsoft WHQL certification |
| Out-of-Band MAC Address Pass Through (MAPT); Out-of-Band Wake on LAN (WoL); PXE Boot | Windows 11; Windows 10 Certified collaboration software |
| Low blue light modes | Zoom |
| Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified) ¹ Flicker-free | Windows Hello compatible |
| Yes | Yes Operating temperature range |
| Screen treatment Anti-alare | 41 to 95°F |
| Hardness | Operating humidity range 20 to 80% RH (non-condensing) |
| 3H ¹ | 20 to 00 / in (non condensing) |
| Haze 25% | Additional information |
| VESA mount | Manufacturer Warranty |
| 100 x 100 mm (bracket included) Height adjustment range | HP three-year limited warranty |
| 150 mm | What's in the box Manitary Thurdeshelt™ eachle: Display Port™ eachle: HDMI eachle: Warranty earch AC neuror eachle: Ouisk Seture |
| Tilt -5 to +20° | Monitor; Thunderbolt™ cable; DisplayPort™ cable; HDMI cable; Warranty card; AC power cable; Quick Setup Poster; 1 USB Type-C® to Type-A cable; Color calibration report; VESA mount adapter ⁴ |
| Swivel | Country of origin |
| ±45° | Made in China |
| Pivot ±90° | |
| Camera | |
| Yes, 5MP HDR Camera features | |
| Windows Hello support (IR Sensor); Pop-up privacy; HDR; Auto framing; Background blur; Auto Lock and Awake | |
| Max video resolution | |
| 2688 x 1944 at 30 fps Diagonal field of view (dFoV) | |
| 95.6° (RGB) | |
| Microphone Yes (dual microphones with DNN noise cancellation) | |
| Speaker output power | |
| 4 x 3 W Audio features | |
| DTS VirtualX™ certified | |
| | |



HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm

Accessories and services (not included)

| HP Business PC Security Lock v3 Kit | Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit. Product number: 3XJ17AA |
|--|--|
| HP Quick Release Bracket 2 | Use the HP Quick Release Bracket 2 to attach your HP Desktop Mini to an HP display ¹ and a variety of stands, arms or wall mounts. ² The failsafe "Sure-Lock" mechanism snaps the PC securely in place, and can be further secured with a theft-deterrent security screw. Product number: 6KD15AA |
| HP Quick Release Monitor Single Arm | Give yourself more options for comfort and more space on your desk with the HP Quick Release Monitor Arm. With three easy options to mount on your desk and quick release attach for select E-Series G5 monitors and select Series 7 Pro monitors ¹² , it's never been easier to maximize workday comfort and desk space. Product number: 762U0AA ¹ Compatible with monitors that have 100 x 100 VESA mount and adapter. Quick release attach capability is available for the following E-Series G5 monitors: E22 G5, E24 G5, E24 G5, E24q G5, E27 G5, E27q G5, E24u G5, E27u G5, E27k G5, E32k G5 and selected Series 7 Pro monitors: 724pf, 724pn, 727pu, 727pu, 727pk, 727pm, 732pk. ² Requires monitor VESA adapter for selected models. Please contact your Sales agent or HP Service for further guidance. |
| HP B560 PC Mounting Bracket | Create a compact, efficient workspace with the HP B560 PC Mounting Bracket. Simply attach your select HP Desktop Mini PC ¹ directly behind your select E-Series G5 Monitor and select Series 7 Pro monitors ² for an optimized space-saving solution that doesn't interfere with the display's 4-way adjustability. Product number: 763U8AA ¹ Compatible with Desktop Mini PCs and Workstations that have a 100 mm x 100 mm VESA mount. Use included spacer kit to allow compatibility with HP Thin Clients that have a 100 mm x 100 mm x 100 mm VESA mount. ² Compatible with the following monitors: E22 G5, E24 G5, E24t G5, E24t G5, E27t G5, E27t G5, E27t G5, E24u G5, E27u G5, E27k G5, E32k G5, E45c G5, 727pq, 727pu, 727pk, 727pm, 734pm and 738pu. |
| HP Desktop Mini v4+ VESA Sleeve | Wrap your HP Desktop Mini PC in the HP Desktop Mini v4+ VESA Sleeve to securely mount it- with or without an Expansion Module ¹² —behind your display, position the solution on a wall, and lock it down with the integrated security bracket and optional HP Ultra-Slim Cable Lock. Product number: 99T54AA ¹ Each sold separately. Expansion Modules are compatible with the HP Desktop Mini v4+ VESA Sleeve (99T54AA). The HP DM VESA Power Supply Holder Kit and HP DM VESA Quick Deploy Adhesive are only compatible with HP Desktop Mini v4+ VESA Sleeve (99T54AA). See product QuickSpecs for exact configurations. ² Requires HP Quick Release Monitor Arm, or HP B600/B550/B560 PC mounting bracket for selected models. Please contact your Sales agent or HP Service for further guidance. |



HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm

Footnotes

Messaging Footnotes

¹ For full Thunderbolt[™] 4 functionality, host PC must support Thunderbolt[™] 4.

- ² A DreamColor-class display is defined by 1) Factory calibrated color accuracy with Delta E < 2 for each measured color, 2) 10-bit color (either True 10-bit or 8bit +FRC), and 3) a color gamut of 98% Display P3 or greater. ³ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.
- ⁴ Number of colors available through A-FRC technology.

⁵ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT* standard. Plastics consist of 90% Post-Consumer Recycled, with 85% post-consumer recycled plastics + 5% Ocean-Bound Plastics (PET)

⁶ 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic baas and plastic foam sheeting

⁷ Requires external colorimeter or spectrometer via USB-C* and HP Display Center. Host PC requires Windows 10 or higher or MacOS 12 or higher. HP Display Center for Windows is available on the Microsoft store. For Windows and MacOS, it's available on support.hp.com.

⁸ For KVM compatibility, if connected PCs do not have USB-C^{*} port, user will need a USB-C^{*} to A cable. Sold separately

⁹ Comes with AC power cord, DisplayPort[™] 1.4 cable; HDMI 2.0 cable; USB Type A to C cable; and Thunderbolt[™] 4 cable.

¹⁰ Host PC requires Windows 10 or higher. HP Display Center is available for download on the Microsoft store for Windows or support.hp.com for Windows and MacOS.

¹¹ HP Display Manager software agent must be running on a web server and host PC. Host PC requires Windows 10 or higher. Some limitations may apply to legacy monitors. HP Display Manager is available for download on support.hp.com.

¹² The HP Pixel Policy allows no bright sub-pixel defects for this display. For complete details, see http://support.hp.com/us-en/document/c00288895.

Technical Specifications Footnotes

¹All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower

² DisplayPort^{**} 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3840 × 2160 at 60 Hz with 10-bit color using one DisplayPort^{**}, HDMI, or USB-C (DisplayPort^w alt mode), Thunderbolt^w. The video card of the connected PC must be capable of supporting 3840 × 2160 at 60 Hz and include 1 HDMI or 1 DisplayPort^w outputs to drive the monitor at the Preferred Mode. ³ Number of colors through A-FRC technology.

⁴ Included cables may vary by country.

⁵ Lock sold separately.

- ⁶ Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.
- ⁷ EPEAT* registered where applicable. EPEAT* registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by ⁸ External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen
- ⁹ Molded pulp cushions are made from 100% recycled wood fiber and organic materials.
- ¹⁰ 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- ¹¹ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- ¹² Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

© Copyright 2023 HP Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. DisplayPort[®] and the DisplayPort[®] and for the countries. Set Standards Association (VESA[®]) in the United States and other countries in the USA. Tad/or other countries used States and/or other countries. Set States and/or other April 2024

