


DATASHEET

MTP®-F/MTP®-F 12-fiber patch cable OM4



OM4

100 Gbit



Description

Application: Server to Server- / Switch to Switch connection,
 Suitable for transmission links up to **100 Gigabit**
 Connector manufacturer: **US Connec**
 Matrix: 12 Fibers
 Singlemode variant always as APC version
 Colour: OM4 and OS2 yellow

Available lengths: 1m up to 100m

Note: In each MTP® transmission link, a type B (crossed) patch cable is required

General data

Category	OM4
Colour outer sheath	erika-violett
Connector connection 1	MTP-F
Connector connection 2	MTP-F

Kabelaufbau

Cable Diameter	3,0 mm
----------------	--------

This datasheet was created automatically on 22-08-2019 . Technical changes reserved.



DATASHEET

MTP®-F/MTP®-F 12-fiber patch cable OM4

Environmental conditions

Operating Temperature	-20 – 70 °C
Storage Temperature	-20 – 70 °C

Transmission characteristics

Fiber	OM4
Coding	1:1

Standards, approvals, certifications

With rodent protection	False
Halogen free (according to EN 50267-2-3)	True

Available variants

Article no.	Title	Length	Number of fibres	Number of connectors connection 1	Number of connectors connection 2
MTPF12MTPFOM4-1	MTP®-F/MTP®-F 12-fiber patch cable OS2, LSZH erica-violet, Code B, 1m	1.0 m	12	1 x MTP® female	1 x MTP® female
MTPF12MTPFOM4-2	MTP®-F/MTP®-F 12-fiber patch cable OS2, LSZH erica-violet, Code B, 2m	2.0 m	12	1 x MTP® female	1 x MTP® female
MTPF12MTPFOM4-3	MTP®-F/MTP®-F 12-fiber patch cable OS2, LSZH erica-violet, Code B, 3m	3.0 m	12	1 x MTP® female	1 x MTP® female
MTPF12MTPFOM4-5	MTP®-F/MTP®-F 12-fiber patch cable OS2, LSZH erica-violet, Code B, 5m	5.0 m	12	1 x MTP® female	1 x MTP® female
MTPF12MTPFOM4-10	MTP®-F/MTP®-F 12-fiber patch cable OS2, LSZH erica-violet, Code B, 10m	10.0 m	12	1 x MTP® female	1 x MTP® female

Technical drawings






This datasheet was created automatically on 22-08-2019 . Technical changes reserved.

DATASHEET

MTP®-F/MTP®-F 12-fiber patch cable OM4

Technical drawings



This datasheet was created automatically on 22-08-2019 . Technical changes reserved.

