D&LLTechnologies



Connectivity meets productivity

Dell Pro 27 Plus QHD USB-C Hub Monitor MODEL: P2725DE

The world's #1 monitor company*

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024.

Seamless USB-C hub connectivity and 4-star eye comfort¹





Extensive connectivity options with enhanced visual comfort.

Connect to productivity

Simplify your setup with this versatile monitor featuring USB-C (up 90W power delivery) single-cable connectivity and an integrated RJ45 for an all-in-one hub solution. Enjoy extensive connectivity options with multiple ports for your accessories, plus quick-access, frontfacing USB Type-A and USB-C (up to 15W power delivery) ports for seamless plug-and-play convenience. With daisy chaining support and compatibility across Windows and macOS, this monitor is designed to enhance productivity and streamline your workspace.

Enhanced eye comfort

This monitor achieves TÜV Rheinland[®] 4-star eye comfort certification the latest industry standard for eye comfort to help reduce signs of eye fatigue. Benefit from improved ComfortView Plus, a built-in feature that reduces blue light emission to \leq 35% while allowing you to see vibrant colors with 99% sRGB coverage, and 100Hz refresh rate that delivers smoother and sharper motion visuals.

See your work clearly

With In-Plane Switching (IPS) technology, this monitor offers a wide 178°/178° viewing angle, so you can view your work with consistent color and image quality from virtually any angle.

Get deeper blacks and brighter whites with 1500:1 contrast ratio.



Your connectivity hub

Reduce cable clutter with USB-C connectivity that transmits data and video while delivering up to 90W of power. Get stable Ethernet connection to your network with RJ45 Ethernet Port (1GbE) and connect your accessories via a wide variety of ports including pop-out quick access USB-C (up to 15W) and USB Type-A ports.

ENTIAL REPORT



 \bigcirc

Stay productive while ensuring eye comfort. The 100Hz refresh rate delivers smooth motion visuals, and improved ComfortView Plus reduces harmful low blue light emissions while allowing you to see vibrant colors with 99% sRGB coverage.



Boost efficiency with Dell Display and Peripheral Manager that lets you organize multiple apps on your screen.



A better view from anywhere

See consistent images across wide viewing angles enabled by In-Plane Switching (IPS) technology and detailed images with 1500:1 contrast ratio on this QHD (2560 x 1440 resolution) monitor.

Click here to explore more.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.



Environmentally-forward thinking

Material innovation

Your monitor has been thoughtfully crafted with a selection of sustainable materials including up to 85% post-consumer plastic and closed-loop ITE-derived plastic¹, 100% recycled aluminum², 50% recycled steel³ and at least 20% recycled glass⁴ that make up to 31% recycled content by weight.⁵ Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

Environmental standards

This monitor is registered EPEAT Gold with Climate+, certified ENERGY STAR® and carries the latest TCO certified designation. With the new certification, this monitor is assured to be built using renewable energy while meeting high safety standards.⁶

Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.⁷ Plus, we're saving over 600 trees each year by using less paper in packaging.8

Percentage is based on plastic weight. Based on internal analysis, January 2025. Up to 67% post-consumer recycled plastic and up to 21% closes loop ITE derived plastic

- Recycled aluminum is in the monitor stand. Based on internal analysis, January 2025.
- Recycled steel is in the monitor head and stand. Based on internal analysis, January 2025. Applicable to all new monitors launching in CY 2024. Recycled glass is present in monitor panel. Based on internal analysis, January 2024
- Based on internal analysis, January 2025
- 6 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country
- Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025 Cushions now made from corrugated materials.
- Based on internal analysis, February 2025. Applies to monitors launching in 2025. Reductions based on monitor type and attributed to the quick start guide size and calibration sheet digitization. Calculation for trees saved based on: Detailed Calculator | 10 THOUSAND TREES. https://www.omnicalculator.com/everyday-life/paper-weight

DELL PRO 27 PLUS QHD USB-C HUB MONITOR

DCLTechnologies



All day comfort

Get a seamless viewing experience and focus on your task with an ultra-thin bezel design.





De-clutter your workspace

Free up your desk space with the small monitor base and hide cables from view by tucking them into the riser.



Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.


Quick access ports

Front-facing, pop-out USB-C (with up to 15W charging) and USB Type-A ports for easy connectivity.

Work comfortably

Designed for comfort and style with adjustability features.







Dell Display and Peripheral Manager



Screen image simulated for illustrative purposes only. Monitor model varies.

Experience Dell's singular, innovative application to optimize the performance of your entire Dell PC workspace.¹

Maximize productivity

Easy Arrange tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

Customize your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.


More manageable

Scale up management across your entire fleet of Dell displays and client peripherals with expanded Command Line Interface features.

Download Dell Display and Peripheral Manager

1 Based on Dell internal analysis – December 2024

Ports & Slots



- 1 Security lock slot¹
- 2 Power connector
- 3 Stand-lock
- 4 HDMI
- **5** DisplayPort 1.4 (in)
- **6** DisplayPort 1.4 (out)

- 7 USB-C 5Gbps upstream (DP 1.4 Alt. mode, power delivery up to 90W)
- **8** USB 5Gbps Type-A downstream (2)
- 9 RJ45 Ethernet port, 1GbE
- **10** Soundbar slots
- **11** USB-C 5Gbps downstream (Data only)
- **12** USB 5Gbps Type-A downstream

TECHNICAL SPECIFICATION

In-Plane Switching (IPS) Technology

Dell Pro 27 Plus QHD USB-C Hub Monitor - P2725DE

TECHNICAL SPECIFICATION

612.50 mm (24.11 in.)

192.16 mm (7.57 in)

356.55 mm (14.04 in.)

612.50 mm (24.11 in.)

49.99 mm (1.97 in.)

272.84 mm (10.74 in)

189.00 mm (7.44 in.)

8.93 kg (19.69 lb)

6.59 kg (14.53 lb)

4.60 kg (10.14 lb)

535.70 mm (HAS Stand) (21.09 in. (HAS Stand))

385.70 mm (HAS Stand) (15.19 in. (HAS Stand))

428.30 mm (HAS Stand) (16.86 in. (HAS Stand))

381.50 mm (HAS Stand) (15.02 in. (HAS Stand))

FEATURE	
MODEL	
DIAGONAL VIEWING SIZE	
PANEL TYPE	

MAXIMUM PRESET RESOLUTION AND REFRESH RATE

VIEWING ANGLE

PIXEL PER INCH (PPI)

PIXEL PITCH

Horizontal: 178° Vertical: 178° Horizontal: 0.2331 mm

1500:1 (typical)

109

16:9

684.7 mm (27.0 in.)

Vertical: 0.2331 mm

LED Edgelight System

350 cd/m² (typical)

16.7 million colors

1440 100Hz)

• Pivot -90°/+90°

Yes, using DDPM

13.02 mm (0.51 in.)

Yes

4 stars

Video port

USB port

Normal mode: 8.0 ms (gray to gray)

1 x HDMI port (HDCP 1.4) (Supports up to QHD 2560 x 1440 100Hz TMDS as per specified in HDMI 2.1) 1 x Display Port 1.4 (HDCP1.4)(Support up to 2560 x

• 1 x DisplayPort (out) port with MST (HDCP 1.4)

• 1 x USB-C 5Gbps upstream port (DisplayPort 1.4 Alternate mode, Power Delivery up to 90W)

Dell Display and Peripheral Manager (DDPM) for Windows Dell Display and Peripheral Manager (DDPM) for macOS

100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/3.0 A

Ε

Fast mode: 5.0 ms (gray to gray)

sRGB 99% (CIE 1931) (typical)

Ethernet port • 1 x RJ45 Ethernet port, 1GbE

USB-C upstream port up to 90 W

Anti-glare with hard-coating 3H

8 hours a day, 5 days a week (8/5)

USB-C downstream port up to 15W

Height adjustment up to 150.0 mm
Tilt -5°/+21°
Swivel -45°/+45°

2560 x 1440 up to 100 Hz

CONTRAST RATIO ASPECT RATIO

> BACKLIGHT TECHNOLOGY

BRIGHTNESS

RESPONSE TIME

COLOR GAMUT

COLOR DEPTH

TÜV EYECOMFORT

CONNECTIVITY

 1 x USB-C 5Gbps downstream port • 3 x USB 5Gbps Type-A downstream ports

USB POWER DELIVERY ADJUSTABILITY

> DISPLAY SCREEN COATING

DAISY CHAIN AVAILABILITY

SOFTWARE COMPATIBILITY

REMOTE ASSET

MANAGEMENT

OPERATION TIME SUPPORT

VOLTAGE REQUIRED

ENERGY EFFICIENCY

CLASS (A TO G)

POWER CONSUMPTION¹

0.30 W (Off mode)

0.30 W (Standby mode) 0.60 W (Networked standby mode) 19.60 W (On mode) 200.00 W (Max) 200.00 W (Pon)

Е

64.51 kWh (TÉC)

BEZEL WIDTH - TOP 7.88 mm (0.31 in.) BEZEL WIDTH - LEFT 7.88 mm (0.31 in.) OR RIGHT

BEZEL WIDTH BOTTOM

DIMENSIONS (WITH STAND) - HEIGHT (EXTENDED) DIMENSIONS (WITH STAND) - HEIGHT (COMPRESSED) DIMENSIONS (WITH STAND) - WIDTH DIMENSIONS (WITH

FFATURE

STAND) - DEPTH DIMENSIONS

(WITHOUT STAND) -HEIGHT DIMENSIONS

(WITHOUT STAND) -WIDTH DIMENSIONS

(WITHOUT STAND) -DEPTH STAND DIMENSIONS -HEIGHT (EXTENDED)

STAND DIMENSIONS - HEIGHT (COMPRESSED)

STAND DIMENSIONS - WIDTH

STAND DIMENSIONS – DEPTH

WEIGHT WITH PACKAGING

WEIGHT WITH STAND ASSEMBLY AND CABLES

WEIGHT WITHOUT

STAND ASSEMBLY (WITHOUT CABLES) WEIGHT OF STAND ASSEMBLY

TEMPERATURE RANGE

HUMIDITY RANGE

WHAT'S INCLUDED

ALTITUDE

1.60 kg (3.53 lb) FLAT PANEL MOUNT VESA (100 mm x 100 mm)

INTERFACE SECURITY Security lock slot (cable lock sold separately)

Anti-theft stand lock slot (to panel) COMPLIANT

 ENERGY STAR 8.0 STANDARDS

EPEAT Gold with Climate+ TCO Certified and TCO Certified Edge

ROHS-compliant
 Product Safety, EMC and Environmental Datasheets

Dell Regulatory Compliance Home Page
 Dell and the Environment

TÜV Rheinland Eye Comfort 4 Star
BFR/PVC free monitor (excluding external cables).
Meets NFPA 99 leakage current requirements.

Arsenic-free glass and Mercury-free panel only.

Operating: 0°C to 40°C (32°F to 104°F)
 Non-Operating: -20°C to 60°C (-4°F to 140°F)

Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing)

Operating: 5,000 m (16,404 ft) maximum
Non-Operating: 12,192 m (40,000 ft) maximum

· Monitor with stand

Power cable

1 x DisplayPort to DisplayPort 1.4 cable - 1.80 m 1 x USB-C to C 10Gbps, 100W cable - 1.00 m 1 x USB Type-C to Type-A 5Gbps cable - 1.80 m

QR Card

Safety, Environmental, and Regulatory Information
 Cable tie

Off Mode, Standby Mode and On Mode as base on the ErP Lot 5 (EU 2019/2021 and EU 2019/2013) declared values which has been aligned with Regulatory

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

Premium Panel Exchange

Dell Premium Panel Exchange¹ allows a free monitor replacement during the Limited Hardware Warranty² period even if only one bright pixel is found.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service³ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.²

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.⁴

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024.

1 Applicable to Dell UltraSharp and Dell Pro Plus desktop monitors.

- 3 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55° and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 4 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

² For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty.