



# HP Color LaserJet Pro 3202dw

High-Speed. Vivid Colour. Pro Performance.

Konzipiert für Arbeitsgruppen, die professionelle Leistung mit schnellem, hochwertigem beidseitigem Farbdruck, Laserproduktivität und preisgekrönter Zuverlässigkeit in einem platzsparenden Design benötigen.  
11



Dynamic security enabled printer. Contains technology that may prevent cartridges with non-HP chips or circuitry from working now or in the future. More at: <http://www.hp.com/learn/ds>



Fast two-sided printing



Time saving



Printer security settings



Environmental globe

## Professional color and speed

- Experience high-speed automatic two-sided colour printing at 25 pages per minute.<sup>1</sup>
- Bring your business to life with next-generation TerraJet Toner designed for more true-to-life, vibrant colours.<sup>8</sup>
- Streamline your workspace and help boost your team's efficiency with this compact laser printer.

## Peace-of-mind with award-winning reliability<sup>11</sup>

- Performance you can count on page after page with award-winning reliability.<sup>11</sup>
- Keep your business connected with reliable Wi-Fi® that automatically reconnects to stay online.<sup>2</sup>
- Rely on low maintenance printing to avoid downtime and stay focused on your business.

## Pro level security to help protect your business

- Safeguard your business with proactive, embedded security ready out of the box and tamper-resistant toner.<sup>12</sup>
- Druckersicherheit auf professionellem Niveau mit vorkonfigurierten Einstellungen bedeuten, dass das Gerät perfekt für Ihr Business gerüstet ist.
- Strengthen and simplify compliance. HP Security Manager upgrade applies policies across your printer network.<sup>10</sup>

## Compact and energy efficient design

- Designed in a compact size with energy saving auto-on/auto-off technology to optimise printer energy use.
- Die spezielle Zusammensetzung des HP TerraJet Toners wurde für geringen Stromverbrauch beim Drucken entwickelt.<sup>7</sup>
- Rationalisieren Sie Ihren Papierverbrauch. Mit Duplex als Standard wird jedes Blatt auf beiden Seiten bedruckt.
- Easily recycle your used Original HP Toner Cartridges for free through the HP Planet Partners program.<sup>9</sup>

## Produktübersicht

### HP Color LaserJet Pro 3202dw

1. Fast, automatic two-sided printing
2. Dual-band Wi-Fi®, Wi-Fi® Direct, High-Speed USB ports, Ethernet
3. Print speed up to 26/25 ppm (Letter/A4)
4. 250-sheet input tray with 1-sheet MP tray
5. Timesaving Shortcuts
6. Hybrid Control Panel with easy, guided setup
7. Auto-jam recovery
8. Wolf Pro Security



## Zubehör, Verbrauchsmaterialien und Support

|                           |  |
|---------------------------|--|
| Zubehör                   | W2190A HP 219A Schwarz Original LaserJet-Tonerkartusche (ca. 1.300 Seiten (Schwarz))   |
|                           | W2190X HP 219X Schwarz Original LaserJet-Tonerkartusche mit hoher Reichweite (ca. 3.200 Seiten (Schwarz))  |
|                           | W2191A HP 219A Cyan Original LaserJet-Tonerkartusche (ca. 1.200 Seiten (Cyan))   |
|                           | W2191X HP 219X Cyan Original LaserJet-Tonerkartusche mit hoher Reichweite (ca. 2.500 Seiten (Cyan))  |
|                           | W2192A HP 219A Gelb Original LaserJet-Tonerkartusche (ca. 1.200 Seiten (Gelb))   |
|                           | W2192X HP 219X Gelb Original LaserJet-Tonerkartusche mit hoher Reichweite (ca. 2.500 Seiten (Gelb))  |
|                           | W2193A HP 219A Magenta Original LaserJet-Tonerkartusche (ca. 1.200 Seiten (Magenta))   |
|                           | W2193X HP 219X Magenta Original LaserJet-Tonerkartusche mit hoher Reichweite (ca. 2.500 Seiten (Magenta))  |
| Zubehör                   |  |
| Service und Unterstützung | <p>UH761E - HP 3 years Standard exchange for HP Color LaserJet Pro 3201-3203, 3288 Printer Series</p> <p>UH757E - HP 3 years Next Business Day exchange for HP Color LaserJet Pro 3201-3203, 3288 Printer Series</p> <p>UH764E - HP 3 years Return to Depot for HP Color LaserJet Pro 3201-3203, 3288 Printer Series</p> <p>(UH761E - available in all EMEA countries except Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey, UH757E - available in Austria, Belgium, Czech Rep, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK, UH764E - available in Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey)</p> |

## Technische Daten

|                                       |   |
|---------------------------------------|---|
| Modell                                | HP Color LaserJet Pro 3202dw  |
| Produktnummer                         | 499R0F  |
| Funktionen                            | Print   |
| Bedienfeld                            | 2" MGD display; 4 buttons (Back, Home, Cancel and OK); 1 directional pad (Up, Down, Left and Right)   |
| <b>Drucken</b>                        |   |
| Drucktechnologie                      | Laser   |
| Geschwindigkeit <sup>6</sup>          | Schwarz (A4, normal): Up to 25 ppm Farbe (A4, normal): Up to 25 ppm ; Schwarzweiß (A4, beidseitiger Druck): Up to 15 ipm Farbe (A4, beidseitiger Druck): Up to 15 ipm                               |
| Ausgabe der ersten Seite <sup>8</sup> | Schwarzweiß (A4, betriebsbereit): As fast as 10.9 sec Farbe (A4, betriebsbereit): As fast as 11.0 sec ; Schwarzweiß (A4, Ruhemodus): As fast as 11.0 sec Farbe (A4, Ruhemodus): As fast as 11.1 sec |
| Druckauflösung                        | Schwarzweiß (optimal): Up to 600 x 600 dpi Farbe (optimal): Up to 600 x 600 dpi   |
| Monatliches Druckvolumen              | Up to 40,000 pages DIN A4; <b>Empfohlenes monatliches Druckvolumen<sup>9</sup></b> : 150 to 2,500   |
| Standard-Drucksprachen                | HP PCL6, PostScript, HP PCL5, PDF, URF, PWG-Raster, PCLM, JPEG  |
| Schriftarten und Schriftbilder        | 111 Scalable TrueType Fonts   |
| Druckbereich                          | <b>Ränder des Druckbereichs</b> Oben: 5 mm, Unten: 5 mm, Links: 5 mm, Rechts: 5 mm; Maximaler Druckbereich : 216 x 356 mm   |
| Beidseitiger Druck                    | Automatic   |
| Prozessorgeschwindigkeit              | 1.2 GHz   |
| <b>Konnektivität</b>                  |   |
| Standard                              | 1 Gigabit Ethernet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11ac (dual band); Auto-crossover Ethernet  |
| Funktion für mobiles Drucken          | HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing   |
| Unterstützte Netzwerkprotokolle       | TCP/IPv4, TCP/IPv6, DHCP, DNS.  |
| Netzwerkfunktionen                    | Built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X   |
| Speicher                              | <b>Standard</b> : 256 MB ; <b>Maximal</b> : 256 MB  |
| <b>Druckmedienverarbeitung</b>        |   |
| Anzahl Papierfächer                   | <b>Standard</b> : 2 ; <b>Maximal</b> : 2  |
| Medientypen                           | Paper (bond, brochure, colored, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock                                     |
| Medienformat                          | <b>Benutzerdefiniert (metrisch)</b> : 76 x 127 mm to 216 x 356 mm <b>Unterstützt (metrisch)</b> : 102 x 127 mm to 216 x 356 mm  |

|   |   |
|---|---|
| Modell                                      | HP Color LaserJet Pro 3202dw  |
| Produktnummer                               | 499R0F  |
| Druckmedienverarbeitung                     | <b>Standardpapierzuführung:</b> 250 sheets Main Input Tray; 1 sheet Priority Feed Tray <b>Standardausgabe:</b> 100 sheets Output Tray   |
| Mediengewichte                              | 60 to 163 g/m <sup>2</sup> Paper; Up to 176 g/m <sup>2</sup> with postcards; Up to 200g/m <sup>2</sup> Glossy Papers  |
| Papierzuführungskapazität                   | <b>Fach 1:</b> 1 sheet for all media type <b>Fach 2:</b> Sheets: Up to 250; Transparencies: Up to 10mm; Envelope: Up to 10 <b>Maximal:</b> Up to 251 sheets   |
| Ausgabefachkapazität                        | <b>Standard:</b> Up to 100 sheets @ 75gsm ( or Up to 15mm stack) Briefumschläge: Up to 10 envelopes Transparentfolien: Up to 10 mm stack <b>Maximal:</b> Up to 100 sheets @ 75gsm ( or Up to 15mm stack)  |
| Kompatible Betriebssysteme <sup>11</sup>    | Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Linux  |
| Kompatible Netzwerkbetriebssysteme          | Windows 11; Windows 10; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Linux  |
| Min. Systemvoraussetzungen                  | <b>Windows:</b> Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection<br><b>Mac:</b> Apple® macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required  |
| Mitgelieferte Software                      | HP Printer Software downloadable from <a href="https://www.hp.com/download">https://www.hp.com/download</a>   |
| Sicherheitsmanagement                       | Device Unique Password, Enable/Disable USB Ports, EWS Session Timeout, Access Control for Device Features, Remote Scan Enable/Disable   |
| Druckerverwaltung                           | HP Web Jetadmin   |
| <b>Abmessungen und Gewicht</b>              |   |
| Druckerabmessungen (B x T x H) <sup>4</sup> | <b>Minimal</b> 390 x 419.12 x 254.19 mm; <b>Maximal:</b> 390 x 472 x 266 mm   |
| Druckergewicht <sup>13</sup>                | 13.8 kg   |
| Betriebsumgebung                            | <b>Temperatur:</b> 15 to 30°C <b>Luftfeuchtigkeit:</b> 30 to 70% RH   |
| Lagerbedingungen                            | <b>Temperatur:</b> -20 to 60°C  |
| Geräuschpegel <sup>5</sup>                  | Schallleistungspegel: 6.2 B(A) Schalldruckpegel: 51 dB(A)   |
| Stromversorgung <sup>1</sup>                | <b>Voraussetzungen:</b> 220-volt input voltage: 220 – 240V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz; 110-volt input voltage: 110 – 127V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz (Not dual voltage, product varies by part number with # Option code identifier);<br><b>Energieverbrauch:</b> 415 watts (Printing), 6.1 watts (Ready), 0.63 watts (Sleep), 0.05 watts (Auto-Off), 0.05 watts (Manual-Off);<br><b>Typischer Stromverbrauch (TEC)<sup>10</sup>:</b> 0.272 kWh/week (Energy Star);<br><b>Netzteiltyp:</b> Internal (Built-in) power supply   |
| Technologie mit Energieersparnis            | HP Auto-On/Auto-Off Technology  |
| Prüfzeichen                                 | RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Indonesia, Singapore, Philippines, etc.<br><b>Elektromagnetische Verträglichkeit (EMV):</b> EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other Telecom approvals as required by individual countries<br>Blue Angel<br><b>Entspricht dem Blauen Engel</b> Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies<br><b>Telekom-Zertifikationen:</b> Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.2.4; EN 300 328: V2.2.2 / EN301 893 V2.1.1/ EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart B, Class B / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC62311:2020; EN62311:2008; Other Telecom approvals as required by individual countries |
| Technische Daten zur Nachhaltigkeit         | Contains post-consumer recycled plastic   |
| Herkunftsland                               | Made in Vietnam   |
| Lieferumfang <sup>2</sup>                   | 499R0F HP Color LaserJet Pro 3202dw; Netzkabel; Tonerkartusche; Benutzerhandbuch; Flyer   |
| Garantie                                    | One-year limited warranty. For more information please visit us at <a href="https://www.support.hp.com">https://www.support.hp.com</a> <sup>12</sup> . 3-year HP commercial warranty at no extra cost (register within first 60 days at <a href="https://www.hp.com/eu/3yearwarranty">https://www.hp.com/eu/3yearwarranty</a> ).  |

## Fußnoten

- <sup>1</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: <https://www.hpsmart.com>
- <sup>3</sup> HP Web Jetadmin is available for download at no additional charge at <https://www.hp.com/go/webjetadmin>
- <sup>4</sup> HP calculations based on normalized Energy Star® TEC data of HP LaserJet Pro and Enterprise series with HP TerraJet Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/energysaving>
- <sup>5</sup> Standard print mode for HP Color LaserJet Pro series with HP TerraJet Toner Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/colors>
- <sup>6</sup> Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see <https://www.hp.com/recycle>
- <sup>7</sup> HP Security Manager must be purchased separately. For details, see <https://www.hp.com/go/securitymanager>
- <sup>8</sup> Buyers Lab (BLI) 2022-2024 Most Reliable A4 Brand Award based on devices tested by Keypoint Intelligence from 2017 to 2021. See <https://www.keypointintelligence.com/view-award?region=&id=135871174680>
- <sup>9</sup> HP office-class printing systems are select Managed and Enterprise devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips and packaging security features vary locally by SKU. See <https://www.hp.com/cartridgesecurity>
- <sup>10</sup> Based on 2023 Q2 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2023 Q2 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

## Technische spezifikationen haftungsausschlüsse

- <sup>1</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- <sup>2</sup> For yield information on the cartridge(s) included with your printer, see <https://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- <sup>3</sup> Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <https://www.hp.com/go/toneryield>
- <sup>4</sup> End to End Dimensions when printer is set up and on standby
- <sup>5</sup> Configuration tested: base model, simplex printing, A4 paper at an average of 25 ppm
- <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>7</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>8</sup> Measured using ISO/IEC 17629. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>9</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- <sup>10</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- <sup>11</sup> Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see <https://www.developers.hp.com/hp-linux-imaging-and-printing>)
- <sup>12</sup> Warranty and support options vary by product, country, and local legal requirements
- <sup>13</sup> Product Weight Inclusive of Starter Supplies

