



Mini GaN Wall Chargers with Display

PN: 30238, 30239, 30240

Delivering up to 140W across up to four ports, the mini GaN chargers power laptops, tablets, and phones simultaneously.

Its TFT display shows real-time voltage and current. With PPS and GaN technology, it charges efficiently, runs cool, and ensures safety.

Interchangeable EU, UK, and US plugs make it perfect for travel.

- Compact wall charger with USB-C® Power Delivery and Quick Charge 3.0
- Integrated TFT touchscreen display shows real-time charging performance
- PPS (Programmable Power Supply) support for optimal charging efficiency
- Two USB-C PD 3.0 ports up to 140W each (PN: 30240)
- One USB-A QC 3.0 port up to 30W
- Charge up to four devices simultaneously – laptop, tablet, and phone
- Powered by advanced GaN technology for compact size and reduced heat
- Multi-region plugs (EU, UK, US) for easy travel
- Fireproof PC material ensures safe, durable operation
- Built-in overcurrent, overvoltage, over-temperature and short-circuit protection
- Universal input 100–240V for global compatibility
- Plastic-free packaging
- 2-year limited warranty



Support
PD 3.0 & QC 3.0



TFT
Display



Multi-Plug
Included



PN: 30238, 30239, 30240

Product Specifications

- Fireproof PC material
- Input: 100V – 240V 50/60Hz
- Charging Protocols:
 - **USB-C:** PD 3.0 (PPS supported)
 - **USB-A:** QC 3.0
- Storage Temperature: -25 °C to +40 °C
- Operating Temperature: 0 °C to +25 °C
- Operating Humidity: 20% -80%
- RoHS REACH: Yes
- Short circuit, Over-voltage, Over-current, Over-temperature protections



TFT Display

Touch Button

USB Ports



US plug




UK plug



EU plug

Display modes

Opening sequence



PN	# Devices	USB-C	USB-A	Max Total Output	Power Delivery	Q.C.
30238	3	2 x 65W	1 x 20W	65W	PD 3.0	3.0
30239	3	2 x 100W	1 x 30W	100W	PD 3.0	3.0
30240	4	2 x 140W + 1 x 40W	1 x 30W	140W	PD 3.0	3.0


Languages

Front of pack: English (Product description also in French)

Back of pack: English, French, German, Dutch, Italian, Spanish, Portuguese, Polish, Russian, Czech, Hungarian, Serbian, Croatian, Traditional Chinese, Simplified Chinese, Korean, Japanese

Quick Installation Languages

English, French, German, Traditional Chinese, Technical support text: English, French, German, Dutch, Italian, Spanish, Portuguese, Polish, Russian, Czech, Hungarian, Serbian, Croatian, Traditional Chinese, Simplified Chinese, Korean, Japanese



Reorder No.	Description	Tariff Code	Barcode	EAN-128	EAN-14
30238	Verbatim Mini GaN Charger 65W with Display	85366990	0023942302384	(02)00023942302384(37)06(91)864 (02)00023942302384(37)24(91)864	20023942302388 50023942302389
30239	Verbatim Mini GaN Charger 100W with Display	85366990	0023942302391	(02)00023942302391(37)06(91)864 (02)00023942302391(37)24(91)864	20023942302395 50023942302396
30240	Verbatim Mini GaN Charger 140W with Display	85366990	0023942302407	(02)00023942302407(37)06(91)864 (02)00023942302407(37)24(91)864	20023942302401 50023942302402

Reorder No.	30238	30239	30240
Product Dimensions L x W x H	58 x 31 x 58 mm	68 x 31 x 68 mm	71.5 x 36.5 x 71.5 mm
Product Weight	153 g	245 g	340 g
Units per Pack	1	1	1
Pack Dimensions L x W x H	110 x 55 x 116 mm	110 x 55 x 123 mm	110 x 55 x 129.5 mm
Pack Weight	277 g	371.54 g	470.50 g
Packs per Inner Carton (MOQ)	6	6	6
Inner Carton Dimensions L x W x H	355 x 125 x 140 mm	355 x 150 x 145 mm	355 x 15 x 150 mm
Inner Carton Weight	1812 g	2379 g	2983 g
Packs per Outer Carton	24	24	24
Outer Carton Dimensions L x W x H	375 x 275 x 305 mm	375 x 275 x 315 mm	375 x 275 x 325 mm
Outer Cartons Weight	7809 g	10088 g	12513 g
Outer Cartons per Layer	16	12	12
Layers per Pallet	4	4	4
Packs per Pallet	1536	1152	1152

Pack Content

- GaN Charger
- EU, UK and US plug Adapter
- Quick Start Guide