PIXMA TS9550

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.







- · Compact A3 printer with large touchscreen
- Wireless connectivity with Canon PRINT app and Ethernet capability
- Effortless access to popular cloud storage via PIXMA Cloud
 Link
- 20-sheet ADF*, 2-way paper feeder and auto 2-sided printing**
- Dedicated pigment black ink for professional documents

*A4/LTR/LGL sizes only

**(A5/A4/LTR size plain paper only)













PRODUCT RANGE



PIXMA TS9550



PIXMA TS9150 Series



PIXMA TS8250 Series

PIXMA TS9550 PIXMA TS9150 Series PIXMA TS8250 Series PIXMA TS6250 Series



TECHNICAL SPECIFICATIONS

PIXMA TS9550

GENERAL SPECIFICATIONS

Model Numbers

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed Colour Print Speed

Photo Print Speed **Borderless Printing**

Two Sided Printing Direct Disc Printing

CARTRIDGES AND YIELDS Standard Ink Cartridaes

Optional XL Ink Cartridaes

Optional XXI Ink Cartridges

Ink Tanks Yield (Plain paper)

Ink Tanks Yield (Photo print)

PIXMA TS9550 (BLACK)

Wireless / Ethernet, Print, Copy, Scan, Cloud Link

Up to 4800 ^[1] x 1200 dpi

5 Individual Ink Tanks (PGBK, BK, C, M, Y)

Chromal ife 100 inks Approx. 15.0 ipm [2] Approx. 10.0 ipm [2]

Borderless 10x15cm: Approx. 21 seconds [3] Yes (A3, A4, Letter, 20x25cm, 13x18cm, 10x15cm 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm,

30x30cm) Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

5 individual ink tanks

PGI-580PGBK (Pigment Black) CH-581BK (Black)

CLI-581C (Cyan) CLI-581M (Magenta) CLI-581Y (Yellow)

High yield XL ink tanks PGI-580PGBK XL (Pigment Black)

CLI-581BK XL (Black)

CLI-581C XL (Cyan) CLI-581M XL (Magenta) CLI-581Y XL (Yellow) High vield XI ink tanks

PGI-580PGBK XXL (Pigment Black)

CLI-581BK XXI (Black) CLI-581C XXL (Cyan) CLI-581M XXL (Magenta) CLI-581Y XXL (Yellow)
A4 Colour Document [4]

Piament Black: 200 pages Pigment Black XL: 400 pages Pigment Black XXI: 600 pages Black: 1451* pages

Black XL: 3120* pages Black XXL: 6360* pages Cvan: 256 pages Cyan XL: 515 pages Cyan XXI: 820 pages Magenta: 237 pages Magenta XI: 474 pages Magenta XXL: 760 pages Yellow: 257 pages Yellow XL: 514 pages Yellow XXL: 824 pages * Estimated supplemental yield 10x15cm photo [5]

Pigment Black: 1263* photos Pigment Black XL: 3373* photos

Pigment Black XXI: 5500* photos Black: 231* photos Black XL: 520* photos Black XXL: 858* photos Cvan: 83 photos Cyan XL: 170 photos Cyan XXL: 282 photos Magenta: 108 photos Magenta XL: 225 photos Magenta XXL: 367 photos Yellow: 99 photos Yellow XL: 199 photos

Yellow XXI: 322 photos * Estimated supplemental yield PAPER SUPPORT Paper Types

Maximum Paper Input

Plain Paper Canon High Resolution Paper (HR-101N)

Canon Pro Platinum (PT-101) Canon Plus Glossy II (PP-201) Canon Pro Luster (LU-101) Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501) Canon Matte (MP-101)

Envelopes Other Fine Art Papers Printable Discs

Removable Photo Stickers (RP-101) Magnetic Photo Paper (MG-101)

Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets A4/50 sheets A3 (plain paper) Front Cassette: Max. 100 sheets (plain paper) Multi-purpose Tray: Printable Nail Stickers (NL-101)/1

printable CD, DVD or Blu-Ray Disc

Paper Sizes Rear Trav

A3/A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/ 13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/ 30x30cm, Envelopes(DL,COM10)

[Custom size] width 55mm - 215.9 mm.

length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR

[Custom size] width 148.0 mm - 215.9 mm, length

Rear Tray: Plain paper 64 - 105 g/m², Canon photo

paper up to 300 g/m² Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical)

Scanning Depth (Input / Output) Maximum Document Size

COPIER SPECIFICATIONS Copy Speed

Multiple Copy Copy Functions

Paper Weight

Copy Zoom

INTERFACE Display Type & Size **Display Languages**

Flatbed, ADF and CIS colour scanner

1200 x 2400 dpi [6

Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit Flatbed: A4, LTR (216x297mm) ADF: A4, LTR, LGL

sFCOT: Approx. 19sec^[8] sESAT: Approx. 6.5ipm^[8] sESAT ADF: Approx. 8.0 ipm^[8]

max. 99 pages

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy

25 - 400% (in 1% increments)

Fit to page A5 to A3, B5 to B4, A4 to A3, A5 to A4, B5 to A4, A4 to B5, A4 to A5

10.8cm LCD (TFT colour/Touch)

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portugu ese/Norwegian/Swedish/Danish/Finnish/Russian/Cze ch/Hungarian/Polish/Slovene/Turkish/Greek/Simplifie d Chinese/Traditional

Chinese/Korean/Indonesian/Slovakian/Estonian/Latv ian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/ Croatian/Vietnamese



TECHNICAL SPECIFICATIONS

PIXMA TS9550

Automatic Document Feeder Interface Type - PC / Mac

Interface Type - Other

Up to 20 Sheets (1-sided) Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,

Administration password Wireless LAN Frequency Band: 2.4GHz Canon PRINT Inkjet/SELPHY app

Bluetooth Message In Print app

Nail Sticker app PIXMA Cloud Link

Canon Print Service Plugin (Android)
Google Cloud Print

Apple AirPrint Wireless Direct Access Point Mode LAN/WLAN PictBridge Memory Card Slot Mopria (Android)

SD Card, SDHC Card, SDXC Card, miniSD Card*, Compatible Memory Cards

mini SDHC Card*, micro SDHC Card*, microSDXC

*Using recommended adapter - not supplied

SOFTWARE

Minimum System

Software Included

Requirements

Windows 10. Windows 8.1. Windows 7 SP1 Supported Operating Systems Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. .NET Framework 4.5.2 or 4.6 is required

OS X 10.10.5~OS X 10.11.macOS 10.12~macOS 10.13 iOS, Android, Windows 10 Mobile Supported Mobile Systems

Windows: 3.1GB disk space, Internet Explorer 8

Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA

MP Driver including Scanning Utility Easy-WebPrint EX (download)

PHYSICAL FEATURES

Weight

Dimensions (W x D x H) Acoustic Noise Levels Recommended Operatina

Environment **Power Source**

Power Consumption

approx. 9.7kg

approx. 468 x 366 x 193 mm approx. 49.5dB(A) Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

AC 100-240V, 50/60Hz

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 1.2W (scanning lamp off)

Standby (all ports connected): Approx. 2.0W (scanning lamp is off)

Time to enter Standby mode: 10min 56sec Copying: Approx. 14W^[12]

Footnotes

[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch

- A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- 6 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- Colour document scan speed is measured with ISO/IFC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735.
 Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up
- Easy-WebPrint EX requires Internet Explorer 8 or later
 When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings. When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper
- using default settings.

 [12] Some colours may not be available in your region.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Ink yield may vary depending on texts/photos printed, applications software used,
- print mode and type of paper used. For yield information see www.canoneurope.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software,
- scan mode settings and document size etc.
 Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up
- All brand and product names are trademarks of their respective companies.
- . Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2018



COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.

Sales Start Date: Nov 2018



PRODUCT DETAILS:

| Product Name | Mercury Code | EAN Code | Recommended Retail Price | |
|---------------------|--------------|---------------|--|--|
| PIXMA TS9550 BK EUR | 2988C006AA | 4549292117608 | <please fill="" in="" rrp=""></please> | |

CONSUMABLES:

| Product Name | Mercury Code | EAN Code | Recommended Retail Price |
|-----------------|--------------|---|--|
| Standard size | | | |
| PGI-580 PGBK | 2078C001AA | 4549292087062 | <please fill="" in="" rrp=""></please> |
| CLI-581 BK | 2106C001AA | 4549292087079 | <please fill="" in="" rrp=""></please> |
| CLI-581 C | 2103C001AA | 4549292087086 | <please fill="" in="" rrp=""></please> |
| CLI-581 M | 2104C001AA | 2104C001AA 4549292087093 | |
| CLI-581 Y | 2105C001AA | 2105C001AA 4549292087116 <please fill="" in<="" td=""></please> | |
| XL size | | | |
| PGI-580XL PGBK | 2024C001AA | 4549292086980 | <please fill="" in="" rrp=""></please> |
| CLI-581XL BK | 2052C001AA | 4549292086997 | <please fill="" in="" rrp=""></please> |
| CLI-581XL C | 2049C001AA | 4549292087017 | <please fill="" in="" rrp=""></please> |
| CLI-581XL M | 2050C001AA | 4549292087024 | <please fill="" in="" rrp=""></please> |
| CLI-581XL Y | 2051C001AA | 4549292087031 | <please fill="" in="" rrp=""></please> |
| XXL size | | | |
| PGI-580XXL PGBK | 1970C001AA | 1970C001AA 4549292086836 <pleas< td=""></pleas<> | |
| CLI-581XXL BK | 1998C001AA | 4549292086874 | <please fill="" in="" rrp=""></please> |
| CLI-581XXL C | 1995C001AA | 4549292086898 | <please fill="" in="" rrp=""></please> |
| CLI-581XXL M | 1996C001AA | 4549292086928 | <please fill="" in="" rrp=""></please> |
| CLI-581XXL Y | 1997C001AA | 4549292086959 | <please fill="" in="" rrp=""></please> |
| | | | |



COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



MEASUREMENT / LOGISTIC INFORMATION:

| Product Name | Mercury Code | Pack type | Pack description | Quantity per pack | Length (mm) | Width (mm) | Height (mm) | Gross Weight (kg) | Net Weight (kg) |
|---------------------|--------------|--------------|---------------------|----------------------|----------------|---------------|----------------|----------------------|--------------------|
| PIXMA TS9550 BK EUR | 2988C006AA | EA | Individual | 1 | 550 | 272.5 | 484 | | |
| | | | Pallet (Upper) | 16 | 1111 | 1101 | 972.5 | | |
| | | | Pallet (Bottom) | 16 | 1111 | 1101 | 972.5 | | |

What's in the box?

- All-In-One A3 inkjet printer PIXMA TS9550
- Set-up ink tanks
- · Power cord
- Set-up CD-ROM
- Manuals and other documents

