



Overview

HP Integrated Work Center – Desktop Mini / Thin Client



1. HP Quick Release mounting latch
2. HP Quick Release
3. Height adjustment
4. Tilt adjustment
5. Mounting base with VESA holes for Desktop Mini or supported Thin Client



1. Power supply holder for Desktop Mini
2. Cable management guides

Model

Part Number:
IWCdm - G1V61AA

Introduction

The HP Integrated Work Center Stand – Desktop Mini / Thin Client is designed to provide convenient access to the Desktop Mini and select Thin Clients to help maximize the use of limited desk space without compromising performance or productivity. It will support many HP 17 to 24-inch¹ diagonal LCD monitors (see compatibility list below), with VESA standard mounting brackets.

Key features and benefits

- Make the most of small work spaces with an HP IWC Desktop Mini/Thin Client that lets you create a compact desktop solution by combining a display¹ with an HP Desktop Mini or Thin Client.
- Save time and work smarter with easy front access to your HP Desktop Mini or Thin Client's inputs, connectors, and power buttons.
- Run all of your cables through the guides, and secure the HP Desktop Mini's power brick out of the way on the back of the stand.
- Power brick tray for Desktop Mini keeps the power brick completely off the desk and out of the way.
- Find your best viewing position with adjustable height, tilt, and swivel adjustment settings.
- Built-in HP Quick Release enables easy installation and removal of monitor.

Overview

Mounting

Desktop Mini Mounting or Thin Client Mounting: Use the 15.5mm screws (provided) to attach to the base of the stand or an additional HP Quick Release Bracket EM870AA (purchased separately) to attach to the back of the stand.

- Power brick for Desktop Mini: Place the Desktop Mini Power brick in the tray on the back of the stand.
 - Cables: Route the cable through the guides.
-

Compatibility

The Integrated Work Center Stand Desktop Mini / Thin Client is designed to exclusively accommodate HP Desktop Mini, HP Thin Clients, HP Chromebox and select HP LCD monitors (each sold separately).

HP Business Monitors

Monitors must be in compliance with VESA standard 100 x 100 mm AND
Meet the weight requirement: 5.0 to 11 lbs (2.3 – 5.0 kg)

Technical Specifications – HP LCD Monitor Quick Release

Mechanical	Tilt range	-3 to +30 degrees
	Swivel range	-180 degrees to +180 degrees
	Height adjustable	Yes, range: 130 mm
	Pivot rotation	No
	Dimensions (H x W x D)	Unpackaged: 41.1 x 25.9 x 27.4 cm (16.18 x 10.19 x 10.78 in) Packaged: 33.5 x 33 x 48 cm (13.2 x 13 x 18.9 in)
Supported weight capacity	Weight	Stand Only: 2.6 kg (5.5 lb) Packaged: 4.18 kg (9.2 lb)
	VESA mounting holes	Standard 4-hole pattern, 100 mm
	HP Integrated Work Center – Desktop Mini / Thin Client has been designed to support 17 to 24 ¹ -inch diagonal HP LCD monitors from 2.27 kg to 5.0 kg (5.0 lbs to 11.0 lb).	
Other	Included Accessories	Exclusive Integrated Work Center VGA video cable (right sized for the Integrated Work Center), power brick holder for Desktop Mini, HP Quick Release, documentation kit.
	Quick Start Guide languages	English, Spanish, French, Dutch, Italian, German, S. Chinese, T. Chinese, Japanese, B. Portuguese, Korean and Thai
	Warranty languages	English, Spanish, French, Dutch, Italian, German, S. Chinese, T. Chinese, Japanese, B. Portuguese, Korean and Thai
	Compliance	RoHS compliant, Low Halogen ²
Limited Warranty	The HP Integrated Work Center – Desktop Mini / Thin Client carries a one-year limited warranty. Technical support is available seven days a week, 24 hours a day, by phone, as well as online support forums. Certain restrictions and exclusions apply.	

©2015 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. Not all 24-inch monitors supported please refer list of compatible monitors.
2. External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.