

SD4785P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery (DFS)

Part Number: K33640EU | EAN Code: 5028252622301

The ultimate Surface hybrid docking station for Dual 4K Video @ 60Hz with 100W Power Delivery.

Designed for Microsoft Surface

Designed for Surface, the SD4785P USB-C & USB-A 10Gbps Dual 4K Hybrid Docking Station with 100W Power Delivery (DFS) is the ultimate hybrid docking solution for Ultra High Definition Dual 4K @ 60Hz video. Features include the ability to select between HDMI 2.0 and DP++ 1.2, with four video ports in all (no need for cumbersome adapters); six USB ports; 100W of power delivery; a 1m (3.3') USB-C to USB-C cable with USB-A adapter; optional Kensington DockWorks™ software, for the best connection, performance and security from your Kensington dock together with three-year warranty. VESA compatible.

Features include:

- · Designed for Surface
- · Ultra High Definition video for up to two 4K monitors @ 60Hz
- 10Gbps throughput for maximum 1m (3.3') USB-C to USB-C cable efficiency
- Flexibility to select between HDMI 2.0 and DP++ 1.2 ports
- choose the best port for your environment

- Up to 100W of Power Delivery (PD 3.0)
- Six USB ports (two with charging)
- with USB-A adapter included
- Free DockWorks™ software
- · Three-year warranty



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT33366EN



The Professionals' Choice™

Kensington

SD4785P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery (DFS)

Part Number: K33640EU | EAN Code: 5028252622301







Designed for Surface

Kensington worked directly with Microsoft to provide professional-level connectivity that looks as good as it functions, so you can work like a pro. Connect with confidence for a seamless dock and charge experience.

Dual 4K (@60Hz) video output (HDMI 2.0 & DP1.2++) @ 60Hz

Delivers Ultra High Definition (4096 x 2160) images. Four video ports allow users the ability to select between HDMI 2.0 and DP 1.2 ++ without the need for cumbersome adapters.

Up to 100W Power Delivery (PD 3.0)

Ideal for devices that require higher power.w



Six USB Ports (USB-A and USB-C)

Two-layer hub delivers speeds up to 10Gbps. Front: 1 x USB-C 3.2 Gen2 up to 5V/3A and 1 x USB-A 3.2 Gen2 up to 5V/2.4A; Back: 4 x USB-A 3.2 Gen1 up to 5V/0.9A



Free Kensington DockWorks™ Software

Enables the best connection, performance and security from your Kensington dock.



Three-Year Warranty

Rest assured knowing you're covered by Kensington.



Zero Footprint Mounting Option

Adjustable clamp easily attaches to a desktop edge, cubicle wall, monitor arm, or other surface for maximum mounting flexibility (K34050WW, sold separately).



SD4785P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery (DFS)

Part Number: K33640EU | EAN Code: 5028252622301

	Systems Supported	USB-C or USB-A Laptops & Ultrabooks and Monitors that support up to 4K
	Operating Systems Supported	Windows® 7 or above
	Plug & Play	DisplayLink Driver needed
	Software	Download from DisplayLink website (https://www.displaylink.com/downloads)
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8GB or above GPU: Intel® HD Graphics 620 or above
	Additional Software Information	DockWorks (Windows 7 or above)
	USB-C Power Delivery	5V/ 9V/ 12V/ 15V/ 20V @ 3A (up to 100W, 20V@5A)
USB Interface		
	Type of USB Connector	USB-C & USB-A (USB 3.0) Connector
	Host Connector	Support USB-C 3.2 Gen2 & USB-A 3.2 Gen2
JSB Connections		
	Ports (Front)	1 x USB3.1 Gen1 Type A, support BC1.2 (5V/1.5A) & Apple Charging (5V/2.4A) 1 x USB3.1 Gen1 Type C (5V/3A, 9V/2A)
	Ports (Back)	4 x USB3.1 Gen1 Type A (5V/0.9A)
Network Connections		
	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000 Mbps
Host Connectivity		
	Host Docking Connector	USB-C host device must support Power Delivery. Power Delivery is not supported on USB-A host devices without the use of the optional 60W power splitter (K38310EU)
Video Connections		
	Video Connectors	2 x DisplayPort ++ v1.2 2 x HDMI v2.0
	Maximum Resolution Supported	Single Monitor: 4096 x 2160 @ 60Hz
		Dual Monitors: 4096 x 2160 @ 60Hz
Audio Connections		
	Audio Connectors	1 x 3.5mm audio combo jack
	Audio Channels Supported	Stereo LR
LED Indicator		
	Blue LED	Power indicator
	טומב דרח	רטשכו ווועונמנטו

Kensington

SD4785P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery (DFS)

Part Number: K33640EU | EAN Code: 5028252622301

	Exterior	Enclosure: PC ABS with texture
	Bottom	Metal Base Plate: Sheet Metal
	Product Colour	PMS Black
Other Features		
	Kensington Security Slot	Kensington Security Slot / Nano Slot
	VESA® Mount Compatible	Yes
Product Dimensions		
	Unit Weight	0.385kg (13.58oz)
	Unit Dimensions without Peripherals	Width: 210mm (8.26") Depth: 90mm (3.54") Height: 31.3mm (1.23")
	Enclosure Colour & Material	PMS Black, PC ABS
	Desktop Footprint	189cm² (29.29sq.in)
Packaging Dimensions		
	Packaging Style	Bulk Packaging
	Packaging Dimensions	Width: 235mm (9.25") Depth: 149mm (5.86") Height: 91mm (3.58")
	Packaging Weight	1.396kg (3.07lbs)
	Packaging Content	 1 x SD4785P Dock 1 x USB-C to USB-C cable with USB-A tethered adapte 1 x Power Supply 1 x IG (Instruction Guide) 1 x Warranty Card 1 x Compliance Sheet
	Master Carton	4
Power and Environmer	ntal	
	Power Adapter Rating	Input: 100-240V; 1.8A / Output: 20V DC 8.5A (170W)
	Relative Humidity	55% operating temperature @ 25°C
	Operating Temperature	0 to 40°C (32 to 104°F)
	Storage Temperature	-18 to 60°C (-0.4 to 140°F)
Country of Origin, Regu	latory, and Warranty	
	Country of Origin	Thailand
	Certifications & Compliance	FCC, IC, CE, RCM, VCCI, CB, RoHS, ACCO RSL



