



# Delock USB-C™, HDMI or mini DisplayPort to 4K HDMI Adapter Cable 1.8 m

## Description

This adapter cable by Delock can be used to connect a projector or monitor with HDMI input to a laptop with **HDMI, USB Type-C™** or **mini DisplayPort** interface.

### Ideal for conference room

By using this cable solution, no additional adapter is required in the **conference room**. The corresponding connector can be used depending on the user's requirements. The adapter can also be used in **classrooms or lecture theatres**, where the tutor can simply connect the laptop to the appropriate port.

### HDMI Ultra HD resolution

The HDMI output supports a maximum resolution of up to **3840 x 2160** pixels at 60 Hz, furthermore the audio signals can also be transmitted.



1,80 m

## Specification

- Connectors:  
Input:  
1 x USB Type-C™ male  
1 x HDMI-A male  
1 x mini DisplayPort male  
1 x USB Type Micro-B female (5 V power supply - DisplayPort and HDMI)  
Output:  
1 x HDMI-A male
- Chipset: ITE IT66351, IT6350E, IT6563FN, Realtek RTD2172U
- Resolution up to 3840 x 2160 @ 60 Hz  
(depending on the system and the connected hardware)
- Transmission of audio and video signals
- LED indicator for active port
- Colour: black
- Cable length input: ca. 30 cm
- Cable length output: ca. 145 cm

## System requirements

- Android 8.0 or above
- Chrome OS 72.0 or above
- iPad Pro (2018)
- Linux Kernel 4.3 or above
- Mac OS 10.9.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port or
- A free HDMI female or
- A free mini DisplayPort female

## Package content

- Adapter cable
- USB power cable, length: ca. 0.5 m
- User manual

## Item no. 85830


EAN: 4043619858309

Country of origin: China

Package: Retail Box



## Images





## General

Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Android 8.0 or above
	Linux Kernel 4.3 or above
	Mac OS 10.9.5 or above
	iPad Pro (2018)
	Chrome OS 72.0 or above

## Interface

Output:	1 x HDMI-A 19 pin male
Input:	1 x HDMI-A 19 pin male
	1 x mini DisplayPort 20 pin male
	1 x USB Type-C™ male

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

## Physical characteristics

Cable length:	input: ca. 30 cm
	output: ca. 145 cm
Colour:	black