

TAROX Endurance 2HE

WITH INTEL® Core™ i7-12700



SPECIFICATIONS

P/N	KL-1506917
Manufacturer	TAROX

CHASSIS

Chassis	Chenbro RM242 2HE
Formfactor	µATX
Width	430mm
Heights	88,1mm
Depth	457,2 mm
Colour	black/ silver
Bay (5.25")	2
Bay (3.5")	2
Bay (2.50")	2
Slots	4 PCI Slots Low Profile

FRONT INTERFACES

USB 3.0	2
---------	---

PSU

Power	400W
Efficiency	80 Plus Bronze

MAINBOARD

Mainboard	Intel® B660, 4x DDR4, µATX
-----------	----------------------------

SYSTEM

CPU Socket	1700
Chipset	Intel® B660
Audio Chipset	Realtek ALC897 7.1 HD-Audio

GPU	PNY Quadro T400 4GB
LAN Chipset	Intel I219-V 1Gb Ethernet
PXE	yes
Wake on Lan (WoL)	yes
Trusted Platform Module (TPM)	Software TPM
Formfactor	µATX
Memory Support	DDR4
max. Memory	128GB
max. Memory-Modules	4

REAR INTERFACES

USB 2.0	2
USB 3.2 Gen 1	2
seriell	1
Displayport	2 x DP 1.4
VGA	1
RJ-45	1x Gigabit Ethernet (2x RJ-45 via PCI-Express v1.x)
PS/2	2
Line In	yes
Line Out	yes
Microphone	yes

INTERNAL INTERFACES

PCI Express 3.0 x1	2
PCI Express x16 4.0/3.0	1
COM	2
USB 3.2 Gen 1 Header Type C	
USB 2.0 Header	2
USB 3.2 Gen 1 Header	1
TPM	1
S-ATA Controller	4
LPT	1

PROCESSOR(S)

Processor(s)	Intel® Core™ i7-12700
Base Clock	P-Core 2.1 GHz / E-Core 1.6 GHz
Turbo Clock	4.9 GHz / 3.6 GHz
Cores	8 P-Cores / 4 E-Cores
Cache	25 MB
Intel® VT	yes
TDP	180
Socket	1700
IGP Base/ max. frequency	300 MHz / 1,50 GHz

MEMORY

Capacity	16 GB
----------	-------

Memory Type	DDR4
Memory-Modules (installed)	2
HDD / SSD	
Capacity	1 TB
Solid State Disk (SSD)	yes
ODD	
DVD+-R/RW	-
CERTIFICATES	
Declaration of Conformity	yes
Production in Germany according to ISO9001	yes
WEEE-Reg.-Nr. DE 99267951	yes
INPUT DEVICES	
Keyboard	optionally
Mouse	optionally
SERVICE	
Warranty	24 month
Service	optional