

# TAROX $\mu$ Workstation 7220

## WITH Intel® Core™ i7-11700



### SPECIFICATIONS

P/N	2303353
EAN	4250154119004
Manufacturer	TAROX

### CHASSIS

Chassis	TAROX $\mu$ Workstation
Formfactor	proprietary
Width	20.0 cm
Heights	9.5 cm
Depth	25.0 cm
Colour	black
ODD Bay (5.25")	-
FDD Bay (3.50")	-
HDD Bay (3.50")	-

### FRONT INTERFACES

USB 3.2 Gen1	2
USB 2.0	2
Line in	yes
Line Out	yes

### PSU

Power	180W
Efficiency	80 Plus Bronze

### OPERATION SYSTEM

Operation System	Windows® 11 Pro
Languages	DE, FR, EN

### MAINBOARD

Mainboard	$\mu$ Workstation
-----------	-------------------

### SYSTEM

CPU Socket	1200
Chipset	Intel® H510
Audio Chipset	Realtek ALC662
GPU	CPU integrated

LAN Chipset	Intel® I219LM Gigabit LAN
PXE	yes
Wake on Lan (WoL)	yes
Intel® Active Management	yes
Trustes Plattform Module (TPM)	-
Formfactor	µATX
Memory Support	SO DDR4
max. Memory	64GB
max. Memory-Modules	2

#### REAR INTERFACES

USB 3.2 Gen 2 Typ-C	-
USB 3.2 Gen 2	-
USB 3.2 Gen 1	2
USB 2.0	2
RS232	-
LPT	-
Displayport	4x mDP 1.4
HDMI	1
DVI	-
D-Sub	-
RJ-45	1
Line In	-
Line Out	-
Microphone	-

#### INTERNAL INTERFACES

USB 3.2 Gen 2	-
USB 3.2 Gen 1	-
USB 2.0	-
RS232 (Header)	-
LPT (Header)	-
Trusted Plattform Module (TPM)	-
S-ATA Controller	1

#### PROCESSOR(S)

Processor(s)	Intel® Core™ i7-11700
Base Clock	2.50 GHz
Turbo Clock	4.90 GHz
Cores	8
Cache	16 MB
VT	yes
Hyperthreading	yes
TDP	65W
Socket	LGA1200

#### MEMORY

Capacity	16 GB
Memory Type	DDR4
Memory-Modules (installed)	1

#### HDD / SSD

Capacity	500 GB
Solid State Disk (SSD)	yes
Interface	m.2 NVMe
2nd Device	-

**ODD**

DVD+-R/RW	no
Cardreader	no

**GPU**

GPU	NVIDIA® Quadro® RTX A2000 12GB
Memory	12 GB
Interface	192-bit GDDR6
Connections	4x mDP 1.4
Cooling	active
Width	Dual-Slot
max. Resolution	7680x4320 @60Hz
DirectX	12.1
ShaderModel	5.1
OpenGL	4.6

**CERTIFICATES**

Declaration of Conformity	yes
Production in Germany according to ISO9001	yes
WEEE-Reg.-Nr. DE 99267951	yes

**INPUT DEVICES**

Keyboard	-
Mouse	-

**SERVICE**

Warranty	36 month
Service	36 month On-Site-Service