

Rittal – The System.

Faster – better – everywhere.

482.6 mm (19") air duct for horizontal air routing – SK 3301.391

Date : Dec 7, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



482.6 mm (19") air duct for horizontal air routing – SK 3301.391

created: 07.12.2020 on www.rittal.com/com-en



Product description

Description:	Air duct, passive, for cold air supply to 482.6 mm (19") IT equipment installed at the rear of server racks; air is drawn in from the front.
Benefits:	For superior air infeed to the rear 482.6 mm (19") components Integral brush strip for cable entry of 482.6 mm (19") IT equipment Supports front-to-back air routing Depth-variable
Material:	Sheet steel, spray-finished Brush strip: Plastic, UL 94-HB
Colour:	RAL 9005

Product features

Dimensions:	Width: 482.6 mm Height: 1 U
eCl@ss 8.0/8.1:	22410601
Packs of:	1 pc(s).
Weight/pack:	3.32 kg
EAN:	4028177716629
Customs tariff number:	73269098

ETIM 7.0:	EC011217
ETIM 6.0:	EC001292
eCl@ss 8.0/8.1:	22410601
eCl@ss 6.0/6.1:	27189269
Product description:	SK Air duct, For horizontal air flow, 1 U, Depth-variable 223 - 356 mm, Sheet steel, RAL 9005
Approvals	
Certificates:	EAC