


HPE Networking CW 2150 Switch Series



Neuerungen

- Vollständig verwaltete, stapelbare Layer-3-Switch-Serie der Enterprise-Class mit 8, 16, 24 und 48 Anschlüssen der Klasse 4 (PoE und ohne PoE), vier 1G/10G SFP+ Uplinks und bis zu 770 W PoE (Klasse 4 PoE).
- Bis zu 176 Gbit/s blockierungsfreie Bandbreite, bis zu 130 Mpps bei der Weiterleitung und bis zu 9Switch IRF Stack
- Flexible Anschlussmöglichkeiten mit vier 1G/10G SFP+ Uplinks bei den Modellen mit 16, 24 und 48 Anschlüssen sowie zwei 1G SFP- und zwei 1G/10G SFP+ Uplinks beim Modell mit 8 Anschlüssen
- Erweiterte Servicequalität (QoS), IPv6 und dynamische L3 Protokolle (RIP)

Übersicht

Die HPE Networking CW 2150 Switch Series bietet Ihrem Unternehmen Lösungen für zuverlässige High-Performance-Netzwerke, die speziell auf kleine und mittlere Unternehmen sowie Filialen zugeschnitten sind. Diese vollständig verwalteten, stapelbaren Layer-3-Switches bieten Funktionen der Enterprise-Klasse ohne Komplexität oder hohe Kosten. Mit der CW 2150 Series erhalten Sie nahtloses Management, robuste Sicherheit und die Flexibilität, mit Ihren wachsenden Anforderungen zu skalieren. Diese Switches wurden für die sich ständig weiterentwickelnden Netzwerke von heute konzipiert und bieten erstklassige Leistung zu einem erschwinglichen Preis – damit Sie Ihr Unternehmen vertrauensvoll verbinden und schützen können. Steigen Sie auf die CW 2150 Series um und erleben Sie sichere, einfache und leistungsstarke Netzwerkfunktionen für Ihr Unternehmen.

und OSPF) für zuverlässige Konnektivität

- Lüfterloses Design bei den Modellen mit 8 Anschlüssen und bei den Modellen mit 24/48 Anschlüssen ohne PoE. Unterstützt den IEEE 802.3az-Standard für Energy Efficient Ethernet (EEE)
- Verwaltet über Web-GUI, CLI, Smart Management Center (SmartMC) Web-Dashboard, HPE Intelligent Management Center (IMC), SNMP und REST APIs

Funktionen

Sichere und zuverlässige Konnektivität der Enterprise-Class

Die HPE Networking CW 2150 Switch Series bietet eine nicht blockierende Bandbreite von bis zu 176 Gbit/s und eine Weiterleitung von bis zu 131 Mpps, mit IRF-Stacking von neun Einheiten für ausfallsichere Verfügbarkeit und Linkredundanz.

Die CW 2150 Series bietet flexible Anschlussmöglichkeiten mit vier 1G/10G SFP+ Uplinks bei den Modellen mit 16, 24 und 48 Anschlüssen sowie zwei 1G SFP plus zwei 1G/10G SFP+ Uplinks beim Modell mit 8 Anschlüssen. Das Modell mit 24 Anschlüssen verfügt zusätzlich über vier SFP-Kombianschlüsse.

Erweiterte Servicequalität (QoS), Internetprotokoll Version 6 (IPv6) und dynamische L3 Protokolle (RIP und OSPF) für zuverlässige Konnektivität

Unterstützt IEEE 802.3az Energy Efficient Ethernet und bietet ein lüfterloses Design bei den Modellen ohne PoE mit 8, 24 und 48 Anschlüssen.

Der integrierte 6-kV-Überspannungsschutz am Serviceanschluss trägt dazu bei, das Risiko von Stromschlägen in anspruchsvollen Umgebungen wie Baustellen zu verringern.

Leistungsstarke PoE-Funktionen

Die HPE Networking CW 2150 Switch Series bietet 125 W, 248 W, 405 W, 390 W und 770 W Klasse 4 PoE über die Modelle mit 8, 16, 24 und 48 Anschlüssen.

Unterstützt fortschrittliche PoE-Funktionen, darunter schnelles PoE, das innerhalb von Sekunden nach dem Systemstart Strom liefert.

Perpetual PoE unterstützt die Überwachung des Endgerätestatus, um die Stromversorgung während eines Neustarts der Stromquelle aufrechtzuerhalten.

Die PoE Watchdog-Funktion unterbricht automatisch die Stromzufuhr zu einem Anschluss, wenn das angeschlossene Gerät nicht mehr aktiv ist.

Umfassende Sicherheitskontrolle

Die HPE Networking CW 2150 Switch Series bietet Sicherheitsfunktionen und Netzwerk Management für moderne KMU-Umgebungen. Secure Boot überprüft digitale Signaturen, um zu verhindern, dass unautorisierte oder schädliche Software beim Systemstart geladen wird.

Mit HPE IMC unterstützt die CW 2150 Series EAD durch die Integration von Terminal-Sicherheitsrichtlinien, Netzwerkzugriffssteuerung und Durchsetzung von Zugriffsrechten in ein einheitliches Sicherheitsframework.

Bietet mehrschichtigen Zugriffsschutz mit granularen ACLs (IPv4/IPv6, VLAN, portbasiert), identitätsgesteuerten Richtlinien und Authentifizierungsoptionen einschließlich 802.1X, MAC, Web, RADIUS, TACACS+, sowie Gast-VLAN-Erkennung und Dual-NIC-Erkennung mit IMC.

Die CW2150 Series unterstützt verschlüsselten Zugriff über SSHv2, SSL, SNMPv3 und TLS sowie rollenbasierte Berechtigungen und Audit-Protokollierung.

Zu den Funktionen zur Bedrohungsabwehr gehören Control Plane Policing (DoS-Schutz), ARP- und DHCP-Schutz, ICMP-Drosselung, Port-Sicherheit und Filterung von Quellanschlüssen.

Einfaches und flexibles Management

Die HPE Networking CW 2150 Switch Series bietet eine Web-GUI sowie CLI-Verwaltung nach Industriestandards und kann für eine vereinfachte Bereitstellung und zentrale Verwaltung über ein integriertes Dashboard gemeinsam mit anderen CW-Switches gesteuert werden.

Zu den modernen Managementoptionen gehören HPE Intelligent Management Center (IMC), HPE Netzwerkmanagement-Software (AirWave), SNMP-Manager und REST-APIs zur Integration in bestehende Kunden-Dashboards.

Technische Daten	HPE Networking CW 2150 Switch Series
Energieverbrauch	Keine Last: 16–35 W, Single AC Standard: 8–54 W, Single AC
Wärmeableitung	119–3306 BTU/h je nach Konfiguration
Eingangsspannung	Nennspannungsbereich: 100–240 V Wechselstrom bei 50 Hz oder 60 Hz Maximaler Spannungsbereich: 90–264 V Wechselstrom bei 47 Hz bis 63 Hz
Anschlüsse	Modell mit 8 Anschlüssen: 8x 10/100/1000BASE-T, 2x 1000BASE-X SFP Anschlüsse und 2x 1/10GBASE-X SFP+ Anschlüsse oder 8x 10/100/1000BASE-T PoE+, 2x 1000BASE-X SFP Anschlüsse und 2x 1/10GBASE-X SFP+ Anschlüsse Modell mit 16 Anschlüssen: 16x 10/100/1000BASE-T PoE+ (125 W) Anschlüsse und 4x 1/10GBASE-X SFP+ Anschlüsse Modell mit 24 Anschlüssen: 24x 10/100/1000BASE-T Anschlüsse oder 24x 10/100/1000BASE-T PoE+ und 4x 100/1000BASE-X SFP-Kombianschlüsse. 4x 1/10GBASE-X SFP+ Anschlüsse Modell mit 48 Anschlüssen: 48x 10/100/1000BASE-T Anschlüsse oder 48x 10/100/1000BASE-T PoE+ (390 W) Anschlüsse oder 48x 10/100/1000BASE-T PoE+ (770 W) Anschlüsse und 4x 1/10GBASE-X SFP+ Anschlüsse Managementanschlüsse: 1x RJ-45-Konsolenanschlüsse, 1x USB Typ-C-Konsole, 1x USB und 1x OOBM-Managementanschlüsse
Latenz	1 GE: < 5 µs 10 GE: < 3 µs (64-Byte-Pakete)
Switching-Leistung	60–176 Gbit/s, je nach Modell
Stapelbarkeit:	9 Mitglieder IRF-Stack
Durchsatz	44–131 Mpps, je nach Modell
Speicher und Prozessor	CPU: Dual-Core Arm® bei 1,2 GHz Flash: 512 MB SDRAM: 1 GB
Netzteilbezeichnung	Fest, 90–264 V, Single AC
PoE-Merkmale	125–770 W, je nach Modell
Managementfunktionen	Web-GUI-Kommandozeilenschnittstelle (CLI) Smart Management Center (SmartMC) HPE Intelligence Management Center (IMC) HPE-Netzwerkmanagement-Software (AirWave) REST API SNMP
Betriebstemperatur	-5° C–50 °C (23 °F–122 °F)
Garantie	Beschränkte Garantie für die Lebensdauer der Hardware. Siehe Garantiedauer .

SKU-Vergleich

	HPE Networking CW 2150 16p 10M/100M/1G PoE+ 4p SFP+ 1G/10G 248W Switch (S6X55A)	HPE Networking CW 2150 24p 10M/100M/1G 4p SFP+ 1G/10G Switch (S6X50A)	HPE Networking CW 2150 24p 10M/100M/1G PoE+ 4p SFP 1G Combo 4p SFP+ 1G/10G 405W Switch (S6X51A)	HPE Networking CW 2150 48p 10M/100M/1G 4p SFP+ 1G/10G Switch (S6X52A)	HPE Networking CW 2150 48p 10M/100M/1G PoE+ 4p SFP+ 1G/10G 390W Switch (S6X53A)
Unterscheidungsmerkmal	16 Anschlüsse 10M/100M/1000M 4 Anschlüsse SFP+, 248 W PoE+	24 Anschlüsse 10M/100M/1000M, 4 Anschlüsse SFP+	24 Anschlüsse 10M/100M/1000M 4 Anschlüsse SFP 4 Anschlüsse SFP+ Kupfer- und Glasfaser- Kombianschlüsse, 405 W PoE+	8 Anschlüsse 10M/100M/1000M, 4 Anschlüsse SFP+	48 Anschlüsse 10M/100M/1000M 4 Anschlüsse SFP+, 390 W PoE+
Energieverbrauch	Leerlauf: 25 W Typisch: 38 W Volllast: 317 W (PoE 248 W)	Leerlauf: 6 W Typisch: 16 W Volllast: 21 W	Leerlauf: 23 W Typisch: 35 W Volllast: 465 W (PoE 405 W)	Leerlauf: 13 W Typisch: 31 W Volllast: 42 W	Leerlauf: 29 W Typisch: 54 W Volllast: 512 W (PoE 390 W)
Wärmeableitung	85–1982 BTU/h je nach Konfiguration	28–65 BTU/h je nach Konfiguration	78–1587 BTU/h je nach Konfiguration	44–143 BTU/h je nach Konfiguration	99–1747 BTU/h je nach Konfiguration
Eingangsspannung	Nennspannungsbereich: 100–240 V Wechselstrom bei 50 Hz oder 60 Hz Maximaler Spannungsbereich: 90–264 V Wechselstrom bei 47 Hz bis 63 Hz				
Anschlüsse	16 x 10/100/1000BASE-T PoE+ Anschlüsse, 4 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45- Konsolenanschluss, 1 x USB Type-C-Konsolenanschluss, 1 x USB- und 1 x OOBM- Management-Anschluss	24 x 10/100/1000BASE-T Anschlüsse, 4 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45- Konsolenanschluss, 1 x USB Type-C-Konsolenanschluss, 1 x USB- und 1 x OOBM- Management-Anschluss	24 x 10/100/1000BASE-T PoE+ Anschlüsse, 4 x 100/1000BASE-X SFP Kombianschlüsse, 4 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45 Konsolenanschluss, 1 x USB Type-C-Konsolenanschluss, 1 x USB- und 1 x OOBM- Management-Anschluss	48 x 10/100/1000BASE-T Anschlüsse, 4 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45- Konsolenanschluss, 1 x USB Type-C-Konsolenanschluss, 1 x USB- und 1 x OOBM- Management-Anschluss	48 x 10/100/1000BASE-T PoE+ Anschlüsse, 4 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45- Konsolenanschluss, 1 x USB Type-C-Konsolenanschluss, 1 x USB- und 1 x OOBM- Management-Anschluss
Latenz	1 GE: < 5 µs 10 GE: < 3 µs (64-Byte-Pakete)				
Switching-Leistung	112 Gbit/s	128 Gbps	128 Gbps	176 Gbps	176 Gbps

	HPE Networking CW 2150 16p 10M/100M/1G PoE+ 4p SFP+ 1G/10G 248W Switch (S6X55A)	HPE Networking CW 2150 24p 10M/100M/1G 4p SFP+ 1G/10G Switch (S6X50A)	HPE Networking CW 2150 24p 10M/100M/1G PoE+ 4p SFP 1G Combo 4p SFP+ 1G/10G 405W Switch (S6X51A)	HPE Networking CW 2150 48p 10M/100M/1G 4p SFP+ 1G/10G Switch (S6X52A)	HPE Networking CW 2150 48p 10M/100M/1G PoE+ 4p SFP+ 1G/10G 390W Switch (S6X53A)
Stapelbarkeit:	9 Mitglieder IRF-Stack				
Durchsatz	83 Mpps	95 Mpps	95 Mpps	130 Mpps	130 Mpps
Speicher und Prozessor	CPU: Dual-Core Arm® bei 1,2 GHz Flash: 512 MB SDRAM: 1 GB				
Netzteilbezeichnung	Fest, 90–264 V, Single AC				
PoE-Merkmale	248 W	Nicht-PoE	405 W	Nicht-PoE	Nicht-PoE
Managementfunktionen	Web-GUI-Kommandozeilenschnittstelle (CLI) Smart Management Center (SmartMC) HPE Intelligence Management Center (IMC) HPE-Netzwerkmanagement-Software (AirWave) REST API SNMP				
Betriebstemperatur	-5° C–50 °C (23 °F–122 °F)				
Gewicht	4,6 kg	2,8 kg	4,95 kg	4,75 kg	5,3 kg
Produktabmessungen (metrisch)	38 x 54,99 x 13,31 cm	27,51 x 54 x 8,2 cm	38 x 54,99 x 12,5 cm	38 x 54,99 x 12,5 cm	38 x 54,99 x 13,31 cm
Garantie	Beschränkte Garantie für die Lebensdauer der Hardware. Siehe Garantiedauer.				

	HPE Networking CW 2150 48p 10M/100M/1G PoE+ 4p SFP+ 1G/10G 770W Switch (S6X54A)	HPE Networking CW 2150 8p 10M/100M/1G 2p SFP 1G 2p SFP+ 1G/10G Switch (S6X56A)	HPE Networking CW 2150 8p 10M/100M/1G PoE+ 2p SFP 1G 2p SFP+ 1G/10G 125W Switch (S6X57A)
Unterscheidungsmerkmal	48 Anschlüsse 10M/100M/1000M 4 Anschlüsse SFP+, 770 W PoE+	8 Anschlüsse 10M/100M/1000M, 2 Anschlüsse SFP, 2 Anschlüsse SFP+	8 Anschlüsse 10M/100M/1000M, 2 Anschlüsse SFP 2 Anschlüsse SFP+ 125 W PoE+
Energieverbrauch	Leerlauf: 35 W Typisch: 56 W Volllast: 969 W (PoE 770 W)	Leerlauf: 5 W Typisch: 8 W Volllast: 16 W	Leerlauf: 8 W Typisch: 10 W Volllast: 152 W (PoE 125 W)
Wärmeableitung	119–3306 BTU/h je nach Konfiguration	17–55 BTU/h je nach Konfiguration	27–519 BTU/h je nach Konfiguration
Eingangsspannung	Nennspannungsbereich: 100–240 V Wechselstrom bei 50 Hz oder 60 Hz Maximaler Spannungsbereich: 90–264 V Wechselstrom bei 47 Hz bis 63 Hz		
Anschlüsse	48 x 10/100/1000BASE-T PoE+ Anschlüsse, 4 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45-Konsolenanschluss, 1 x USB Type-C-Konsolenanschluss, 1 x USB- und 1 x OOBM-Management-Anschluss	8 x 10/100/1000BASE-T Anschlüsse, 2 x 1000BASE-X SFP Anschlüsse, 2 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45 Konsolenanschluss, 1 x USB Typ-C-Konsolenanschluss, 1 x USB- und 1 x OOBM-Management-Anschluss	8 x 10/100/1000BASE-T PoE+ Anschlüsse, 2 x 1000BASE-X SFP Anschlüsse, 2 x 1/10GBASE-X SFP+ Anschlüsse, 1 x RJ-45 Konsolenanschluss, 1 x USB Typ-C-Konsolenanschluss, 1 x USB- und 1 x OOBM-Management-Anschluss
Latenz	1 GE: < 5 µs 10 GE: < 3 µs (64-Byte-Pakete)		
Switching-Leistung	176 Gbps	60 Gbit/s	60 Gbit/s
Stapelbarkeit:	9 Mitglieder IRF-Stack		
Durchsatz	130 Mpps	44 Mpps	44 Mpps
Speicher und Prozessor	CPU: Dual-Core Arm® bei 1,2 GHz Flash: 512 MB SDRAM: 1 GB		
Netzteilbezeichnung	Fest, 90–264 V, Single AC		
PoE-Merkmale	770 W	Nicht-PoE	125 W

	HPE Networking CW 2150 48p 10M/100M/1G PoE+ 4p SFP+ 1G/10G 770W Switch (S6X54A)	HPE Networking CW 2150 8p 10M/100M/1G 2p SFP 1G 2p SFP+ 1G/10G Switch (S6X56A)	HPE Networking CW 2150 8p 10M/100M/1G PoE+ 2p SFP 1G 2p SFP+ 1G/10G 125W Switch (S6X57A)
Managementfunktionen	Web-GUI-Kommandozeilenschnittstelle (CLI) Smart Management Center (SmartMC) HPE Intelligence Management Center (IMC) HPE-Netzwerkmanagement-Software (AirWave) REST API SNMP		
Betriebstemperatur	-5° C–50 °C (23 °F–122 °F)		
Gewicht	5,5 kg	1,8 kg	2,35 kg
Produktabmessungen (metrisch)	38 x 54,99 x 12,5 cm	27 x 35,2 x 8,79 cm	27 x 35,2 x 8,79 cm
Garantie	Beschränkte Garantie für die Lebensdauer der Hardware. Siehe Garantiedauer.		

Zugehörige Optionen

Die folgenden Optionen sind für diese Serie verfügbar:

SKU	Beschreibung
Kabel/Kabelkits	
JD095C	HPE Networking X240 10G SFP+ SFP+ 0.65m DAC Cable
JD096C	HPE Networking X240 10G SFP+ SFP+ 1.2m DAC Cable
JD097C	HPE Networking X240 10G SFP+ SFP+ 3m DAC Cable
JG081C	HPE Networking X240 10G SFP+ SFP+ 5m DAC Cable
Montagekits	
R8M91A	HPE Networking Comware 5140 Rack Mount Kit
Transceiver	
JL290A	HPE Networking X2A0 10G SFP+ to SFP+ 7m Active Optical Cable
JL291A	HPE Networking X2A0 10G SFP+ to SFP+ 10m Active Optical Cable
JL292A	HPE Networking X2A0 10G SFP+ to SFP+ 20m Active Optical Cable
JD099B	HPE Networking X120 1G SFP LC BX 10-D Transceiver
JD098B	HPE Networking X120 1G SFP LC BX 10-U Transceiver
JD103A	HPE Networking X120 1G SFP LC LH100 Transceiver
JD119B	HPE Networking X120 1G SFP LC LX Transceiver
JD118B	HPE Networking X120 1G SFP LC SX Transceiver
JD089B	HPE Networking X120 1G SFP RJ45 T Transceiver
JL738A	HPE Networking X130 10G SFP+ LC BiDi 10km-Downlink Transceiver
JL737A	HPE Networking X130 10G SFP+ LC BiDi 10km-Uplink Transceiver
JL740A	HPE Networking X130 10G SFP+ LC BiDi 40km-Downlink Transceiver
JL739A	HPE Networking X130 10G SFP+ LC BiDi 40km-Uplink Transceiver
JG234A	HPE Networking X130 10G SFP+ LC ER 40km Transceiver
JG915A	HPE Networking X130 10G SFP+ LC LH 80km Transceiver
JD094B	HPE Networking X130 10G SFP+ LC LR Transceiver
JD092B	HPE Networking X130 10G SFP+ LC SR Transceiver

Zugehörige Services

Die folgenden Services sind für diese Serie verfügbar:

SKU	Beschreibung
Technische Services	
H10PGE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 8P POE Swch Service
H10LVE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 8P Swch Service
H10ZWE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 16P Swch Service
H11GTE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 24P POE Swch Service
H11DHE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 24P Swch Service
H11MRE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 48P POE Swch Service
H11QCE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 48P POE+ Swch Service
H11KFE	HPE Aruba Networking Foundational Care 1Y 4HR Exch 2150 48P Swch Service
H11RRE	HPE Aruba Networking Foundational Care 1Y 4HR Exch EDU/RET 2150 48P POE+ Swch Service
H10PLE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 8P POE Swch Service
H10LZE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 8P Swch Service
H11BBE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 16P Swch Service
H11GYE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 24P POE Swch Service
H11DME	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 24P Swch Service
H11MWE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 48P POE Swch Service
H11QHE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 48P POE+ Swch Service
H11KKE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 2150 48P Swch Service
H10PME	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 8P POE Swch Service
H10MBE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 8P Swch Service
H11BCE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 16P Swch Service
H11GZE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 24P POE Swch Service
H11DNE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 24P Swch Service
H11MXE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 48P POE Swch Service
H11QJE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 48P POE+ Swch Service
H11KLE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 2150 48P Swch Service
H10NLE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite EDU/RET 2150 8P Swch Service
H11CME	HPE Aruba Networking Foundational Care 1Y 4HR Onsite EDU/RET 2150 16P Swch Service
H11RTE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite EDU/RET 2150 48P POE+ Swch Service
H10PKE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 8P POE Swch Service
H10LYE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 8P Swch Service
H10ZZE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 16P Swch Service
H11GXE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 24P POE Swch Service
H11DLE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 24P Swch Service

H11MVE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 48P POE Swch Service
H11QGE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 48P POE+ Swch Service
H11KJE	HPE Aruba Networking Foundational Care 1Y 4HR Onsite HW Only 2150 48P Swch Service
H10PNE	HPE Aruba Networking Foundational Care 1Y CTR 2150 8P POE Swch Service
H10MCE	HPE Aruba Networking Foundational Care 1Y CTR 2150 8P Swch Service
H11BDE	HPE Aruba Networking Foundational Care 1Y CTR 2150 16P Swch Service
H11HBE	HPE Aruba Networking Foundational Care 1Y CTR 2150 24P POE Swch Service
H11DQE	HPE Aruba Networking Foundational Care 1Y CTR 2150 24P Swch Service
H11MYE	HPE Aruba Networking Foundational Care 1Y CTR 2150 48P POE Swch Service
H11QKE	HPE Aruba Networking Foundational Care 1Y CTR 2150 48P POE+ Swch Service
H11KME	HPE Aruba Networking Foundational Care 1Y CTR 2150 48P Swch Service
H10PQE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 8P POE Swch Service
H10MDE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 8P Swch Service
H11BFE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 16P Swch Service
H11HCE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 24P POE Swch Service
H11DRE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 24P Swch Service
H11MZE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 48P POE Swch Service
H11QLE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 48P POE+ Swch Service
H11KNE	HPE Aruba Networking Foundational Care 1Y CTR CDMR 2150 48P Swch Service
H10QYE	HPE Aruba Networking Foundational Care 1Y CTR EDU/RET 2150 8P POE Swch Service
H11CNE	HPE Aruba Networking Foundational Care 1Y CTR EDU/RET 2150 16P Swch Service
H11PJE	HPE Aruba Networking Foundational Care 1Y CTR EDU/RET 2150 48P POE Swch Service
H11RVE	HPE Aruba Networking Foundational Care 1Y CTR EDU/RET 2150 48P POE+ Swch Service
H10PDE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 8P POE Swch Service
H10LSE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 8P Swch Service
H10ZTE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 16P Swch Service
H11GRE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 24P POE Swch Service
H11DFE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 24P Swch Service
H11MNE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 48P POE Swch Service
H11PZE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 48P POE+ Swch Service
H11KCE	HPE Aruba Networking Foundational Care 1Y NBD Exch 2150 48P Swch Service
H11RQE	HPE Aruba Networking Foundational Care 1Y NBD Exch EDU/RET 2150 48P POE+ Swch Service
H10PFE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 8P POE Swch Service
H10LTE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 8P Swch Service
H10ZVE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 16P Swch Service
H11GSE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 24P POE Swch Service

H11DGE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 24P Swch Service
H11MQE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 48P POE Swch Service
H11QBE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 48P POE+ Swch Service
H11KDE	HPE Aruba Networking Foundational Care 1Y NBD Exch HW Only 2150 48P Swch Service
H10PHE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 8P POE Swch Service
H10LWE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 8P Swch Service
H10ZXE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 16P Swch Service
H11GVE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 24P POE Swch Service
H11DJE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 24P Swch Service
H11MSE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 48P POE Swch Service
H11QDE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 48P POE+ Swch Service
H11KGE	HPE Aruba Networking Foundational Care 1Y NBD Onsite 2150 48P Swch Service
H10PJE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 8P POE Swch Service
H10LXE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 8P Swch Service
H10ZYE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 16P Swch Service
H11GWE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 24P POE Swch Service
H11DKE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 24P Swch Service
H11MTE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 48P POE Swch Service
H11QFE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 48P POE+ Swch Service
H11KHE	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 2150 48P Swch Service
H11JJE	HPE Aruba Networking Foundational Care 1Y NBD Onsite EDU/RET 2150 24P POE Swch Service
H11PGE	HPE Aruba Networking Foundational Care 1Y NBD Onsite EDU/RET 2150 48P POE Swch Service
H10PTE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 8P POE Swch Service
H10MHE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 8P Swch Service
H11BJE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 16P Swch Service
H11HGE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 24P POE Swch Service
H11DVE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 24P Swch Service
H11NDE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 48P POE Swch Service
H11QQE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 48P POE+ Swch Service
H11KSE	HPE Aruba Networking Foundational Care 3Y 4HR Exch 2150 48P Swch Service
H11LZE	HPE Aruba Networking Foundational Care 3Y 4HR Exch EDU/RET 2150 48P Swch Service
H10PZE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 8P POE Swch Service
H10MNE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 8P Swch Service
H11BQE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 16P Swch Service
H11HME	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 24P POE Swch Service
H11FBE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 24P Swch Service

H11NKE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 48P POE Swch Service
H11QWE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 48P POE+ Swch Service
H11KYE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 2150 48P Swch Service
H10QBE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 8P POE Swch Service
H10MQE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 8P Swch Service
H11BRE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 16P Swch Service
H11HNE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 24P POE Swch Service
H11FCE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 24P Swch Service
H11NLE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 48P POE Swch Service
H11QXE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 48P POE+ Swch Service
H11KZE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 2150 48P Swch Service
H10NTE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite EDU/RET 2150 8P Swch Service
H10PYE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 8P POE Swch Service
H10MME	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 8P Swch Service
H11BNE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 16P Swch Service
H11HLE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 24P POE Swch Service
H11DZE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 24P Swch Service
H11NJE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 48P POE Swch Service
H11QVE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 48P POE+ Swch Service
H11KXE	HPE Aruba Networking Foundational Care 3Y 4HR Onsite HW Only 2150 48P Swch Service
H10QCE	HPE Aruba Networking Foundational Care 3Y CTR 2150 8P POE Swch Service
H10MRE	HPE Aruba Networking Foundational Care 3Y CTR 2150 8P Swch Service
H11BSE	HPE Aruba Networking Foundational Care 3Y CTR 2150 16P Swch Service
H11HQE	HPE Aruba Networking Foundational Care 3Y CTR 2150 24P POE Swch Service
H11FDE	HPE Aruba Networking Foundational Care 3Y CTR 2150 24P Swch Service
H11NME	HPE Aruba Networking Foundational Care 3Y CTR 2150 48P POE Swch Service
H11QYE	HPE Aruba Networking Foundational Care 3Y CTR 2150 48P POE+ Swch Service
H11LBE	HPE Aruba Networking Foundational Care 3Y CTR 2150 48P Swch Service
H10QDE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 8P POE Swch Service
H10MSE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 8P Swch Service
H11BTE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 16P Swch Service
H11HRE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 24P POE Swch Service
H11FFE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 24P Swch Service
H11NNE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 48P POE Swch Service
H11QZE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 48P POE+ Swch Service
H11LCE	HPE Aruba Networking Foundational Care 3Y CTR CDMR 2150 48P Swch Service

H11CWE	HPE Aruba Networking Foundational Care 3Y CTR EDU/RET 2150 16P Swch Service
H10PSE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 8P POE Swch Service
H10MGE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 8P Swch Service
H11BHE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 16P Swch Service
H11HFE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 24P POE Swch Service
H11DTE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 24P Swch Service
H11NCE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 48P POE Swch Service
H11QNE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 48P POE+ Swch Service
H11KRE	HPE Aruba Networking Foundational Care 3Y NBD Exch 2150 48P Swch Service
H11PKE	HPE Aruba Networking Foundational Care 3Y NBD Exch EDU/RET 2150 48P POE Swch Service
H10PRE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 8P POE Swch Service
H10MFE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 8P Swch Service
H11BGE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 16P Swch Service
H11HDE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 24P POE Swch Service
H11DSE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 24P Swch Service
H11NBE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 48P POE Swch Service
H11QME	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 48P POE+ Swch Service
H11KQE	HPE Aruba Networking Foundational Care 3Y NBD Exch HW Only 2150 48P Swch Service
H10PVE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 8P POE Swch Service
H10MJE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 8P Swch Service
H11BKE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 16P Swch Service
H11HHE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 24P POE Swch Service
H11DWE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 24P Swch Service
H11NFE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 48P POE Swch Service
H11QRE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 48P POE+ Swch Service
H11KTE	HPE Aruba Networking Foundational Care 3Y NBD Onsite 2150 48P Swch Service
H10PWE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 8P POE Swch Service
H10MKE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 8P Swch Service
H11BLE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 16P Swch Service
H11HJE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 24P POE Swch Service
H11DXE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 24P Swch Service
H11NGE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 48P POE Swch Service
H11QSE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 48P POE+ Swch Service
H11KVE	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 2150 48P Swch Service
H10NRE	HPE Aruba Networking Foundational Care 3Y NBD Onsite EDU/RET 2150 8P Swch Service
H11CSE	HPE Aruba Networking Foundational Care 3Y NBD Onsite EDU/RET 2150 16P Swch Service

H10QHE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 8P POE Swch Service
H10MWE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 8P Swch Service
H11BXE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 16P Swch Service
H11HVE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 24P POE Swch Service
H11FJE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 24P Swch Service
H11NSE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 48P POE Swch Service
H11RDE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 48P POE+ Swch Service
H11LGE	HPE Aruba Networking Foundational Care 5Y 4HR Exch 2150 48P Swch Service
H11PTE	HPE Aruba Networking Foundational Care 5Y 4HR Exch EDU/RET 2150 48P POE Swch Service
H11SFE	HPE Aruba Networking Foundational Care 5Y 4HR Exch EDU/RET 2150 48P POE+ Swch Service
H10QNE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 8P POE Swch Service
H10NCE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 8P Swch Service
H11CDE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 16P Swch Service
H11JBE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 24P POE Swch Service
H11FQE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 24P Swch Service
H11NYE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 48P POE Swch Service
H11RKE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 48P POE+ Swch Service
H11LME	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 2150 48P Swch Service
H10QQE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 8P POE Swch Service
H10NDE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 8P Swch Service
H11CFE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 16P Swch Service
H11JCE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 24P POE Swch Service
H11FRE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 24P Swch Service
H11NZE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 48P POE Swch Service
H11RLE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 48P POE+ Swch Service
H11LNE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 2150 48P Swch Service
H10PBE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite EDU/RET 2150 8P Swch Service
H11DCE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite EDU/RET 2150 16P Swch Service
H10QME	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 8P POE Swch Service
H10NBE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 8P Swch Service
H11CCE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 16P Swch Service
H11HZE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 24P POE Swch Service
H11FNE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 24P Swch Service
H11NXE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 48P POE Swch Service
H11RJE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 48P POE+ Swch Service
H11LLE	HPE Aruba Networking Foundational Care 5Y 4HR Onsite HW Only 2150 48P Swch Service

H10QRE	HPE Aruba Networking Foundational Care 5Y CTR 2150 8P POE Swch Service
H10NFE	HPE Aruba Networking Foundational Care 5Y CTR 2150 8P Swch Service
H11CGE	HPE Aruba Networking Foundational Care 5Y CTR 2150 16P Swch Service
H11JDE	HPE Aruba Networking Foundational Care 5Y CTR 2150 24P POE Swch Service
H11FSE	HPE Aruba Networking Foundational Care 5Y CTR 2150 24P Swch Service
H11PBE	HPE Aruba Networking Foundational Care 5Y CTR 2150 48P POE Swch Service
H11RME	HPE Aruba Networking Foundational Care 5Y CTR 2150 48P POE+ Swch Service
H11LQE	HPE Aruba Networking Foundational Care 5Y CTR 2150 48P Swch Service
H10QSE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 8P POE Swch Service
H10NGE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 8P Swch Service
H11CHE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 16P Swch Service
H11JFE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 24P POE Swch Service
H11FTE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 24P Swch Service
H11PCE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 48P POE Swch Service
H11RNE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 48P POE+ Swch Service
H11LRE	HPE Aruba Networking Foundational Care 5Y CTR CDMR 2150 48P Swch Service
H11DDE	HPE Aruba Networking Foundational Care 5Y CTR EDU/RET 2150 16P Swch Service
H11PYE	HPE Aruba Networking Foundational Care 5Y CTR EDU/RET 2150 48P POE Swch Service
H11SKE	HPE Aruba Networking Foundational Care 5Y CTR EDU/RET 2150 48P POE+ Swch Service
H10QGE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 8P POE Swch Service
H10MVE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 8P Swch Service
H11BWE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 16P Swch Service
H11HTE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 24P POE Swch Service
H11FHE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 24P Swch Service
H11NRE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 48P POE Swch Service
H11RCE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 48P POE+ Swch Service
H11LFE	HPE Aruba Networking Foundational Care 5Y NBD Exch 2150 48P Swch Service
H10QFE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 8P POE Swch Service
H10MTE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 8P Swch Service
H11BVE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 16P Swch Service
H11HSE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 24P POE Swch Service
H11FGE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 24P Swch Service
H11NQE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 48P POE Swch Service
H11RBE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 48P POE+ Swch Service
H11LDE	HPE Aruba Networking Foundational Care 5Y NBD Exch HW Only 2150 48P Swch Service
H10QJE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 8P POE Swch Service

H10MXE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 8P Swch Service
H11BYE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 16P Swch Service
H11HWE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 24P POE Swch Service
H11FKE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 24P Swch Service
H11NTE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 48P POE Swch Service
H11RFE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 48P POE+ Swch Service
H11LHE	HPE Aruba Networking Foundational Care 5Y NBD Onsite 2150 48P Swch Service
H10QKE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 8P POE Swch Service
H10MYE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 8P Swch Service
H11BZE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 16P Swch Service
H11HXE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 24P POE Swch Service
H11FLE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 24P Swch Service
H11NVE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 48P POE Swch Service
H11RGE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 48P POE+ Swch Service
H11LJE	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 2150 48P Swch Service
H11JXE	HPE Aruba Networking Foundational Care 5Y NBD Onsite EDU/RET 2150 24P POE Swch Service
H11PVE	HPE Aruba Networking Foundational Care 5Y NBD Onsite EDU/RET 2150 48P POE Swch Service

HPE Services

Egal, wo Sie sich auf Ihrem Weg zur Transformation befinden, können Sie darauf zählen, dass Ihnen HPE Services die erforderliche Fachkompetenz bietet, wann, wo und wie auch immer Sie sie benötigen. Von der Strategie und Planung über die Bereitstellung bis hin zum laufenden Betrieb und darüber hinaus können Ihnen unsere Experten dabei helfen, Ihre digitalen Ambitionen zu verwirklichen.

Advisory & Professional Services

Lassen Sie sich von Experten dabei unterstützen, Ihren Weg zur Hybrid Cloud zu planen und Ihren Betrieb zu optimieren.

Managed Services

HPE verwaltet Ihren IT-Betrieb und bietet Ihnen eine einheitliche Steuerung, damit Sie sich auf Innovationen konzentrieren können.

Support-Services

Optimieren Sie Ihre gesamte IT-Umgebung und treiben Sie Innovationen voran. Bewältigen Sie die täglichen IT-Betriebsaufgaben und setzen Sie wertvolle Zeit und Ressourcen frei.

- **HPE Complete Care Service:** ein modularer Service, mit dem wir Sie dabei unterstützen Ihre gesamte IT-Umgebung zu optimieren und vereinbarte IT-Ergebnisse und Unternehmensziele zu erreichen. Der gesamte Service wird durch speziell geschulte und zugewiesene HPE Experten bereitgestellt.
- **HPE Tech Care Service:** das operative Serviceerlebnis für HPE Produkte. Der Service bietet Ihnen Zugang zu produktspezifischen Experten, ein KI-gestütztes digitales Erlebnis und allgemeine technische Anleitungen als Hilfestellung, Risiken zu reduzieren und ständig nach Wegen zu suchen, die Dinge besser zu machen.
- **HPE Multivendor Services:** Zentrale Verantwortung für die Verwaltung des Hardware- und Software-Supports vor Ort für Produkte verschiedener Anbieter. Die HPE Experten helfen Ihnen, Ihre IT über Technologien und Plattformen von HPE und anderen Herstellern hinweg zu verwalten, und fungieren als zentrale Ansprechpartner für Ihre Anforderungen hinsichtlich des IT-Betriebs.

Lifecycle Services

Erfüllen Sie die spezifischen Projektanforderungen Ihrer IT-Bereitstellung mit maßgeschneiderten Projektmanagement- und Bereitstellungsservices.

HPE Education Services

Schulungen und Zertifizierungen für Fachkräfte im IT- und Geschäftsbereich in allen Branchen. Erstellen Sie Lernpfade, um Ihre Kenntnisse in einem bestimmten Fachgebiet zu erweitern. Planen Sie die Schulungen so, wie es für Ihr Unternehmen am besten ist, mit flexiblen Optionen für kontinuierliches Lernen.

Die **Einbehaltung defekter Datenträger** ist ein optionaler Service: Sie können Festplatten oder entsprechende SSD/Flash-Laufwerke behalten, die von HPE aufgrund einer Fehlfunktion ausgetauscht wurden.

GreenLake

[GreenLake](#) ist die Cloud zum Ausführen und Verwalten Ihrer gesamten Hybridlandschaft – Privat, Public und am Edge. Greenlake hilft Ihnen

- den IT-Betrieb in den Bereichen Computing, Datenspeicherung und Netzwerk zu optimieren, ohne dabei Chaos zu verursachen.
- Daten zu vereinheitlichen und zu sichern, während Sie voranschreiten.
- die KI vom Pilotprojekt zur Produktion zu beschleunigen.

Das Ergebnis: Höhere betriebliche Effizienz, geringere Gesamtbetriebskosten und schnellere KI-Bereitstellung – alles von einer einheitlichen, intelligenten Plattform, die für hybride Unternehmen von heute entwickelt wurde.

[Weitere technische Informationen,
verfügbare Modelle und Optionen finden
Sie in den QuickSpecs](#)

HPE.com besuchen

[Jetzt chatten](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. Die Informationen in diesem Dokument können ohne vorherige Ankündigung geändert werden. Die Garantien für Produkte und Services von Hewlett Packard Enterprise werden ausschließlich in der entsprechenden, zum Produkt oder Service gehörigen Garantieerklärung beschrieben. Die hier enthaltenen Informationen stellen keine zusätzliche Garantie dar. Hewlett Packard Enterprise haftet nicht für hierin enthaltene technische oder redaktionelle Fehler oder Auslassungen.

Teile und Materialien: HPE stellt von HPE unterstützte Ersatzteile und Materialien bereit, die für die vertraglich abgedeckte Hardware erforderlich sind.

Teile und Komponenten, die ihre maximal unterstützte Lebensdauer und/oder die maximale Nutzungsbeschränkung gemäß der Beschreibung im Betriebshandbuch des Herstellers, in den QuickSpecs für das Produkt oder im technischen Produktdatenblatt erreicht haben, werden im Rahmen dieser Service nicht bereitgestellt, repariert oder ausgetauscht.

Arm ist eine eingetragene Marke von Arm Limited.; Alle genannten Marken von Dritten sind Eigentum der jeweiligen Rechteinhaber.

Bild kann vom tatsächlichen Produkt abweichen.

[PSN1014925906DEDE](#), Juli, 2026.

HEWLETT PACKARD ENTERPRISE

[hpe.com](#)

