WorkForce DS-970

DATASHEET / BROCHURE





Production-level scanning with easy-to-use advanced processing capabilities for effortless and efficient document management.

Create a better business environment with the support of a global leader in document scanning. When the goal is getting documents to the right place as fast as possible, trust in the WorkForce DS-970 - Epson's fastest scanner. High performance matched with an endurance with easy-to-use features that put you in control of your documents.

Ultimate performance

Epsons' fastest A4 document scanner offers class-leading performance¹. With a 100-page ADF, 85ppm/170ipm scanning speed and continuous scanning with its automatic feed mode, the WorkForce DS-970 gets through large jobs quickly and efficiently. Scroll through pre-defined jobs easily using the intuituve panel and get your documents to the right place in just a few presses of a button. TWAIN, WIA and ISIS drivers are available for enhanced compatibility with document management systems.

Efficient document processing

Stay in control of the document process with a scanner capable of scanning a wide range of media from 27gsm to 413gsm and a long paper scanning mode up to 6096mm. Slow mode decreases document friction by reducing the speed of the rollers, making it easier to capture fragile or damaged documents, without increasing file sizes. The Active Separation Roller System prevent document double feeds, ensuring that every piece of paper gets scanned, and the Double Feed Detection Skip (DFDS) function means you can scan difficult media like envelopes or documents with post-it notes.

KEY FEATURES

- High-speed scanning 100-page ADF and 85ppm (170ipm) scanning speed
- Low intervention Active Separation Roller system to prevent double feeding
- Built-in protection Ultrasonic and paper protection sensors to detect processing errors
- Optional flatbed scanner Choose from the conversion kit, or link to DS-5500 (A4) or DS-50000 (A3)
- Optional Network Interface Enable device sharing in a department. Create pre-defined job profiles



PRODUCT SPECIFICATIONS

TECHNOLOGY		
Scanner Type	Sheetfed Scanner	
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)	
Optical Resolution	600 DPI x 600 DPI (Horizontal x Vertical)	
	50,8 mm x 50,8 mm (Horizontal x Vertical)	
Paper Formats	e215,9 mm x 6.096 mm (Horizontal x Vertical) A4, A5, A6, B4, B5, B6, Letter, Legal, Postcard, Business cards, Plastic cards, A3 with	
r aper r offiats	stitching function	
Scanning color depth	Input: 30 Bits Color / 10 Bits Monochrome, Output: 24 Bits Color / 8 Bits Monochrome	
Ultrasonic Sensor	Yes	
Category	High Capacity, General Office	
SCANNER		
Optical Sensor	CIS (Contact Image Sensor)	
Light Source	ReadyScan LED technology	
Output Resolution	1200 DPI	
SCAN SPEED		
Scanning Speed	Monochrome: 85 pages/min - Color: 85 pages/min measured with Size: A4 , Resolution: 200 /	
	300 dpi, Monochrome: 170 image/min - Color: 170 image/min measured with Size: A4 ,	
	Resolution: 200 / 300 dpi	
PAPER / MEDIA HANDLING		
Paper Setting Capacity	100 Sheets	
Paper weight	Auto loading: 27 - 413 g/m ²	
Automatic Document Feeder	Single pass dual scanning	
Туре		
Reliability Daily Duty Cycle	9.000 pages	
Automatic Document Feed	100 pages	
Duplex Scan	Yes	
SCANNING FEATURES		
Features	RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stiching,	
	Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic de-skew,	
	Automatic multi-document recognition, Dual Image Output (Windows only), Auto-rotation, Tex	
	enhancement, Edge fill, Barcode Recognition, Manual / Automatic Job Separation, Scan to	
	Cloud Storage	
Output formata	DMD IDEC TIES multi TIES DDE acarabable DDE DDE/A DNC	
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A, PNG	
File compression features	BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A, PNG TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day	
File compression features Scanning Volume	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression	
File compression features Scanning Volume CONNECTIVITY	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression	
File compression features Scanning Volume CONNECTIVITY Interfaces	TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel /	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel /	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions)	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions)	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions)	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off)	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions	TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height)	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product weight	TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product weight Drivers	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg TWAIN, ISIS (Web download), SANE (Linux), WIA (Windows)	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product weight Drivers Included Software	TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg TWAIN, ISIS (Web download), SANE (Linux), WIA (Windows) Document Capture Pro 2.0, Epson Device Admin, Epson Scan 2	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (With Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg TWAIN, ISIS (Web download), SANE (Linux), WIA (Windows) Document Capture Pro 2.0, Epson Device Admin, Epson Scan 2 Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003,	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product dimensions Product weight Drivers Included Software Compatible Operating Systems	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg TWAIN, ISIS (Web download), SANE (Linux), WIA (Windows) Document Capture Pro 2.0, Epson Device Admin, Epson Scan 2 Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPv6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product dimensions Product dimensions Product dimensions Product weight Drivers Included Software Compatible Operating Systems Supported Humidity	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg TWAIN, ISIS (Web download), SANE (Linux), WIA (Windows) Document Capture Pro 2.0, Epson Device Admin, Epson Scan 2 Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3 Operation 15% - 80%, Storage 15% - 85%	
File compression features Scanning Volume CONNECTIVITY Interfaces Network Interface Panel / Unit Panel type Protocol support IPV6 support Push scan features Panel Lock with password GENERAL Supply Voltage Energy Use Product dimensions Product dimensions Product weight Drivers Included Software Compatible Operating Systems	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression 9.000 Pages per day USB 3.0 Optional 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP Yes Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) Yes (with Document Capture Pro solutions) AC 100 V - 240 V, 50 Hz - 60 Hz 20 Watt (Operation), 8,5 Watt (Ready), 1,4 Watt (sleep mode), 0,1 Watt (Power off) 296 x 169 x 167 mm (Width x Depth x Height) 3,6 kg TWAIN, ISIS (Web download), SANE (Linux), WIA (Windows) Document Capture Pro 2.0, Epson Device Admin, Epson Scan 2 Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3	

WorkForce DS-970

WHAT'S IN THE BOX

- Power cable
- Main unit
- Warranty card
- Setup guide
- AC adapter
- USB cable
- Driver and utilities (CD)



PRODUCT SPECIFICATIONS

LCD AND MEMORY CARDS	
Panel	Type: Color, Diagonal: 3,7 cm
OTHER	
Warranty	12 months On-site service
	Optional warranty extension available

WorkForce DS-970

WHAT'S IN THE BOX

- Power cable
- Main unit
- Warranty card
- Setup guide
- AC adapter
- USB cable
- Driver and utilities (CD)



OPTIONAL ACCESSORIES

- Carrier Sheet (set of 5) B12B819051
- Roller Assembly Kit
- B12B819031 Cleaning Kit
- B12B819291
- Flatbed Scanner Conversion Kit B12B819011FC
- Network Interface Unit B12B808451

LOGISTICS INFORMATION

sкu	B11B251401
EAN code	8715946660851
Layer	8 Units

WorkForce DS-970

Epson Deutschland GmbH Otto-Hahn-Str. 4 D-40670 Meerbusch Info-Line: 02159 92 79 500 Telefax: +49 (0) 2159/538-3000 www.epson.de Epson in Österreich Info-Line: 01 253 49 78 333 www.epson.at Epson in der Schweiz Info-Line: 022 592 7923 www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.

Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

1. Fastest scanner speed (85ppm) and highest duty cycle (9,000 pages per day) is based on A4 sized paper scanned at 300dpi in colour. Comparing top 10 competitor models websites (22nd January 2019) own data. Top 10 selling scanners in the category departmental scanner as defined by Infosource calendar year 2017.

