# Lenovo QHD Webcam

Elevate your video call experience with Al.





# Lenovo

# Lenovo QHD Webcam

## Elevate your video call experience with Al.

Discover a new dimension of digital interaction with the Lenovo QHD Webcam. This innovative device, featuring an impressive 2K resolution, offers stunning visuals and a sleek, modern design that fits any professional or personal space. Let the smart AI features—adaptive framing, AI enhanced image quality, and noise reduction—transform every conversation into an effortless and engaging experience.

## Why you need the Lenovo QHD Webcam



#### Intelligent design

Let the magic of AI redefine your video calls. With intelligent auto-framing ensuring you're always the focal point, precise face AE/AF for sharp attention, and AI-enhanced noise cancellation, it delivers an experience unlike any other.



#### Spectacular clarity

Immerse yourself in magnificent 2K resolution that delivers pristine visuals, capturing every nuance with precision, even in challenging lighting. It's an evolution in clarity and detail that transforms communication into an art.



#### **Reliably seamless**

Certified by Microsoft Teams, your video conversations will soar with reliability and smoothness. Depend on a device designed to boost productivity and banish technical woes, ensuring your important meetings run flawlessly and leave a lasting impact.









Smarter technology for all

## Lenovo QHD Webcam



### **Specifications**

#### **Performance**

**Maximum Resolution/Frame Rate** 

2KP30

FOV<sup>1</sup>

90/78/65

Zoom

2X Digital Zoom

HDR / Autofocus / Auto-framing

Yes

**Sensor Size** 

1/3 inch

**Camera Module Focus Range** 

10 cm ~ inf

3DNR / Other Image AI

Yes

**Physical Privacy Shutter** 

Yes

Audio<sup>2</sup>

No. of Microphone : 1 Voice Pick-up Distance : 2 m Al-Noise Cancellation : Yes

**Video Coding Format** 

MJPEG/YUY2

**Video Formats** 

Linear Mode

MJPEG: 2K (2560 x 1440) @ 30/25 fps

1080p @ 60/50/30/25 fps 720p @ 60/50/30/25 fps 360p @ 60/50/30/25 fps

YUY2 :360p @ 30/25 fps

HDR Mode

MJPEG: 1080p @ 30/25 fps 720p @ 30/25 fps

360p @ 30/25 fps

YUY2 :360p @ 30/25 fps

**Power Consumption** 

5V/1A

Design

Dimensions (W x D x H)

(mm): 80 x 37 x 41.5 (inches): 3.15" x 1.46" x 1.63"

Weight

Starting at 93g (0.21 lbs), without Cable

LED Indicator

Ring Indicator

Tilt Degree

-15° ~ 0°

**Monitor Thickness** 

4 mm ~ 25 mm

Connectivity

Connection USB-C

Cable Length

1.5 m

**Information** 

**Tripod Support** 

Yes

**Device Management Tool** 

Lenovo Accessories and Display Manager (LADM)

**UC Certification (Teams)** 

Yes

**Video and Audio Certification** 

Yes

**UAC Version** 

1

**UVC Version** 

1.1

USB Version (2.0/3.0)

2.0

Warranty

3 Years Limited Warranty<sup>3</sup>

Shipment Group (What's in the Box)

Lenovo QHD Webcam

USB Converter

USB Cable

Warranty Poster

User Guide

#### accessorysmartfind.lenovo.com

Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic, or typographic errors. All images are for illustration purposes only. For full Lenovo product, service, and warranty specifications, visit www.lenovo.com. Lenovo makes no representations or warranties regarding third-party products or services. **Trademarks**: The following are trademarks or registered trademarks of Lenovo: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkServer, ThinkVantage, and ThinkVision. Other company, product, and service mary be trademarks or service marks of others. Battery life (and recharge times) will vary based on many factors, including system settings and usage. Visit www.lenovo.com/lenovo/us/en/safecompy/ periodically for the latest information on safe and effective computing. @2024 Lenovo. All rights reserved.



<sup>&</sup>lt;sup>1</sup> Selectable FOV.

<sup>&</sup>lt;sup>2</sup> Audio benchmark is Logiteck Brio 505, the actual performance will be checked after sample is ready.

<sup>&</sup>lt;sup>3</sup> Available in PRC, NA, LA, Brazil, ASEAN, ANZ, HTK, Japan, Western Europe, EAST, RUCIS, and MEA regions.