Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Galaxy VS 7Ah Smart Modular Battery String

GVSBT4

Overview

Presentation	One battery string for the Galaxy VS UPS. This string contains 7 Ah batteries.
Lead time	

Main

Product or component type	Battery module
Range compatibility	Galaxy VS
Battery type	VRLA
Range of product	Galaxy VS

Batteries & Runtime

Device mounting	Enclosed battery cabinet	
Battery voltage	120 V	

Physical

Height	15.7 cm
Width	42.8 cm
Depth	76 cm
Net weight	108 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	18 cm
Package 1 Width	82 cm
Package 1 Length	56 cm
Package 1 Weight	112 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
SCIP Number	7547f066-9302-46d9-96e9-461928dd6901	
REACh Regulation	REACh Declaration	
[™] Energy efficiency		
Energy Efficiency Optimized	Energy efficient product	

Use Again

○ Repack and remanufacture		
End of life manual availability	End of Life Information	
Take-back	No	

Product datasheet

GVSBT4

Image of product / Alternate images

Alternative

