

Mini DisplayPort to Dual-Link DVI Adapter - USB Powered - Black

Product ID: MDP2DVID2



This Mini DisplayPort to Dual-Link DVI adapter lets you connect your Mini DisplayPort video source (such as any of your MacBook® or Microsoft® Surface[™] Pro devices with mDP) to any DVI display, including televisions and Apple Cinema Display HD, saving the cost of upgrading to a Mini DisplayPort capable monitor.

Maximum Portability

With its compact, lightweight design, the Mini DisplayPort to DVI-D Adapter offers a convenient travel accessory to carry with your Surface Pro or Ultrabook, fitting easily into your laptop bag or carrying case. Its ultra-portable design makes this monitor adapter perfect for BYOD (Bring Your Own Device) applications at the office.

As well, the DVI converter is powered by a single USB port, eliminating the need for additional cords or chargers.



Data Sheet

Uncompromised Quality and Convenience

The Mini DisplayPort to DVI adapter offers an active conversion and can handle full dual-link resolutions (up to 2560 x 1600) with the ability to mirror your display or extend your desktop to increase your workspace. The adapter supports plug-and-play connectivity, ensuring a hassle-free setup.

MDP2DVID2 is backed by a StarTech.com 3-year warranty and free lifetime technical support.



Data Sheet

Certifications, Reports and Compatibility









Applications

- Convenient addition to a home office or boardroom
- Ideal for tradeshow displays and entertainment centers
- Perfect for large screens that use high DVI resolutions
- Ideal for using your DVI monitor as a secondary display

Features

- Support for any DVI-D display including televisions and Apple Cinema Display HD
- Maximum resolution up to 2560 x 1600 with Dual-Link DVI
- Powered by a single USB 2.0 port
- Simple plug-and-play installation

StarTechcom

Hard-to-find made easy*

Data Sheet

	Warranty	3 Years
Hardware	Active or Passive Adapter	Active
	Adapter Style	Adapters
	Audio	No
	AV Input	Mini-DisplayPort
	AV Output	DVI
	Chipset ID	Synaptics VMM2320
	Industry Standards	DisplayPort 1.2a
Performance	Maximum Digital Resolutions	Dual Link: 2560x1600 Single Link: 1920x1080
	Supported Resolutions	2560x1600 @ 60Hz 1920x1080 @ 144Hz
Connector(s)	Connector A	1 - Mini-DisplayPort (20 pin) Male Input
		1 - USB Type-A (4 pin) USB 2.0 Male
	Connector B	1 - DVI-I (29 pin) Female Output
Power	Power Source	USB-Powered
Environmental	Humidity	10% to 85 % RH (no condensation)
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Physical Characteristics	Cable Length	14.1 in [35.8 cm]
	Color	Black
	Enclosure Type	Plastic
	Product Height	0.9 in [2.3 cm]
	Product Length	3.7 in [93.2 mm]
	Product Width	2.5 in [63.9 mm]
	Weight of Product	4.2 oz [118 g]
Packaging Information	Package Height	0.4 in [10 mm]
	Package Length	8.7 in [22 cm]
	Package Width	7.9 in [20 cm]
	Shipping (Package) Weight	4.5 oz [128 g]
What's in the Box	Included in Package	1 - Mini DisplayPort to DVI Adapter



Data Sheet

Product appearance and specifications are subject to change without notice.