EB-994F

DATASHEET / BROCHURE













Tick all the boxes with this bright and scalable display solution that offers multiple connectivity and is simple to set up

Maximise your presentations with this bright Full HD projector that's capable of producing a large and scalable display size of up to 304". The long-lasting lamp provides years use before any replacement lamp is required. It is easy to set up and offers a range of connectivity solutions, so you can quickly access content from multiple devices.

Created the right impression in any environment

The EB-994F is the perfect combination of high quality and high performance, offering a brightness of up to 4,100 lumens, powered by Epson's 3LCD technology. Providing professional sharp, clear content output for any working environment, enabling high-quality and engaging presentations without breaking the budget. To complete the immersive experience, high-quality sound is delivered via a built-in 16W speaker - making additional external speakers a thing of the past.

Up to 304" display size to maximise audience engagement

Transform any room into a vibrant viewing environment with a scalable display size of up to 304", while delivering crystal-clear, smooth images with Full HD 1080p resolution with a 240Hz refresh rate, enhanced by Scene Adaptive Gamma Correction for optimum brightness and contrast, and exceptional colour accuracy to deliver vibrant, true-to-life images free of distracting rainbow effects to keep audiences focused and engaged throughout any presentation.

Portable and flexible

Lightweight and compact, this versatile projector is easy to transport, offering flexibility. It features a simple setup with x1.62 zoom and automatic vertical keystone correction of $\pm 30^{\circ}$. Quick setup functionality allows for effortless installation and use in any location.

High reliability and low maintenance

Designed for long-lasting performance, the EB-994F offers a lamp life of up to 17,000 hours in ECO mode, reducing the need for frequent replacements and lowering maintenance costs. Backed by a 5-year warranty to provide additional peace of mind and reassurance operation even in the most demanding environments.

A continued commitment around sustainaiblity

Epson projectors are continuously developed, produced and packaged with sustainability at front of mind, demonstrating Epson's continuous journey towards carbon-neutrality with lower environmental impact.

KEY FEATURES

Full HD bright and vivid wireless display

3LCD technology and Full HD display provide 4100 lumens brightness, delivering superior image quality and high engagement with a scalable display size up to 304".

Multi-device sharing

The Epson iProjection app connects and controls up to 4 devices, with a split-screen feature to display 2 image sources, eliminating the need for an extra projector.

- Portable and versatile design
 Lightweight and compact, this projector is perfect for various spaces and features a built-in speaker for easy setup.
- Instant connectivity with Apple
 AirPlay 2 and Miracast¹
 Seamlessly share content from laptops,
 tablets, and smartphones perfect for
 BYOD setups and collaborative
 environments.
- Reliability and peace of mind
 The EB-994F offers a 5-year warranty and 17,000 hours lamp life in Eco mode, ensuring long-lasting performance.



PRODUCT SPECIFICATIONS

TECHNOLOGY

3LCD Technology, RGB liquid crystal shutter Projection System

LCD Panel 0.62 inch with C2 Fine

IMAGE

Color Light Output 4.100 Lumen- 2.300 Lumen (economy) In accordance with IDMS15.4 4.100 Lumen - 2.300 Lumen (economy) In accordance with ISO 21118:2020 White Light Output

Resolution 1080p Aspect Ratio 16:9 Contrast Ratio 16,000:1 Light source Lamp

UHE, 230 W, 6.500 h durability, 17.000 h durability (economy mode) Lamp

Keystone Correction Auto vertical: ±30 °

Colour Video Processina

Colour Reproduction Upto 1.07 billion colours

OPTICAL

Throw Ratio 1,30 - 2,09:1 Zoom Manual, Factor:1 - 1.62 Screen Size 31 inches - 304 inches

Projection Distance Wide 0,9 m - 8,9 m Projection Distance Tele 1,4 m - 14,3 m Projection Distance Wide/Tele 0,88 m - 14,29 m Projection Lens F Number 1.51 - 1.77 Projection Lens Focal Length 18,2 mm - 29,1 mm Projection Lens Focus Manual

10:1

CONNECTIVITY

Offset

USB 2.0-A, USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Interfaces

> Base-T), Wireless LAN IEEE 802.11a/b/q/n/ac, VGA in (2x), VGA out, HDMI in, Composite in. Miracast, Jack plug out, Jack plug in, Cinch audio in, Microphone input, Apple AirPlay 2

Network Protocol HTTPS, IPv6, SNMP

ADVANCED FEATURES

Security Kensington lock, Padlock, Security cable hole, Password protection

Other features A/V mute, AV Mute Slide, Auto Power On, Auto source search, Built-in speaker, Customizable user logo, Direct Power on/off, Document Camera Compatible, Home Screen, JPEG Viewer,

Long lamp life, Microphone input, Network projection, OSD copy function, PC Free, Quick Corner, Schedule Function, Screen Mirroring, Split-Screen-Function, Volume control, Web

Control, Web Remote, Wireless LAN capable, iProjection App

Video Color Modes Blackboard, Cinema, Dynamic, Presentation, sRGB

GENERAL

Power consumption 284 Watt (Normal On-Mode), 181 Watt (Eco On-Mode), 332 Watt (Normal Peak-mode), 231

Watt (Eco Peak-Mode), 0,3 Watt (Energy saving standby)

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz 309 x 293 x 105 mm (Width x Depth x Height) Product dimensions

Product weight 3,1 kg

Noise Level Normal:37 dB (A) - Economy:28 dB (A)

Supported Temperature Storage -10° C - 60° C Supported Humidity Storage 10% - 90%

Options Air filter, Ceiling mount, Document camera, External Speaker, Safety wire set, Soft carry case,

Spare lamp, Suspension adapter

Loudspeaker

Room Type / Application Boardroom, Gaming, Home Office, Huddle space / Portable, Large Meeting Room /

Auditorium, Meeting room / Classroom

Positioning Ceiling Mounted, Desktop

Colour

OTHER

60 months Carry in, Lamp: 60 months or 1.000 h (whichever comes first) Warranty

Optional warranty extension available

EB-994F

WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries
- User guide
- Quick Start Guide
- Warranty document



OPTIONAL ACCESSORIES

EB-994F

- Lamp ELPLP97 EB9XX/W49/X/E20/U50/EB-x05/x41/x42/EH-TW6 V13H010L97
- Safety Wire ELPWR01 V12H003W01
- Soft Carry Case ELPKS70 V12H001K70
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Air Filter ELPAF54 V13H134A54
- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Screen (80" Mobile X type16:9) ELPSC21 V12H002S21

LOGISTICS INFORMATION

SKU	V11HB60040
EAN code	8715946738086
Country of Origin	Philippines

Visualizers

- ELPDC07 V12H759040
- FLPDC13 V12H757040

Epson Deutschland GmbH Schiessstraße 49 D-40549 Düsseldorf Info-Line: 02159 92 79 500 Telefax: +49 (0) 211 54229-001 www.epson.de

Epson in Österreich Info-Line: 01 253 49 78 333 www.epson.at Epson in der Schweiz Info-Line: 022 592 7923 www.epson.ch