

Delock External Enclosure for 2.5" SATA HDD / SSD with SuperSpeed USB 10 Gbps (USB 3.1 Gen 2)

Description

This plastic enclosure by Delock can be used for the installation of a 2.5" SATA hard drive or SSD. Despite the slim design, hard disks up to a height of 9.5 mm can be installed.

Full speed due to SuperSpeed USB 10 Gbps

Due to the VIA chipset, this hard disk enclosure supports SuperSpeed USB with up to 10 Gbps transfer speed. Thus, the full SATA 6 Gb/s transfer rate of the hard disk can be exploited.

Full connectivity due to USB Type-C™ port

The external enclosure is connected to a PC or laptop via a USB Type-CTM female port installed on the housing. The included USB Type-CTM to USB Type-A cable allows the connection to a free USB Type-A female port. Of course, the enclosure can also be connected via an optional USB Type-CTM cable to a free USB Type-CTM female port or a free ThunderboltTM port.



Item no. 42617

EAN: 4043619426171 Country of origin: China Package: Retail Box

Specification

• Connectors:

external: 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female

internal: 1 x SATA 6 Gb/s 22 pin receptacle

• Suitable for 2.5" SATA HDD / SSD:

HDD height up to 9.5 mm SATA HDD / SSD up to 6 Gb/s supports 5 V HDD / SSD HDD / SSD up to 4 TB

- Chipset: VIA VL716
- Data transfer rate up to 6 Gb/s
- Supports UASP
- LED indicator for power and access
- Transparent plastic housing
- Dimensions (LxWxH): ca. 132 x 85 x 15 mm
- Hot Swap, Plug & Play





System requirements

- Linux Kernel 3.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- 2.5" external enclosure
- Cable USB-C™ male to USB Type-A male, length ca. 46 cm
- User manual

Images











General

Function:	Hot Swap Plug & Play
Suitable for data medium:	2.5" SSD or HDD height up to 9.5 mm
Supported operating system:	Linux Kernel 3.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Internal: 1 x SATA 6 Gb/s 22 pin

Technical characteristics

Chipset:	VIA VL716
Data transfer rate:	SuperSpeed USB 10 Gbps

Physical characteristics

Housing material:	Aluminium
Cable length:	46 cm
Length:	132 mm
Width:	85 mm
Colour:	transparent