# PIXMA TS7450i

# YOUR VERSATILE COMPANION FOR WORK AND PLAY

A smart yet simple all-in-one with huge creative potential and work-at-home capability, with PIXMA Print Plan for hassle-free ink delivery straight to your door when you need it







# Never run low on ink again

Subscribe to the PIXMA Print Plan and get inks delivered to your door, with different tariffs available to suit how many pages you print a month

# · Feed your functionality

Let the PIXMA TS7450I work harder while you work smarter. Copy and scan multiple sheets without the need to remove or reload, using automatic document feeder (ADF) technology

# Your inspiration station

The PIXMA TS7450I is as creative as you are; it's ideal for artistic endeavours with children, or even for the big kid in you! Print on photo paper, iron-on transfers, magnetic paper or restickable paper

# Smart yet straightforward

The PIXMA TS7450I is supremely user-friendly. Connect directly from computer or smartphone and print from camera using wi-fi technology. The FINE cartridges are extremely user-friendly

# Apps to make you happy

Use a suite of handy apps to print easily from phones and tablets, connect to cloud services, discover artistic inspiration and more!













Status Bar

# **PRODUCT RANGE**



PIXMA TS7450i



PIXMA TS9550 Series



PIXMA TS8350 Series

# PIXMA TS7450i

PIXMA TS9550 Series PIXMA TS8350 Series PIXMA TS6350 Series PIXMA TS5350 Series PIXMA TS3350 Series PIXMA TS7450 Series



# **TECHNICAL SPECIFICATIONS**

# PIXMA TS7450i

sFCOT: Approx. 20 sec. <sup>[5]</sup> sESAT: Approx. 4.0 ipm <sup>[5]</sup>

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Technology Mono Print Speed Colour Print Speed

Photo Print Speed Rorderless Printing

Two Sided Printing

CARTRIDGES AND VIELDS Ink Subscription Cartridaes

Non-Ink Subscription Compatible Cartridges Cartridge Yield (Plain paper) - Non-ink subscription cartrdiges

PAPER SUPPORT

Paper Types

Canon Pro Platinum (PT-101) Canon Plus Glossy II (PP-201) Canon Pro Luster (LU-101) Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501) Canon Matte (MP-101)

T-Shirt Transfer Envelopes

Canon Red Label Superior (WOP111)
Canon Oce Office Colour Paper (SAT213) Double sided Matte (MP-101D) Light Fabric Iron-on transfers (LF-101) Dark Fabric Iron-on transfers (DF-101)

Max. 100 sheets (plain paper)

Front Cassette: A4, A5, B5, LTR

[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m<sup>2</sup> Front Cassette: Plain Paper: 64-105 g/m<sup>2</sup>

SCANNER SPECIFICATIONS

Maximum Paper Input

Paper Sizes

Paper Weight

**Scanner Type** Scanner Resolution (Optical) Scanning Depth

(Input / Output)

Maximum Document Size

Wi-Fi, Print, Copy, Scan, Cloud

Up to 4800<sup>[1]</sup> x 1200 dpi

2 FINE Cartridges (Black and Colour)

Approx. 13.0 ipm [2] Approx. 6.8 ipm <sup>[2]</sup>

Borderless 10x15cm: Approx. 43 seconds [2] Yes (A4, B5, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 17.5x25cm, 9.1x5.5cm)

Auto Duplex Print (A4, A5, B5, Letter - plain paper)

PG-560i (Black) CI-561i (Colour)

PG-560, PG-560XI (Black) CL-561, CL-561XL (Colour) A4 colour documents printing [3]

Black: 180 pages Black XL: 400 pages Colour: 180 pages Colour XL: 300 pages

Plain Paper

Canon High Resolution Paper (HR-101N)

Removable Photo Stickers (RP-101) Magnetic Photo Paper (MG-101)

Greeting Card

(manufactured by Avery and RedRiverPaper) Cardstock

(manufactured by Neenah Paper and INKPRESS)

Rear Tray: Max. 20 sheets (photo paper) or

Front Cassette: Max. 100 sheets (plain paper)

Rear Tray:

A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/ 13x13cm/8.9x8.9cm/17.5x25cm, 9.1x5.5cm Envelopes(DL,COM10)

[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm

Flatbed, ADF and CIS colour scanner

1200 x 2400 dpi [4]

Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit Flatbed: A4, LTR (216x297mm)

ADF: A4 ITR IGI

COPIER SPECIFICATIONS

Copy Speed

Multiple Copy Copy Functions

Copy Zoom

INTERFACE

Display Type & Size

Display Languages

Interface Type - PC / Mac

Interface Type - Other

OLED (1.44 inch)

Fit to page

99 copies max.

33 Languages Selectable: Japanese/ English(mm & inch)/German/French/Italian/Spanish/

Document Copy, 2-sided copy, 2-on-1, Collated copy (ADF only)

Dutch/Portuguese/Norwegian/Swedish/Danish/ Finnish/Russian/Czech/Hungarian/Polish/Slovene/ Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/

Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP Wireless LAN Frequency Band: 2.4GHz

Canon PRINT Inkiet/SFI PHY app

Easy-PhotoPrint Editor

PIXMA Cloud Link
Canon Print Service Plugin (Android)

Apple AirPrint Wireless Direct WI AN PictBridge Mopria (Android)

SOFTWARE

Supported Operating Systems

Supported Mobile Systems Operational Requirements

Software Included

PHYSICAL FEATURES

Weight

Dimensions (W x D x H)

Acoustic Noise Levels Recommended Operating

**Environment** Power Source

Power Consumption

Windows 11, Windows 10, Windows 8.1, Windows 7 SP1

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

macOS 10.12.6~macOS 10.15

iOS, iPadOS, Android, ChromeOS Display: 1024 x 768 XGA

Installation: Internet, CD-ROM(Windows)

MP Driver including Scanning Utility Easy-PhotoPrint Editor (download)

approx. 8.2 kg

approx. 403 x 364 x 206 mm

approx. 42.5(A) [6]

Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)

AC 100-240V 50/60Hz

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off)
Standby (all ports connected): Approx. 1.7W

(scanning lamp is off)
Time to enter Standby mode: 10min 7sec
Copying: Approx. 14W<sup>[7]</sup>



# **TECHNICAL SPECIFICATIONS**

# PIXMA TS7450i

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- ${}^{\text{[3]}}\,\text{Declared yield value in accordance with ISO/IEC\,24712\,standard.\,Values\,obtained\,by\,continuous}$
- . (4) Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- (4) Acoustic Noise is measured based on ISO7779 standard(colour printing) with default setting.

  17) When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. Some colours may not be available in your region.

### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see
- Scan speed may vary depending on system configuration, interface, software, scan mode settings
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022



# YOUR VERSATILE COMPANION FOR WORK AND PLAY

# PIXMA TS7450i

A smart yet simple all-in-one with huge creative potential and work-at-home capability, with PIXMA Print Plan for hassle-free ink delivery straight to your door when you need it

Sales Start Date: TBC



# PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA TS7450i EUR BLACK	5449C006AA	4549292192513	<please fill="" in="" rrp=""></please>		

# STANDARD COMPATIBLE CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price				
Standard size							
PG-560	3713C001AA	4549292144642	<please fill="" in="" rrp=""></please>				
CL-561	3731C001AA	4549292145038	<please fill="" in="" rrp=""></please>				
XL size							
PG-560XL	3712C001AA	4549292144628	<please fill="" in="" rrp=""></please>				
CL-561XL	3730C001AA	4549292145014	<please fill="" in="" rrp=""></please>				

# MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS7450i EUR BLACK	5449C006AA	Individual	1	477	281	526	10.20	8.2
		Pallet (Upper)	16	1132	962	1055	164.95	131.2
		Pallet (Bottom)	16	1132	962	1055	164.95	131.2

# What's in the box?

- All-in-one printer PIXMA TS7450i
- FINE cartridges
- Power cord
- Set-up CD-ROM
- Manuals

# Canon