




OPTIPLEX 7071 TOWER

Enter new worlds of potential




ENGAGE WITH VIRTUAL REALITY

Enable more immersive experiences with the desktop built to deliver rich virtual reality consumption.* The OptiPlex 7071 tower features high performance graphics options including NVIDIA GeForce RTX 2080 graphics card and thrives in educational, retail and healthcare settings.




FAST AND RESPONSIVE

Now with standard dual M.2 SSD, this OptiPlex tower drives the fastest data access speeds yet. The new generation tower jumps to new Intel® Wi-Fi 6 AX201 delivering ~3X faster connectivity vs. baseline 2x2 AC1,* and up to 4X network capacity,** supporting uninterrupted VR experiences.



HIGH-END MAINSTREAM PERFORMANCE

OptiPlex 7071 tower is built with Intel® 9th Generation processors featuring new Core i9 95W CPU with up to 8 cores. Choose the new Intel® Core™ vPro™ processors, the highest performing processors for business,** providing remote and out-of-band systems management.



BUILT SMART

The all new 18L tower delivers more expansion options while maintaining a compact design for the modern workspace. It is responsibly built with 57% post-consumer recyclable content^ and its high efficiency PSU provides the power to do more while consuming less energy than previous OptiPlex tower generations.

25 YEARS
OptiPlex

Recommended Accessories

OPTIPLEX 7071 TOWER



DELL 24 MONITOR - P2419H

Boost productivity with this 23.8in./60.96cm screen front and center. The small base frees up valuable desk space, 3-sided ultrathin bezel supports multi display productivity, and Easy Arrange feature enables multitasking efficiency.



DELL ULTRASHARP 24 MONITOR - U2419H

Experience superb screen performance on this FHD monitor with virtually borderless InfinityEdge, packaged in a sleek, space saving design.



DELL DUAL MONITOR STAND - MDS19

This space saving stand, mounts up to two 27in./68.58cm monitors, providing the screen real estate you need to be most productive.



HTC VIVE PRO VIRTUAL REALITY SYSTEM

Built to meet the needs of today's most demanding VR users, VIVE Pro is an easy-to-deploy VR system that scales with your business and provides the richest feature set for professional users.



DELL WIRELESS KEYBOARD AND MOUSE - KM717

Enhance productivity and enjoy an elegant design that will fit into virtually any workspace. For increased productivity you can simultaneously pair up to two compatible devices with Bluetooth LE.



DELL WIRELESS KEYBOARD AND MOUSE - KM636

Designed with a compact size and chiclet keys, discover wireless convenience and clutter-free performance.



DELL WIRED MOUSE WITH FINGERPRINT READER - MS819

Enjoy secure login by swiping the integrated fingerprint reader on this mouse, which has been designed to operate seamlessly with Microsoft's biometric sign-in features.



DELL PRO STEREO HEADSET - UC350

Hear every word clearly on your next call with the Dell Pro Stereo Headset, optimized to provide in-person call quality and certified for Microsoft Skype for Business.



DELL PROFESSIONAL SOUND BAR - AE515M

Optimize conference calls and multimedia streaming with exceptional audio clarity. Minimize background noise while on calls with the dual mic array and echo cancellation feature.



OPTIPLEX TOWER CABLE COVER

Thermally tested and designed for OptiPlex, this custom cable cover offers an easy-to-install and attractive way to manage cables and secure ports.



OPTIPLEX TOWER PLUS DUST FILTER

Custom dust filter for OptiPlex safeguards internal components in factory, warehouse, or retail environments.

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strengthen security.



DEPLOY

Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



SECURE

Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.



MANAGE

We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



SUPPORT

ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

*Based on a Principled Technologies test report, "Spend Less Time and Effort Troubleshooting Laptop Hardware Failures" dated April 2018. Testing commissioned by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/L52XKM>

Features & Technical Specifications

OPTIPLEX 7071 TOWER

Feature	OptiPlex 7071 Tower Technical Specifications ¹
Processors ¹	9 th Generation Intel® Core™ i3-9100, 6 MB Cache, 4 Core, 3.60 GHz to 4.20 GHz 9 th Generation Intel® Core™ i3-9300, 8 MB Cache, 4 Core, 3.70 GHz to 4.30 GHz 9 th Generation Intel® Core™ i5-9400, 9 MB Cache, 6 Core, 2.90 GHz to 4.10 GHz 9 th Generation Intel® Core™ i5-9500, 9 MB Cache, 6 Core, 3.00 GHz to 4.40 GHz 9 th Generation Intel® Core™ i5-9600, 9 MB Cache, 6 Core, 3.10 GHz to 4.60 GHz 9 th Generation Intel® Core™ i7-9700, 12 MB Cache, 8 Core, 3.00 GHz to 4.70 GHz 9 th Generation Intel® Core™ i7-9700K, 12 MB Cache, 8 Core, 3.60 GHz to 4.90 GHz 9 th Generation Intel® Core™ i9-9900, 16 MB Cache, 8 Core, 3.10 GHz to 5.00 GHz 9 th Generation Intel® Core™ i9-9900K, 16 MB Cache, 8 Core, 3.60 GHz to 5.00 GHz
Operating System Options ¹	Windows 10 Home (64-bit) Windows 10 Professional (64-bit) Windows 10 Enterprise Ready Ubuntu 18.04 LTS 64-bit NeoKylin (64-bit)
Memory ^{1,2,3}	4 GB, 1 x 4 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 8 GB, 1 x 8 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 8 GB, 2 x 4 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 16 GB, 1 x 16 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 16 GB, 2 x 8 GB GB, DDR4, 2666 MHz, Non-ECC, UDIMM 32 GB, 1 x 32 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 32 GB, 4 x 8 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 32 GB, 2 x 16 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 64 GB, 2 x 32 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 64 GB, 4 x 16 GB, DDR4, 2666 MHz, Non-ECC, UDIMM 128 GB, 4 x 32 GB, DDR4, 2666 MHz, Non-ECC, UDIMM
Primary Hard Drive ^{1,5}	2.5-inch, 2 TB, 5400 RPM, SATA hard drive 2.5-inch, 500 GB, 7200 RPM, SATA hard drive 2.5-inch, 1 TB, 7200 RPM, SATA hard drive 2.5-inch, 500 GB, 7200 RPM, Self-Encrypting Opal 2.0 FIPS 3.5-inch, 500 GB, 7200 RPM, SATA AHCI 3.5-inch, 1 TB, 7200 RPM, SATA hard drive 3.5-inch, 2 TB, 7200 RPM, SATA hard drive 3.5-inch, 4 TB, 5400 RPM, SATA hard drive M.2 2230, 128 GB, Gen 3 PCIe x4 NVMe, Class 35 SSD M.2 2230, 256 GB, Gen 3 PCIe x4 NVMe, Class 35 SSD M.2 2230, 512 GB, Gen 3 PCIe x4 NVMe, Class 35 SSD M.2 2280, 256 GB, Gen 3 PCIe x4 NVMe, Class 40 SSD M.2 2280, 512 GB, Gen 3 PCIe x4 NVMe, Class 40 SSD M.2 2280, 1 TB, Gen 3 PCIe x4 NVMe, Class 40 SSD M.2 2280, 2 TB, Gen 3 PCIe x4 NVMe, Class 40 SSD M.2 2280, 512 GB, Gen 3 PCIe x4, NVMe, Class 40 Self-Encrypting Opal 2.0 SSD M.2 2280, 1 TB, Gen 3 PCIe x4, NVMe, Class 40 Self-Encrypting Opal 2.0 SSD M.2 2280, 16 GB, Gen 3 PCIe NVMe, Intel Optane Memory M.2 2280, 32 GB, Gen 3 PCIe NVMe, Intel Optane Memory
Video Card ²	Integrated Intel® UHD Graphics 630 AMD Radeon™ RX 550 NVIDIA® GeForce® GTX 1660 NVIDIA® GeForce® RTX 2080
Display ¹	Dell 24 Monitor - P2419H Dell UltraSharp 24 Monitor - U2419H
Recommended Accessories ¹	Dell Dual Monitor Arm - MDA20 Dell Dual Monitor Stand - MDS19 HTC VIVE Pro Virtual Reality System Dell OptiPlex Tower Plus Dust Filter OptiPlex Tower Plus Cable Cover
Software Security ¹	SafeGuard and Response (powered by Secureworks) Next Generation Antivirus (NGAV) Endpoint Detection and Response (EDR) Managed Endpoint Detection and Response Incident Management Retainer SafeData: includes Dell Data Guardian, Dell Encryption, Dell Endpoint Security Services

Features & Technical Specifications

OPTIPLEX 7071 TOWER

Feature	OptiPlex 7071 Tower Technical Specifications ¹
Hardware Security ^{1,6}	SafeBIOS: includes Dell Off-host BIOS Verification, BIOS Resilience, BIOS Recovery, and additional BIOS Controls SafeID credential protection Trusted Platform Module (TPM) 2.0 or or fTPM (Intel® PTT) Self-Encrypting Storage Drives (Opal, FIPS) Physical Security Options: Chassis lock slot support, Chassis Intrusion Switch, Lockable Cable Cover, Smart Card Keyboard, Dell Wired Mouse with Fingerprint Reader - MS819
Systems Management	Dell Client Command Suite Intel® Standard Manageability Intel® vPro for Out-of-Band systems management
Deployment Services	ProDeploy Dell Client PC ProDeploy Plus Dell Client PC Basic Deployment for Dell Client Systems, with Imaging and Provisioning Options
Warranty ^{8,9}	Base/Limited Hardware Warranty ⁸ Onsite Service after Remote Diagnosis ⁹ Optional Dell ProSupport and ProSupport Plus
Accidental Damage Services	Accidental Damage Service up to 5 years
Keyboard ¹	Dell Wireless Keyboard and Mouse - KM717 Dell Wireless Keyboard and Mouse - KM636
Ports	1 RJ-45 port 10/100/1000 Mbps 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.1 Gen 2 Type-C port (front) 1 USB 3.1 Gen 1 port (front) 1 Universal audio jack (front) 2 USB 2.0 ports with Smart Power (rear) 4 USB 3.1 Gen 1 ports (rear) 1 Line-out audio jack (rear) 2 DisplayPort v1.2 1 Optional 3rd video port—HDMI 2.0, DP, VGA, or USB Type-C Alt mode 1 SD 4.0 card
Optical Drive	8x Slimline DVD-ROM 8x Slimline DVD +/- RW
Slots	1 Kensington security slot 1 full-height Gen 3 PCIe x16 slot 1 full-height PCIe x16 (wired x4) slot 1 full-height PCIe x1 slot 1 full-height PCI-32 slot 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Disk Drive 1 M.2 2230 slot for WiFi 1 M.2 2230/2280 slot for solid-state drive or Intel Optane 1 M.2 2230 slot for solid-state drive through media-card reader slot
Dimensions	US Dimensions Height: 14.45 in. (367 mm) Width: 6.65 in. (169 mm) Depth: 11.84 in. (300.80 mm) Weight: 20.08 lb (9.11 kg) Rest of World (ROW) Dimensions Height: 367 mm (14.45 in.) Width: 169 mm (6.65 in.) Depth: 300.80 mm (11.84 in.) Weight: 9.11 kg (20.08 lb) Japan Dimensions Height: 367 mm Width: 169 mm Depth: 300.80 mm Weight: 9.11 kg (20.08 lb)
Audio & Speakers	Realtek ALC3246 Dell Professional Sound Bar - AE515M Dell Pro Stereo Headset - UC350
Wireless ⁴	Qualcomm® QCA9377, 1 x 1, 802.11ac with MU-MIMO, Bluetooth 4.2 Intel® Wi-Fi 6 AX200, 2 x 2, 802.11ac with MU-MIMO, Bluetooth 5.0
Power	260 W EPA Bronze 460 W EPA Bronze
Regulatory ^{7,10}	Energy Star Qualified EPEAT Registered TCO Edge Certified CEL, WEEE, Japan Energy Law, China RoHS12 Other Environmental Options: Carbon Offset, Asset Resale and Recovery Service



OPTIPLEX 7071 TOWER

The desktop built for premium performance,
offering optimal expandability and rich,
immersive VR experiences.

Discover professional class desktops at www.dell.com/OptiPlex

* 460 PSU and discrete gfx card options required for the VR consumption experience.

** As measured by SYSmark* 2018 and webXPRT* 3. Processors Compared: 9th Gen Intel® Core™ vPro™ i9-9900, i7-9700, i5-9500, i9-9900T, i7-9700T, i5-9500T, i9-9880H, and i9-9400H; 8th Gen Intel® Core™ vPro™ i7-8665U and i5-8365U; and AMD Ryzen™ 7 PRO 2700X. Prices of compared products may differ. Configurations: Memory: 2x8GB DDR4 (2400, 2666 or 2933 per highest speed of the corresponding processor), Storage: 512 GB Intel® SSD 760p, OS: Windows 10 Pro RS5. Results: Majority of the Intel® Core™ vPro™ processors scored better than AMD Ryzen™ 7 PRO 2700X on SYSmark* 2018 and webXPRT* 3 overall scores.

+ Source: Intel Desktop and Workstation Platform 5 Quarter Roadmap version WW20 2019. 802.11ax 2x2 160MHz enables 2402Mbps maximum theoretical data rates, ~3X faster than standard 802.11ac 2x2 80MHz (867Mbps) and nearly 6x faster than baseline 1x1ac (433Mbps) Wi-Fi as documented in IEEE 802.11 wireless standard specifications, and require the use of similarly configured 802.11ax wireless network routers.

++ This amendment defines standardized modifications to both the IEEE 802.11 physical layers (PHY) and the IEEE 802.11 Medium Access Control layer (MAC) that enable at least one mode of operation capable of supporting at least four times improvement in the average throughput per station (measured at the MAC data service access point) in a dense deployment scenario, while maintaining or improving the power efficiency per station. For additional details visit: <https://mentor.ieee.org/802.11/dcn/14/11-14-0165-01-0hew-802-11-hew-sg-proposed-par.docx>

^ OptiPlex 7071 Tower contains 57% post-consumer recyclable content. Source: Dell Product Compliance Datasheet | ENV0025 June 2019. Dell Legal AD#G18000288.

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.

2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.

3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.

4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality

5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

6. TPM is available in selected regions.

7. Please refer to www.epeat.net for specific country registration rating and participation.

8. Limited Hardware Warranty available by writing Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell.com/warranty or contact your Dell Technologies Services Representative

9. Onsite availability varies by country and service purchased. Onsite service after remote diagnosis.

10. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information at www.dell.com/support

11. Not all features and services are available in all countries or sales segments/customers. Contact your Dell Technologies Services Representative for availability.

Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries. Microsoft and Windows are trademarks of Microsoft Corporation in the U.S. and/or other countries.