Specifications



APC Symmetra LX Extended Run Rack-mount w/ 3 SYBT5, 230V

SYARMXR3B3I

Overview

Lead time

Main

Product or component type	Battery accessory
Number of rack unit	5U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	Installation guide User manual
Range of product	Symmetra Battery Systems

Batteries & Runtime

Battery location	Battery cabinet
Number of battery free slots	0
Number of battery filled slots	0
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
Number of battery replacement quantity	3

Physical

Colour	Black
Height	21.5 cm
Width	47.2 cm
Depth	68.6 cm
Net weight	114.1 kg
mounting mode	Rack-mounted

Conformance

Standards	EN 50091-1 EN 50091-2 EN 60950 IEC 60950
product certifications	BSMI VCCI VDE



Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-1545 °C
Storage altitude	0.0000000004572.000000000 m
Storage Relative Humidity	095 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	34.3 cm
Package 1 Width	98 cm
Package 1 Length	59.9 cm
Package 1 Weight	127.74 kg

Contractual warranty

Warranty

2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.



