Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Notebook LIFEBOOK E5512

Your Powerful and Modern Business Device

The Fujitsu LIFEBOOK E5512 is designed for office workers needing a powerful and fully equipped notebook. Thanks to the 12th generation Intel® Core™ processor you can work efficiently wherever you are. Advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

New ultra-slim and lightweight design

Reliable mobility, ease of use and modern good looks for everyday business demands

- New ultra-slim 20.4 mm entry notebook starting at 1.65 kg with magnesium LCD lid
- Enjoy an ergonomic viewing experience with a 15.6-inch outdoor friendly anti-glare HD or FHD display with touch option

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure™ or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Intel® Iris® Xe Graphics
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of ports with a full-sized HDMI and LAN connector and USB Type-C
- Based on the latest 12th Gen Intel® Core™ processors, enabling data to be processed faster

Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

■ Battery, memory, internal storage and connectivity components can be changed with ease

Long-term stable platform

Protect your investments and be ready for shared desk concepts

■ This LIFEBOOK E5 Series provides an extraordinary guaranteed product lifecycle of 24 months.

















Components

Base unit	LIFEBOOK E5512		
Operating systems			
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.		
Microsoft OS support information	Windows 11 requires for first device setup: - Internet connectivity		
	 Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending or extension of hardware services through warranty top ups. For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport. asp?Ing=com&OpenTab= 		
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft a applicable under the relevant Microsoft program.		
Processor	Intel® Core™ i7-1265U processor (10C, up to 4.8 GHz)		
	Intel® Core™ i7-1255U processor (10C, up to 4.7 GHz) *		
	Intel® Core™ i5-1245U processor (10C, up to 4.4 GHz)		
	Intel® Core™ i5-1235U processor (10C, up to 4.4 GHz) *		
	Intel® Core™ i3-1215U processor (6C, up to 4.4 GHz) *		
	Intel® Celeron® processor 7305 (5C, 1.1 GHz) *		
	*Processor only for retail, SMB, education and government		
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM		
ŕ	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM		
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM		
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module, SED		
	PCIe-SSD, 2 TB M.2 NVMe module, SED		
	PCIe-SSD, 1 TB M.2 NVMe module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
4G/ LTE (optional)	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)		
	Quectel EM05-G (4G Cat.4) (Downlink speed 150 MB/s, Uplink speed 50 MB/s)		
	LTE Sierra Wireless EM7421B (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)		
Display	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 250 cd/m² (Touch), 700:1 (Touch)		
	39.6 cm (15.6-inch), HD, 1,366 x 768 pixel, Anti-glare display, 220 cd/m² (HD), 500:1 (HD)		
	39.6 cm (15.6-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 250 cd/m² (FHD), 700:1 (FHD)		
Multimedia			
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED		
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter		
Microphone	dual digital array microphone		

Base unit

Base unit	LIFEBOOK E5512		
General system information			
Chipset	Integrated in CPU		
Supported capacity RAM (min.)	4 GB		
Supported capacity RAM (max.)	64 GB		
Memory slots	2 SO DIMM (DDR4, 3200 MHz)		
Memory notes	Dual channel support		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2		
BIOS version	UEFI Specification 2.8		
BIOS features	InsydeH2O BIOS		
Audio type	On board		
Audio codec	Realtek ALC257		
Audio features	2x built-in speakers (2 W each), Stere	eo audio	
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.		
Graphics			
Base unit	LIFEBOOK E5512		
Graphics brand name	Intel® UHD Graphics (with Single ch	annel memory), Intel® Iris® Xe Graphics	(with Dual channel memory)
Graphics notes	Shared memory depending on main	n memory size and operating system	
Interfaces			
Audio: line-in / line-out	1		
Internal microphones	2x digital array microphones (option	nal)	
USB 3.2 Gen1 (5 Gbps) total	3x Type-A (1 with Anytime USB charge functionality)		
Thunderbolt™ 4 total	2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)		
HDMI	1 - Supports 4k@60Hz as specified in HDMI 2.0b		
Ethernet (RJ-45)	1 (with status LED)		
Memory card slots	1 microSD 3.0 Standard microSD card microSDHC card		
	microSDXC card Speed Class: up to UHS-I		
SmartCard slot	1 (optional)		
SIM card slot	1 (Nano-SIM, only for models with c	onfiguration WWAN ready or with 4G L	ΓE modules)
eSIM card	eSIM integrated in 4G LTE module	·	
Docking connector for Port Replicator	1 - PR Model: NPR50		
Kensington Lock support	1 - Recommendation: Kensington's Micro Security Saver		
Port Replicator interfaces (optional)		·	
Tore replicator interfaces (optional)	USB Type-C PR	Thunderbolt™ 4 PR	Mechanical PR Model: NPR50
DC-in	1 (19V/90W required)	1 (20V/170W required)	1 (19V/90W required)
Power on switch	1	1	1
Audio: line-in / line-out			1
Audio: comments	1 Combo jack for headset usage	1 Combo jack for headset usage	Combo-Port
USB 3.2 Gen1 (5 Gbps) total			4x Type-A 2x Type-C
DisplayPort	1x V1.2	2x V1.4++	2 (up to 2x 3840x2160 60Hz)
VGA	1		1 (up to 1920x1200 6Hz)
	1	V 2.0b	1 (up to 4096x2160 60Hz)

Port Replicator interfaces (optional)					
Interface Notes	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A/4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO) 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V/3.0A downstream, power output to client	The shown up to resolutions are maximum values each port and will be different depending on Multi-Display combinations.		
Kensington Lock support	no	1	1 (lock Portrep only)		
Ethernet (RJ-45)	1	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1		
Notes	Number of simultaneous used display frequencies depend on mobile systen Please consult always also the manua	n and display interface type.	1 RJ45 (10/100/1000)		
Keyboard and pointing devices					
	Spill-resistant keyboard with number	block, Available with standard keyboard	l or backlit keyboard		
	Number of keyboard keys: 106, Keybo	Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm			
	Multi gesture touchpad with two mou	use buttons			
Wireless technologies					
Antennas	2 Dual band WLAN antennas, +2 4G L	ΓΕ antennas optional			
Bluetooth	v5.1 (OS limitation) - hardware is v5.2 ready				
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD ca	•			
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Ac				
WLAN notes	WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only. Import and usage according to country-specific regulations.				
Integrated LTE or UMTS	(4G) LTE Quectel EM120R-GL (Cat.12) - eSIM integrated - UMTS,LTE (4G) LTE Quectel EM05-G (Cat.4) - eSIM integrated - UMTS,LTE (4G) LTE Sierra Wireless EM7421B (Cat.7) - eSIM integrated - UMTS,LTE				
LTE/UMTS/GPS notes	Optional				
NFC	No				
GPS	Embedded in 4G module if configured	d with WWAN			
Power supply					
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 F	Hz - 60 Hz, 3-pin (grounded) Type-C AC-A	Adapter slim&light		
AC Adapter		Hz - 60 Hz, 3-pin (grounded) Type-C AC-A	<u> </u>		
1st battery	Lithium polymer battery 4-cell, 65 Wh		·		
Battery features	Quick Charge: 80% in 1h				
Runtime 1st battery	9h 30min (up to)				
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.				
Noise emission					
Noise emission	Please refer to the Eco Declaration				
Dimensions / Weight / Environmental					
Dimensions (W x D x H)	357.4 x 230 x 20.4 mm				
	14.07 x 9.06 x 0.80 inch				
Weight	1.65 kg (starting from)				
Weight (lbs)	starting from 3.64 lbs				
Weight notes	Weight may vary depending on actual configuration				
Operating ambient temperature	5 - 35 °C (41 - 95 °F)				
Operating relative humidity	20 - 80 %				

Compliance	
Product	LIFEBOOK E5512
Model	5E15A3
Germany	GS (planned)
Europe	CE
·	CB
USA/Canada	FCC (depending on configuration)
Global	TCO Certified 9.0
	ENERGY STAR® 8.0
Ch.i	EPEAT® Gold (dedicated regions)
China	CCC (depending on configuration)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Function Manager Fujitsu Battery Utility Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Nero Essentials XL Microsoft® Office Professional 2021 Microsoft® Office Home and Business 2021 (Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
Manageability	
Manageability technology	Intel® vPro™ technology/iAMT (depending on processor) PXE Boot code Wake-on-LAN
Manageability software	DeskView Client DeskView Instant BIOS Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	https://www.fujitsu.com/global/products/computing/pc/manageability/
Security	
Physical Security	Kensington Lock support
System and BIOS Security	User and supervisor BIOS password
User Security	Embedded fingerprint sensor (optional)
seemy	Embedded PalmSecure® sensor (optional) Smartcard reader (optional) TPM 2.0
	TPM 2.0 Hard disk password

Security

Security Notes

The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.

Warranty		
Warranty period	1 year (for countries in EMEIA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.	
Product Support - the perfect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

Recommended Accessories

Thunderbolt™ 4 Port Replicator



First Thunderbolt™ Port Replicator on the market providing enhanced security and full support of Intel® AMT (vPro®).

The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy.

Order Code: FPCPR401BP

Port Replicator for LIFEBOOK U7x13, U7x12, E5x13, E5x12, U7411 and U7511



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

FPCPR402BP

Battery 4 cell 65 Wh



The 4 cell 65 Wh battery has a the recharge time of the cell is 60 minutes for a 80% charge.

Order Code: FPCBP592BO

CANVAS ANDERSON 15



The PLEVIER CANVAS ANDERSON 15 leather and canvas case is a compact and classic carrier for on the go. Available for notebooks up to 15 inches with two compartments and two accessory sections, protection for your device ensured. A subtle design canvas and nappa leather shade.

Order Code: S26391-F1193-L68

S26381-K474-L100

Wireless Mouse WI860 BTC



The Wireless Mouse W1860 BTC can be paired with up to 3 different clients, Order Code: 2x Bluetooth and 1x wireless USB Type-C dongle. With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400). The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are

optimized for Teams calls.

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK E5512, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK E5512, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/Copyright 2023 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-03-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/
Copyright 2023 Fujitsu Technology Solutions GmbH