

# Rittal – The System.

Faster – better – everywhere.

## Cable route for VX, VX IT – VX 5302.120

Date : Jun 15, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Cable route for VX, VX IT – VX 5302.120

created: 15.06.2021 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

<b>Benefits:</b>	Simple assembly with tool-free quick-release fastening Alternatively suitable for screw-fastening Integral multifunctional punching for attaching cable routing components Integral mounting holes for fixing the PDUs in a 7 U pitch pattern via a keyhole recess
<b>Applications:</b>	For vertical cable routing and strain relief with network and server applications
<b>Material:</b>	Sheet steel
<b>Surface finish:</b>	Spray-finished
<b>Colour:</b>	RAL 9005
<b>Assembly instruction:</b>	For mounting across the entire enclosure depth on the frame structure with a quick-release fastener. When mounted in 800 mm wide enclosures, additional screw fastening to the depth-stays of the 482.6 mm (19") configuration is supported
<b>Supply includes:</b>	Assembly parts

## Product description

<b>To fit:</b>	Enclosure type: VX Enclosure type: VX IT Height: = 2000 mm
<b>Dimensions:</b>	Width: 145 mm
<b>Installation options:</b>	On the VX IT frame between the roof and base frames, all-round In 800 mm wide VX IT racks, alternatively, screw-fastening between the upper and lower depth stays is supported

<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	4.75 kg
<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177952713
<b>Customs tariff number:</b>	73269098
<b>ETIM 7.0:</b>	EC000012
<b>ETIM 6.0:</b>	EC000012
<b>eCl@ss 8.0/8.1:</b>	27400703
<b>eCl@ss 6.0/6.1:</b>	27400703
<b>Product description:</b>	Cable route, for VX, VX IT, for vertical cable routing and strain relief, for network and server applications, integrated multifunction punchings for fastening