

Rittal – The System.

Faster – better – everywhere.

CMC III access control – DK 7030.202

Date : Jul 12, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



CMC III access control – DK 7030.202

created: 12.07.2021 on www.rittal.com/com-en



Product description

Description:	CMC III unit for controlling and monitoring access to enclosures. One handle and one reader unit may be connected to one CMC III access control. The handles can be linked to various numerical codes or transponder cards via the CMC III Processing Unit/Compact website, which means that all the handles connected to a CMC III Processing Unit/Compact can be controlled with just one reader unit. The integral infrared sensor also ensures that the status of the controlled door (open/closed) is monitored.
Equipment:	Record of every access and each time the door is opened, with user information and time stamp Supports one central reader unit per CMC III system Fixed allocation between handles and reader units Four-eyes principle Central administration of access rights across all systems and locations with RiZone Activating the LED display in the handle
Function principle:	For connecting one handle and one reader unit to monitor a door Integral IR access sensor
Material:	Plastic Front: Smooth Enclosure: Textured
Surface finish:	Front: Smooth Enclosure: Textured
Colour:	Front: RAL 9005 Enclosure: RAL 7035
Protection category IP to IEC 60 529:	IP 30
Supply includes:	CMC III access control Mounting plate

Product description	
To fit:	Enclosure type: VX IT Enclosure type: TS IT Enclosure type: TE 8000
Dimensions:	Width: 110 mm Height: 30 mm Depth: 40 mm
Maximum no. of users:	CMC III Processing Unit Compact: 2 CMC III Processing Unit: 16 IoT interface: 5
Operating temperature:	Operation (environment): +0 °C...+55 °C
Ambient humidity (non-condensing):	Operation (environment): 5 % - 95 %
Interfaces/connections:	General: RJ12 General: Flat-pin connector Bus system: 2 x RJ45 CAN bus
Packs of:	1 pc(s).
Weight/pack:	0.18 kg
Copper weight (kg per piece):	0
EAN:	4028177925847
Customs tariff number:	85311095
ETIM 7.0:	EC002627
ETIM 6.0:	EC002627
eCl@ss 8.0/8.1:	27189253
eCl@ss 6.0/6.1:	27189253
Product description:	CMC III Access Control