

imagePROGRAF TM-340 MFP Lm36

PERFORMANCE REIMAGINED

Reimagine performance with a sustainable 36" multifunction printer, offering less noise operation, more intuitive functionality and high print quality, to create professional quality prints with sharp, crisp lines and vivid red colour – perfect for eye-catching CAD drawings and marketing materials. Integrated scanning functionality with dedicated software boosts productivity, print and scan at speed for a more seamless workflow.

Integrated functionality

Print and scan seamlessly with an easy-to-use multi-tasking device, featuring a 3" touchscreen panel on the scanner and dedicated software, for parallel processing with printing and scanning simultaneously

• Enhanced professional quality

The new magenta ink produces a more brilliant red and stable image enhancements mean crisper lines. Print vivid and accurate CAD drawings, posters, educational materials and more

Reliable productivity

Productivity that you can count on, with reliable performance, faster processing time and a quick return from sleep mode. Save time trimming excess margins with borderless print, giving full bleed images of any size, straight from the device

• Intuitive functionality

Functional design with a 4.3" touch screen panel on printer, displaying intuitive instructions and important information, like media type, remaining media and ink amount. Roll paper can be replaced with ease on the flat-top cover



TECHNICAL SPECIFICATIONS

imagePROGRAF TM-340 MFP Lm36

SCANNER TECHNOLOGY	1	Printer Languages	HP-GL/2, HP RTL, JPEG (Ver. JFIF 1.02), CALS G4
Scan Technology	Single Sensor with multiple LED Illumination		(Ver. JFIF 1.02), CALS G4 (submission via FTP only)
Maximum Resolution (dpi)	600dpi		
Scan Speed	COPY 300/300dpi Draft = 1ips colour, 3ips mono 300/600dpi Standard = 1ips colour, 3ips mono 600/600dpi Best = 0.5ips colour, 1.5ips mono	Standard Interfaces	USB A Port: N/A USB A Port: Hi-Speed USB Ethernet: IEEE802.3ab(1000base-T), IEEE802.3u (100BASE-TX)/IEEE802.3 (10BASE-T) Wireless LAN: IEEE802.1in/IEEE802.1ig/IEEE802.1ib
	SCAN 200dpi Draft = 1ips colour, 3ips mono 300dpi Standard = 0.5ips colour, 1.5ips mono		*Please refer to user manual how to activate/deactivate the wireless LAN
	600dpi Best = 0.33ips colour, lips mono	MEMORY	
Scan Modes	Scan to USB - RGB/Greyscale/BW, TIFF (No ScanApp) Scan to USB - RGB/Greyscale/BW, JPG, PDF, PDF/A, M-PDF (ScanApp available) Scan to PC - RGB/Greyscale/BW, Tiff, JPEG, PDF, PDF/A, TiffG4,	Standard Memory Hard Drive	2GB Expansion slot : No N/A
	M-PDF Copy - RGB/Greyscale/BW Copy & Archive - (Combination of Copy and Scan to PC above). Cloud connectivity is achieved by a link to Canon's Direct Print	PRINTING SPEED	
Paper Path	& Share. PRINT is achieved by using Canon's Direct Print & Share. Face up, rear exit. Forward document transport only	CAD Drawing Plain paper (A1):	0:21 (Fast Economy Mode), 2.7ppm
	Document return guide(s) included	Plain paper (A0):	0:41 (Fast Economy Mode)
Maximum Scan Width	36" / 914.4mm		0:42 (Fast) 1:25 (Standard)
Minimum Scan Width	6" / 152.4mm	Poster	
Maximum Document Width	38" / 965.2mm	Plain paper (A0):	0:43 (Fast Economy Mode)
Maximum Scan Length	109" / 2768mm		0:43 (Fast) 1:25 (Standard)
Document Thickness	Designed to scan Canon iPF printer CAD paper. Min = 0.07mm Max = 0.8mm	Heavy coated paper (A0)	1:42 (Fast) 3:10 (Standard)
Scan Accuracy	Accuracy 0.2% +/-1 pixel		
Interface USB	USB2, 128GB FAT32.	MEDIA HANDLING	
Scan to Network	ScanApp - Sets scan directory. Minimum PC specification: • Windows 7/8/10 - 32bit.	Media Feed and Output	Roll Paper : One Roll, Upper-loading, Front Output Cut Sheet : Upper-loading, Front Output (Manual feed using media locking lever)
	 100Mbs Ethernet. Intel Celeron, Core-Duo, Core-2-Duo or 2.8GHz Hyper-Threading (HT) or AMD Dual-Core processors 	Media Width	Roll paper: 203.2 - 917mm Cut sheet: 210 - 917mm
	 2GB RAM • High speed 7,200rpm Serial ATA (SATA) HDD with minimum 2GB for applications and 20GB free for images. 	Media Thickness	Roll/Cut : 0.07mm - 0.8mm
	Suggested PC specification: • Windows 7/8/10 - 64bit.	Minimum Printable Length	Roll paper: 203.2mm Cut sheet: 279.4mm
	 GB Ethernet. • Intel i3,i5 or i7 processors • 4GB RAM High speed 7,200rpm Serial ATA (SATA) HDD with minimum 2GB for applications and 20GB free for images. 	Maximum Printable Length	Roll paper : 18m (varies according to the OS and application)
Languages	ScanApp		Cut sheet : 1.6m
	English/French/German/Italian/Spanish/Simplified Chinese/Traditional Chinese/Korean/Russian/Portuguese/	Maximum Media Roll Diameter Media Core Size	150mm
	Japanese/Czech/Polish	Margins Recommended Area	Internal diameter of roll core: 2"/3" (Optional)
Control Panel Weight of Scanner	3" touch screen display 6.56kg (14.5lbs) without Doc return guide	Margins Recommended Area	Roll paper: Top: 20mm, Bottom: 3mm, Side: 3mm Cut sheet (AppleAirPrint): Top: 20mm, Bottom: 3imm, Side: 3mm Cut sheet (Others): Top: 20mm, Bottom:20mm, Side:3mm
Dimensions (W x D x L)	Width: 1238mm, Height 131mm Depth: Without Doc Return Guide - Paper tray folded: 146mm	Margins Printable Area	Roll paper: Top: 3mm, Bottom: 3mm, Side: 3mm Roll paper (borderless): Top: 0mm, Bottom: 0mm, Side: 0mm Cut sheet (AppleAirPrint): Top: 3mm, Bottom: 12.7mm, Side: 3mm
	Without Doc Return Guide - Paper Tray flat: 193mm With Doc Return Guide - Paper tray folded: 206mm With Doc Return Guide - Paper Tray flat: 253mm	Media Feed Capacity	Cut sheet (Others): Top: 3mm, Bottom: 20mm, Side: 3mm Roll Paper: One roll
Compliances	Europe : CE mark, Other countries : CB certification	Borderless Printing Width	Cut Sheet: 1 sheet [Recommended] 515mm(JIS B2), 728mm(JIS B1), 594mm (ISO A1), 841mm(ISO A0), 10", 14", 17", 24", 36"
What's in the Box?	Lm36 scanner Printer mounting brackets, fixings & 3mm tool 2 feet for desktop use	(Roll Only)	(ISO AI), 841mm(ISO A0), 10", 14", 17", 24", 36" [Printable] 257mm(JIS B4), 297mm(ISO A3), 329mm (ISO A3+), 420mm(ISO A2), 515mm(JIS B3), 8", 12", 15", 16", 18' 20", 22", 30", 34", 300mm, 500mm, 600mm, 800mm
	2 paper edge guides 3 Document return guides Calibration target		Other than above, free size borderless printing is supported or only roll paper by user definition
	CD for ScanApp software and PDF documentation: Lm36 Scanner User Manual per language and Quick Start Guide. Lm36 Scanner Quick Start Guide. Ethernet cable (2 meter) Power Supply Regional - Mains power cord(s)	Maximum Number of Delivered Prints	Standard position - 1 sheet
	(2 meter)	WHAT'S INCLUDED	
PRINTER TECHNOLOGY		What's in the Box?	Printer, Printer Stand, 1 Print head, Power Cable, 1 Set of starte
	E Coloure 76"		ink tanks, Installation Guide, Safety/Standard Environment leaflet, LFP Eur Address Sheet, Important Information Sheet,
Printer Type Print Technology	5 Colours 36" Canon Bubblejet on Demand 6 colours integrated type (6 chips per print head x 1 print head)	Software Included	Basic Printer Stand Setup Guide, Notice for PosterArtist WEB Software available as Download from Web
Print Resolution	2,400 x 1,200 dpi	OPTIONS	
Number of Nozzles	Total : 15360 nozzles MBK : 5120 nozzles BK, C, M, Y: 2560 nozzles each	OPTIONS Optional Items	2"/3" Roll Holder: RH2-35
Line Accuracy	±0.1% or less User adjustments necessary. Printing environment and media must match those used for the adjustments.		IC Card Reader Holder: RA-02
Nozzle Pitch	1,200 dpi x 2 lines	CONSUMABLES	
Ink Droplet Size	minimum 5pl per colour	User Replaceable Items	Ink Tank: M: PFI-031(55ml), MBK/BK/C/Y:PFI-030(55ml) Print Head: PF-06
Ink Capacity	Bundled Starter Ink: 300ml (80ml for MBK, 55mlx4 for BK, C, M, Y) Sales Ink: 55ml (MBK, BK, C, M, Y)		Cutter Blade: CT-08 Maintenance Cartridge: MC-31
Ink Type	Pigment inks : 5 colours MBK/BK/C/M/Y		
OS Compatibility	32 Bit: Windows7, Windows 8.1, Windows 10 64 Bit: Windows 7, Windows 8.1, Windows 10, Windows 11, Windows Server 2008R2, 2012, 2012R2, 2016, 2019, 2022	Disclaimer	
Others supported job	Apple AirPrint	Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice." and " All company and/or product names are trademarks	
submission protocol	1	and/or registered trademarks of their respective manufacturers in their markets and/or countries.	

Canon recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended.







Canon Ireland 3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie

Canon (UK) Ltd The Bower 4 Roundwood Avenue Stockley Park Uxbridge UB11 1AF

Canon Inc. canon.com **Canon Europe** canon-europe.com English edition © Canon Europa N.V.,2023

