

USB 3.0 to Gigabit Network Adapter with Built-In 2-Port USB Hub

StarTech ID: USB31000S2H



Add powerful network access to your tablet, Ultrabook™ or laptop, even if it doesn't have a built-in RJ45 port. This USB 3.0 to Gigabit network adapter gives you wired network access - and provides two USB 3.0 pass-through ports allowing you to connect additional USB devices.

Powerful Gigabit network connections

Ideal for office or home use, the USB 3.0 network adapter supports full Gigabit bandwidth by harnessing the performance of USB 3.0 (5 Gbps). You can quickly access very large files over a Gigabit network, saving valuable time every day.

Native driver support makes installation easy

Get up and running quickly. Simply plug this Ethernet cable adapter into the USB port on your laptop and connect to your network. The network adapter chipset provides native driver support, so you don't have to worry about installing additional software.

Connect your USB devices to the additional ports

Enhance the capabilities of your laptop or tablet by connecting USB devices like printers or external solid-state drive or hard drive enclosures using the two USB 3.0 ports. You can also connect your mouse, keyboard, flash drive or other low-power USB devices, with no extra power required.

Compact and lightweight for perfect portability

Compact and portable, this USB Gigabit network adapter is the ideal desktop network adapter or laptop accessory. You don't have to carry a power adapter with you to use it, because it's powered directly from the host USB port.



Spec Sheet

The USB31000S2H is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- Ideal for an Ultrabook, tablet or slim laptop that doesn't have an RJ45 port
- The ideal replacement for an older LAN port
- Connect peripherals like printers or external SSD/HDD enclosures to the integrated two-port USB hub
- Take the adapter with your laptop as a portable USB-powered accessory

Features

- Achieve full Gigabit bandwidth support for your laptop or tablet through a USB 3.0 host connection
- Connect additional peripherals with two USB 3.0 ports
- Native driver support (Windows, Mac and Chrome OS)
- Provides wired network access with a 10/100/1000 RJ45 Ethernet port fully compatible with IEEE 802.3i/u/ab standards
- Realtek RTL8153 chipset ensures dependable performance
- USB powered for easy portability
- Wake on LAN support
- Up to 9K jumbo frame support
- Auto MDIX support
- Full duplex flow control support
- IEEE 802.1Q VLAN tagging support
- IEEE 802.3az Energy-Efficient Ethernet support





Technical Specifications

Warranty 2 Years
Bus Type USB 3.0

Chipset ID Realtek RTL8153

Industry Standards IEEE 802.3 10BASE-T, IEEE 802.3ab 1000BASE-T, IEEE 802.3u 100BASE-TX and

IEEE 802.3X Full Duplex

Interface USB 3.0

Ports 1

USB Pass-Through Yes Auto MDIX Yes

Compatible Networks 10/100/1000 Mbps

Full Duplex Support Yes

Jumbo Frame Support 9K max.

Maximum Data Transfer Rate 5 Gbps - USB 3.0 / 2 Gbps - Full Duplex Gigabit Ethernet

Surge Protection 5KV

Type and Rate USB 3.0 - 5 Gbit/s

Connector Type(s) 1 - USB Type-A (9 pin) USB 3.0 Male

Connector Type(s) 1 - RJ-45 Female

Connector Type(s) 2 - USB Type-A (9 pin) USB 3.0 Female

OS Compatibility Windows® 98SE, ME, Embedded, CE, XP, Vista, 7, 8, 8.1, 10

Windows Server® 2003, 2008 R2, 2012

Mac OS X® 10.7 to 10.11 - VLAN tagging is currently not supported in Mac OS

Linux Kernel 2.6.25 to 4.4.x LTS Versions only

Google Chrome™ OS

Power Consumption Max 1092mA Humidity 40% ~ 50%

Operating 0°C to 70°C (32°F to 158°F)

Temperature

Storage Temperature -10°C to 55°C (14°F to 131°F)

Color Black Enclosure Type Plastic

Form Factor Attached Cable
Product Height 17 mm [0.7 in]
Product Length 255 mm [10 in]
Product Weight 44 g [1.6 oz]





Hard-to-find made easy®

Product Width 37 mm [1.5 in] Shipping (Package) 106 g [3.7 oz]

Weight

Included in Package 1 - USB 3.0 to Gigabit network adapter

Included in Package 1 - instruction manual

Certifications, Reports and Compatibility









