

Gigabit Ethernet Fiber Media Converter - Compact - 850nm MM LC - 550m

Product ID: MCM1110MMLC



This fiber media converter offers an easy, cost-effective way to extend your network over Gigabit fiber. It is equipped with a multimode transceiver which converts a copper RJ45 Ethernet connection to Gigabit fiber to extend your network over longer distances or connect workstations to switches. The converter provides a powerful extended networking solution for campuses, businesses, government facilities, stadiums, or other areas requiring network access.

Cost-effective extension and dependable performance

The Gigabit Fiber Media Converter provides a cost-effective and dependable solution for shorter range network extensions. It connects an Ethernet network to remote devices over a fiber backbone, with a 550m range on the fiber optic interface. The media converter has a durable metal housing, engineered to deliver long-lasting performance.

Versatile connections for broad compatibility

Fully compatible with 10/100/1000Base-T Ethernet networks, the fiber media converter supports auto negotiation to bridge different speed networks and devices to a Gigabit fiber network. It provides versatile connectivity to your existing networks and devices, allowing you to maximize the usage and performance of legacy equipment.

The multimode transceiver is removable, giving you the flexibility to change your transceiver in the future to meet your networking needs.

Easy installation and compact convenience

The unmanaged fiber media converter has a standalone design with simple plug-and-play set-up to ensure fast and easy installation. Compact in size, the converter gives you flexible installation options - including a wall mounting option to save space.

The MCM1110MMLC is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Extend or bridge networks using fiber cable
- Provide connectivity to users in an isolated area of a large complex or in a separate building
- Ideal for secure connections required by government or corporations where EMI is not acceptable

Features

- Convert between an RJ45 copper Ethernet connection and a fiber optic connection to extend your network cost-effectively
- 10/100/1000 Mbps RJ45 port supports auto negotiation to bridge different network speeds and devices to a Gigabit fiber network
- Compact standalone design and wall mounting option for easy and convenient installation
- 850nm LC multimode Gigabit fiber connection using the included SFP transceiver
- 550m range on fiber optic interface
- Link Fault Pass (LFP) supported
- Durable metal housing
- Supports IEEE 802.1q Tag VLAN pass through
- Auto MDIX
- 9K Jumbo Frame supported

Hardware	Warranty	2 Years
	Industry Standards	IEEE 802.3 10BASE-T
		IEEE 802.3u 100BASE-TX
		IEEE 802.3ab 1000BASE-T
		IEEE 802.3z 1000BASE-SX
IEEE 802.3z 1000BASE-LX		
PoE	No	
WDM	No	
Performance	Auto MDIX	Yes
	Compatible Networks	10/100/1000 Mbps
	Fiber Operating Mode	Full-Duplex
	Max Transfer Distance	550 m (1804 ft)
	Maximum Data Transfer Rate	1 Gbps
	MTBF	> 50,000 hours at 25°C
	Type	Multi Mode
	Wavelength	850nm
Connector(s)	Local Unit Connectors	1 - RJ-45 Female
		1 - Fiber Optic LC Duplex Female
Indicators	LED Indicators	1 - Power
		1 - Fiber Port Link/Act
		1 - Copper Port Link/Act
		1 - 1000 Mbps
Power	Center Tip Polarity	Positive
	Input Current	1 A
	Input Voltage	100 ~ 240 AC
	Output Current	2 A
	Output Voltage	5 DC
	Plug Type	N
	Power Consumption (In Watts)	5
	Power Source	AC Adapter Included
Environmental	Humidity	5~95% RH (Non-condensing)
	Operating Temperature	0°C to 50°C (32°F to 122°F)

	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Physical Characteristics	Color	Brown
	Enclosure Type	Steel
	Product Height	26 mm [1 in]
	Product Length	94 mm [3.7 in]
	Product Weight	201 g [7.1 oz]
	Product Width	70 mm [2.8 in]
Packaging Information	Shipping (Package) Weight	556 g [19.6 oz]
What's in the Box	Included in Package	1 - Gigabit Ethernet fiber media converter - MM LC
		1 - universal power adapter (NA/JP, EU, UK, ANZ)

Product appearance and specifications are subject to change without notice.