

BE24EQSB

DisplayPanel Size: Wide Screen 23.8"(60.5cm) 16:9

Color Saturation : 72% NTSC

Panel Type : IPS

True Resolution : 1920x1080

Display Viewing Area(HxV) : 527.04 x 296.46 mm

Display Surface : Non-glare

Pixel Pitch : 0.275mm

Brightness(Max) : 250 cd/m²

Contrast Ratio (Max) : 1000:1

ASUS Smart Contrast Ratio (ASCR) : 100000000:1

Viewing Angle (CR_≥10) : 178°(H)/178°(V)

Response Time : 5ms (Gray to Gray)

Display Colors : 16.7M

Flicker free : Yes

Video FeatureTrace Free Technology : Yes

SPLENDID Video Intelligence Technology

Skin-Tone Selection : 3 Modes

Color Temperature Selection : 4 Modes

QuickFit (modes) : Yes (Modes)

Low Blue Light : Yes

HDCP support : Yes

Audio FeaturesStereo Speakers : 2W x 2 Stereo RMS

I/O PortsSignal Input : HDMI, D-Sub, DisplayPort

PC Audio Input : 3.5mm Mini-Jack

Earphone jack : 3.5mm Mini-Jack

USB Port(s) : 3.0x4

Signal FrequencyAnalog Signal Frequency : 55 ~96 KHz (H) /48 ~77 Hz(V)

Digital Signal Frequency : 55 ~96 KHz (H) /48 ~77 Hz(V)

Power Consumption

Power Consumption:<15W*
Power Saving Mode:<0.5W
Power Off Mode:0W(hard switch)
Voltage: 100–240V, 50 / 60 Hz

Mechanical Design

Chassis Colors : Black
Tilt : -5°~+35°
Swivel : +180°~-180°
Pivot : +90°~-90°
Height Adjustment : 0~130 mm
VESA Wall Mounting : 100x100mm
Quick Release Stand Design : Yes

Security

Kensington lock

Dimensions

Phys. Dimension(with Stand)(WxHxD):
540x(332~462)x211mm (with stand)
Phys. Dimension(without Stand ,For VESA Wall Mount)(WxHxD):
540x330x47mm
Box Dimension (WxHxD): 649 x474x192mm

Weight

Net: 7.8kg (with stand) , 5.0kg (without stand),
Gross: 10.5 kg

Accessories

VGA cable(Optional)
Audio cable(Optional)
Power cord
DisplayPort cable (Optional)
USB cable
Quick start guide
HDMI cable (Optional)
Warranty Card
MiniPC Kit

Regulation Approval

Energy Star®, BSMI, CB, CCC, CE, CEL level , CU,
ErP, FCC, ISO-9241-307, J-MOSS, KCC, PSE, RoHS, TUV-Ergo, TUV-GS,
UkrSEPRO, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8, Windows
7), RCM, TUV Flicker-free , KC , eStandby, TUV Low Blue Light, TCO, ICES-3, PC
recycle

Note*measuring a screen brightness of 200 nits without audio/ USB/ Card
reader connection



- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.