S60UD

27" Monitor 32" Monitor

24" Monitor | LS24D600UAU LS27D600UAU LS32D600UAU



Experience deeper detail and true-to-life color representation with the Samsung ViewFinity S60UD monitor for professionals.



Experience

From the design of the bezels to intuitive tools, our monitors offer enhanced user experience.

- Flat Display (24", 27", 32" IPS)
- Connectivity (1x LAN, 1x DisplayPort, 1x HDMI, 3x USB, 1x USB-C)
- 1.07 Billion Colors
- Wide Color Gamut (99% sRGB)
- Multitasking Tools (PiP, PbP)
- · Daisy Chain
- KVM Switch for better multitasking and multi-device/OS productivity



Well-being

Our products positively affect people's ability to work effectively, maximising comfort and convenience.

- Adaptive Picture (Auto adjust brightness & color)
- Eye Saver Mode (Minimize blue light emission)
- · Flicker Free
- Ergonomic Stand (HAS, Tilt, Swivel & Pivot)
- TÜV Intelligent Eye Care¹
- Easy Setup Stand² (5 sec. installation)



Eco-steps

Together we're working to push technology forward with more environmentally conscious innovations.

- Save Energy³ (use up to 10% less energy)
- TCO Certified⁴ (9.0)
- EPEAT Silver⁵
- Zero Chemical Coatings⁶
- Staple-less boxes⁶
- Life Cycle Emission⁷ (kg CO2e/f.u)

ViewFinity S6 - S60UD

LS24D600UAU LS27D600UAU LS32D600UAU













Key features

QHD

QHD resolution with 100Hz refresh rate:

Visual excellence that professionals demand. QHD (2560x1440) resolution and 100Hz refresh rate work together to reveal hidden details through higher pixel density, while providing smooth visuals. Dive into intricate designs, complex diagrams and dynamic video content with an enhanced workflow.




1.07 billion colors with HDR10: See a wider gamut of colors for stunning accuracy and detail. HDR10 provide near limitless hues and true-to-life color representation, with darker darks and the brighter brights. Every piece of content becomes a joy to look at and can be experienced exactly as intended.



USB-C, LAN and Daisy Chain support: Connect it all to elevate your workspace. A USB-C port allows for 90W charging and data transfer at the same time, while a built-in LAN port offers seamless Ethernet connectivity for laptops. Plus, create an expanded workspace by Daisy Chaining two monitors together.



Built-in KVM Switch: A built-in KVM switch lets you connect and control two sources to your monitor at once, with just one keyboard and mouse. You choose: split screen, Picture in Picture or Picture by Picture are all possible. Be more efficient and remove multi-device hassle with easy input switching and multitasking.



3 year warranty

What's in the box?

HDMI Cable (optional model)
Power Cable
USB type C

Accessories may differ by country

Connectivity



2 USB-A

3 USB-A

4 Headphone IN

5 LAN

6 HDMI IN

DisplayPort IN

8 DisplayPort OUT

9 USB-B

10 USB-C

11 Power



Please see last page for disclaimers.

ViewFinity S6 - S60UD













		LS24D600UAU	LS27D600UAU	LS32D600UAU
Display	Screen Size	24"	27"	32"
	Resolution	2560 x 1440	2560 x 1440	2560 x 1440
	Flat/Curved	Flat	Flat	Flat
	Aspect Ratio	16:9	16:9	16:9
	Panel Type	IPS	IPS	IPS
	Brightness in cd/m2 (Typ)	350	350	350
	Contrast Ratio Static	1000:1	1000:1	1000:1
	Color Support	1.07 Billion	1.07 Billion	1.07 Billion
	Color Coverage	99% sRGB	99% sRGB	99% sRGB
	HDR	HDR10	HDR10	HDR10
	Refresh rate	100Hz	100Hz	100Hz
	Response Time (GTG)	5ms	5ms	5ms
Connectivity	D-Sub (Analog)	No	No	No
	DVI	No	No	No
	HDMI	1x 2.0	1x 2.0	1x 2.0
	Display Port (DP)	1x 1.4	1x 1.4	1x 1.4
	Display Port Out	Yes	Yes	Yes
	USB-C (charging)	Yes (90W charging)	Yes (90W charging)	Yes (90W charging)
	USB 3.0	3x USB 3.0 (3dn)	3x USB 3.0 (3dn)	3x USB 3.0 (3dn)
	Ethernet (LAN)	1x	1x	1x
Other	Headphone	1x	1x	1x
	Speakers	No	No	No
	Built-in Camera / KVM Switch	No / Yes	No / Yes	No / Yes
	Built-in Camera / KVM Switch Additional Features	No / Yes TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch +	No / Yes TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch +	TÜV Intelligent Eye Care ¹ , Save
		TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode,	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode,	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod
	Additional Features Certifications, Standards &	TÜV Intelligent Eye Care', Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴	TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴	TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴
	Additional Features Certifications, Standards & Licenses	TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴ EPEAT Silver ⁵	TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴ EPEAT Silver ⁵	TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴ EPEAT Silver ⁵
	Additional Features Certifications, Standards &	TÜV Intelligent Eye Care', Save Energy ³ , Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴ EPEAT Silver ⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°)	TÜV Intelligent Eye Care ¹ , Save Energy ³ , Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0) ⁴ EPEAT Silver ⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°)
	Additional Features Certifications, Standards & Licenses	TÜV Intelligent Eye Care', Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°
	Additional Features Certifications, Standards & Licenses	TÜV Intelligent Eye Care', Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°)
	Additional Features Certifications, Standards & Licenses Ergonomic Stand	TÜV Intelligent Eye Care', Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm)
	Additional Features Certifications, Standards & Licenses Ergonomic Stand	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 21W	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 20W	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 26W
	Additional Features Certifications, Standards & Licenses Ergonomic Stand Power Consumption (Typ) Set Dimension (WxHxD)	TÜV Intelligent Eye Care', Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 21W With Stand: 540.7 x 535.9 x 220mm Without Stand: 540.7 x 327.2 x	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 20W With Stand: 612.9 x 556.6 x 220mm Without Stand: 612.9 x 367.7 x	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 26W With Stand: 713.9 x 585 x 220mm Without Stand: 713.9 x 424.7 x
	Additional Features Certifications, Standards & Licenses Ergonomic Stand Power Consumption (Typ)	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 21W With Stand: 540.7 x 535.9 x 220mm Without Stand: 540.7 x 327.2 x 41.7mm	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mode, Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 20W With Stand: 612.9 x 556.6 x 220mm Without Stand: 612.9 x 367.7 x 41.6mm	TÜV Intelligent Eye Care¹, Save Energy³, Flicker Free, Eye Saver Mod Daisy Chain, Auto Source Switch + TCO Certified (9.0)⁴ EPEAT Silver⁵ Tilt: -2.0°(±2.0°)~25.0°(±2.0°) Swivel: -30.0°(±3.0°) ~ 30.0°(±3.0°) Pivot: -92.0°(±2.0°) ~ 92.0°(±2.0°) HAS: 120.0mm(±5.0mm) 26W With Stand: 713.9 x 585 x 220mm Without Stand: 713.9 x 424.7 x 41.8mm

Please see last page for disclaimers.

SAMSUNG

All tests and measurements were conducted by Samsung internally.

¹Intelligent Eye Care is certified by TÜV Rheinland. For more details, visit **www.tuv.com**.

²Installation time is estimated based on internal testing.

³Based on internal testing data of S80PB, S80TB and T45F monitors only. Testing compared energy usage of these models with Eco Saving Plus mode, also known as Save Energy on newer models, switched on high setting and switched off. Actual energy savings may vary based on usage conditions, brightness levels, and model selected. Eco Saving Plus is not available in Dynamic Contrast Mode, Game Mode, Eye Saver Mode, or when PIP/PBP Mode is on.

⁴See www.tcocertified.com for more information.

⁵See www.epeat.net for more information.

 $^6\mbox{All}$ models are staple free. All recycled plastics used in our monitors are chemical spray-free.

⁷LS24D600UAUXEN 259.2 (kg CO2e/f.u), LS27D600UAUXEN 271.7 (kg CO2e/f.u), LS32D600UAUXEN 315.8 (kg CO2e/f.u). The Product Carbon Footprint assessment was completed in accordance with ISO 14067 – Greenhouse gases – Carbon footprint of products – Requirements and guidelines for quantification. Usage Scenario: 40% on mode, 5% sleep mode, 55% off mode, 4 years Electricity Carbon Emission Factor: European Union (IEA2022) CO2 Emission results may vary from region and time of evaluation.

Samsung Electronics Co. Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

Copyright © 2024 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names, and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co. Ltd.