

# Eaton EVBAFC20A

Catalog Number: EVBAFC20A

Eaton Basic G4 Rack PDU, 0U, 22.5U, C20 input, 3m cord, 1ph, 3.7kW, 16A, 200-240V, 24 outlets (12)C13, (12)C39

## General specifications

|   |  |
|---|--|
| <b>Product Name</b>   | <b>Catalog Number</b>  |
| Eaton Rack PDU G4   | EVBAFC20A  |
| <b>Model Code</b>   | <b>EAN</b>   |
| PDU G4 BA 0U C20 16A 1P<br>12xC13,12xC39                                | 3553340697265  |
| <b>Product Height</b>   | <b>Product Length/Depth</b>  |
| 53 mm   | 1000 mm  |
| <b>Product Weight</b>   | <b>Product Width</b>   |
| 2.5 kg  | 52 mm  |
| <b>Certifications</b>   | <b>Compliances</b>   |
| IEC 62368-1<br>EN IEC 63000<br>CE<br>EAC<br>UKCA<br>Cm<br>Ukr<br>cTUVus | CB<br>LVD Directive<br>RoHS Directive<br>WEEE Directive<br>Packaging Directive |



### Special features

Versatile C39 outlet  
supports C14 or C20 power  
cord plug  
High retention outlets  
designed to securely fit  
standard power cords and  
support P-Lock power cords  
Color-coded outlet banks  
and corresponding circuit  
breakers

### Type

Basic Rack PDU

### Form factor

0U (Vertical)

### Outlet control

No

### Accessories

Rack PDU  
Rack mounting accessories  
Quickstart guide  
Safety Instructions

### Operating Temperature

0° to 60°C (32° to 140°F)

### Mounting direction

Vertical

### Color

Black

### Material

Aluminium

### Input connection

C20

### Cord length

3m

### Wattage

3.7 kW max

### Amperage Rating

### Brochures

[Rack PDU G4 Brochure EN](#)

### Declarations of conformity

[EU declaration of conformity Rack PDU G4](#)

16A

Input voltage

200-240V

Phase

Single-phase

Frequency rating

50/60 Hz

Outlets

(12) C13, (12) C39

Number of Outputs C13

12

Number of Outputs C19

12

Number of outputs (other)

12

Number of outlets with earth pin

24

SNMP

No

Ethernet interface

No

Serial interface

No

Mass configuration

No

Electrical connection

Connecting cord with plug

Evaluation

Other

Mounting Dimension (metrical)

52

Mounting dimension (standardized)

Metric

Switchable

No

Over voltage category

2

Fitted with:

Mounting material

Communication

No

Series

G4



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)