

# PIXMA TS8750 series

# SIMPLY BRILLIANT PRINTS FOR THE WHOLE FAMILY

User-friendly enough for the entire family to use, the premium, multifunction PIXMA TS8750 Series excels at printing both documents and rich, vivid photos thanks to its 6-ink individual ink system.



- **Easy to use with simpler menus**  
The PIXMA TS8750 Series is effortless to use thanks to a large, tilting 4.3" screen and the streamlined, customisable Switch UI touch interface, which makes accessing functions and settings simpler than ever.
- **Seamless PC-free printing**  
Print photos and documents wirelessly from your mobile device using the update Canon PRINT app. Set up Wi-Fi quickly by using the information already on your device (iOS only), or connect directly by scanning a QR code with Android and iOS smartphones.
- **Fast, high-quality prints for work or play**  
Quickly print both pin-sharp documents (15ipm mono; 10ipm colour) and brilliantly vibrant colour photos (4x6" borderless photo in 13 seconds) with the six individual ink system.
- **Designed to fit your lifestyle**  
Maximise your space with the PIXMA TS8750 Series subtly streamlined and compact premium design, which fits any home décor. Available in white and black colour finishes.
- **More ways to stay productive**  
Print on different types of media thanks to the two-way paper feed, create disc labels with the multipurpose tray and save money with automatic two-sided printing.

**3-in-1**



Auto 2-sided Print



2-way



Connectivity

## PRODUCT RANGE



PIXMA TS8750 Series

## PIXMA TS8750 Series

PIXMA TS6350a

PIXMA TS7450

PIXMA TS5350a



PIXMA TS6350a



PIXMA TS7450

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS8750 series

## GENERAL SPECIFICATIONS

### Model Numbers

PIXMA TS8750 (BLACK)  
PIXMA TS8751 (WHITE)<sup>[8]</sup>  
Wi-Fi, Print, Copy, Scan, Cloud

### Functions

## PRINTER SPECIFICATIONS

### Print Resolution

Up to 4800<sup>[1]</sup> x 1200 dpi

### Print Technology

6 Individual Ink Tanks (PGBK, BK, C, M, Y, GY)  
ChromaLife100 inks

### Mono Print Speed

Approx. 15.0 ipm<sup>[2]</sup>

### Colour Print Speed

Approx. 10.0 ipm<sup>[2]</sup>

### Photo Print Speed

Borderless 10x15cm: Approx. 13 seconds<sup>[2]</sup>

### Borderless Printing

A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10",  
Card Size (91 mm x 55 mm),  
Square (89 mm x 89 mm), Square (127 mm x 127 mm)  
Auto Duplex Print (A4, A5, B5, LTR - Plain Paper)  
Yes

### Two Sided Printing

### Direct Disc Printing

## CARTRIDGES AND YIELDS

### Standard Ink Cartridges

6 individual ink tanks  
PGI-530PGBK (Pigment Black)  
CLI-531BK (Black)  
CLI-531C (Cyan)  
CLI-531M (Magenta)  
CLI-531Y (Yellow)  
CLI-531GY (Grey)

### Cartridge Yield (Plain paper)

A4 colour documents printing<sup>[13]</sup>  
Pigment Black: 400 pages  
Cyan: 191 pages  
Magenta: 242 pages  
Yellow: 191 pages  
\* Estimated supplemental yield

### Cartridge Yield (Photo print)

10x15cm photo<sup>[3]</sup>  
Black: 656 pages\*  
Cyan: 191 pages  
Magenta: 242 pages  
Yellow: 191 pages  
Grey: 324 pages\*  
\* Estimated supplemental yield

## PAPER SUPPORT

### Paper Types

Plain Paper (64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>),  
High Resolution Paper (HR-101N),  
Photo Paper Pro Platinum (PT-101),  
Photo Paper Plus Glossy II (PP-201)  
Photo Paper Pro Luster (LU-101),  
Photo Paper Plus Semi-gloss (SG-201),  
Glossy Photo Paper "Everyday Use" (GP-501)  
Matte Photo Paper (MP-101),  
T-Shirt Transfer, Envelope,  
Magnetic Photo Paper (MG-101)  
Restickable Photo Paper (RP-101)  
Greeting Card (manufactured by Avery and RedRiverPaper),  
Cardstock (manufactured by Neenah Paper and INKPRESS),  
Canon Red Label Superior (WOP111)  
Canon Oce Office Colour Paper (SAT213)  
Dark Fabric Iron on Transfers (DF-101),  
Light Fabric Iron on Transfers (LF-101),  
Premium Fine Art Rough (FA-RG1)

### Maximum Paper Input

Rear Tray: Max. 20 sheets (photo paper) or  
Max. 100 sheets (plain paper)  
Front Cassette: Max. 100 sheets (plain paper)  
Multi-purpose Tray: 1 printable CD, DVD or  
Blu-Ray Disc

### Paper Sizes

A4, A5, B5, LTR, LGL, #10 Envelope, DL Envelope,  
Card Size (91 mm x 55 mm), 4" x 6", 5" x 7", 7" x 10",  
8" x 10",  
Square (89 mm x 89 mm, 127 mm x 127 mm),

### Paper Weight

Custom Size (width: 55 mm - 215.9 mm,  
length: 89 mm - 676 mm)  
Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>, or supported  
genuine Canon papers  
  
Canon paper: max paper weight : approx. 300 g/m<sup>2</sup>  
(Photo Paper Pro Platinum PT-101)

## SCANNER SPECIFICATIONS

### Scanner Type

Flatbed, CIS colour scanner

### Scanner Resolution (Optical)

2400 x 4800 dpi<sup>[4]</sup>

### Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit  
Greyscale: 16 bit / 8 bit

### Maximum Document Size

Flatbed: A4, LTR (216x297mm)

## COPIER SPECIFICATIONS

### Copy Speed

sFCOT: Approx. 14 sec.<sup>[5]</sup>  
sESAT: Approx. 7 ipm<sup>[5]</sup>

### Multiple Copy

99 copies max.

### Copy Functions

Document Copying, Photo Copying, Borderless copy,  
2-sided copy, 2-on-1 and 4-on-1 copy,  
Frame erase copy, Disc Label Copy, ID copy

### Copy Zoom

25 - 400%  
Fit to page

## INTERFACE

### Display Type & Size

4.3" / 10.8 cm LCD (Touch Screen, Color)

### Display Languages

33 Languages Selectable: Japanese/English  
(mm & inch)/German/French/Italian/Spanish/Dutch/  
Portuguese/Norwegian/Swedish/Danish/Finnish/  
Russian/Czech/Hungarian/Polish/Slovene/Turkish/  
Greek/Simplified Chinese/Traditional  
Chinese/Korean/Indonesian/Slovakian/Estonian/  
Latvian/Lithuanian/Ukrainian/Romanian/  
Bulgarian/Thai/Croatian/Vietnamese

## CONNECTIVITY

### Standard Interface

Hi-Speed USB (B Port)  
Wi-Fi: IEEE802.11n, IEEE802.11g, IEEE802.11b, IEEE802.11a,  
IEEE802.11ac<sup>[9]</sup>

Wi-Fi Security: WPA-PSK (TKIP / AES), WPA2-PSK  
(TKIP / AES), WPA3-SAE (AES)  
Wireless LAN Frequency Band: 2.4GHz/5GHz

### Mobile Apps

Canon PRINT app<sup>[10]</sup>  
Easy-PhotoPrint Editor app<sup>[11]</sup>  
Creative Park app<sup>[12]</sup>

### Printer Features

Easy-PhotoPrint Editor Software<sup>[13]</sup>  
PIXMA Cloud Link<sup>[14]</sup>  
Canon Print Service Plugin (Android)<sup>[15]</sup>  
Apple AirPrint<sup>[16]</sup>  
Wireless Direct<sup>[17]</sup>  
Mopria (Android)<sup>[18]</sup>  
PosterArtist Web

### Compatible Memory Cards

SD Card, SDHC Card, SDXC Card, miniSD Card\*,  
microSD Card\*,  
mini SDHC Card\*, micro SDHC Card\*, microSDXC Card\*  
\*Using recommended adapter - not supplied

## SOFTWARE

### Supported Operating Systems

Windows 11, Windows 10, Windows 8.1,  
Windows 7 SP1

### Supported Mobile Systems Operational Requirements

Operation can only be guaranteed on a PC with  
pre-installed Windows 7 or later.

macOS 10.15.7 ~ macOS 13  
iOS, iPadOS, Android, ChromeOS<sup>[19]</sup>  
Display: 1024 x 768 XGA

## PHYSICAL FEATURES

### Weight

approx. 6.6 kg

### Dimensions (W x D x H)

With the trays retracted: Approx. 372 x 345 x 142 mm  
With the trays extended: Approx. 372 x 651 x 301 mm

### Acoustic Noise Levels

approx. 44.5(A)<sup>[6]</sup>

### Recommended Operating Environment

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Power Consumption

Off: Approx. 0.1W  
Standby (connected to PC via USB): Approx. 1.1W  
(scanning lamp off)  
Standby (all ports connected): Approx. 1.6W  
(scanning lamp is off)  
Time to enter Standby mode: 10min  
Copying: Approx. 26W<sup>[7]</sup>

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS8750 series

## Footnotes:

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.  
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [6] Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- [7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [8] Some colours may not be available in your region.
- [9] Wireless printing requires a working network with wireless 802.11 b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [10] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [12] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

- [13] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [14] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [15] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [16] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [17] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [18] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [19] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

## Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Live for the story\_

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2023

# SIMPLY BRILLIANT PRINTS FOR THE WHOLE FAMILY

# PIXMA TS8750 series

User-friendly enough for the entire family to use, the premium, multifunction PIXMA TS8750 Series excels at printing both documents and rich, vivid photos thanks to its 6-ink individual ink system.

Sales Start Date: September 2023



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS8750 EUR BLACK	6152C006AA	4549292218381	<Please fill in RRP>
PIXMA TS8751 EUR WHITE	6152C026AA	4549292218411	<Please fill in RRP>

#### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-530 PGBK	6117C001AA	4549292218268	<Please fill in RRP>
CLI-531 BK	6118C001AA	4549292218275	<Please fill in RRP>
CLI-531 C	6119C001AA	4549292218282	<Please fill in RRP>
CLI-531 M	6120C001AA	4549292218299	<Please fill in RRP>
CLI-531 Y	6121C001AA	4549292218305	<Please fill in RRP>
CLI-531 GY	6122C001AA	4549292218312	<Please fill in RRP>

#### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS8750 EUR BLACK PIXMA TS8751 EUR WHITE	6152C006AA 6152C026AA	EA	Individual	1	213	446	485	8.9	6.6
			Pallet (Upper)	20	1070	897	974.5	179.3	132
			Pallet (Bottom)	30	1070	897	1459.5	268.3	198

#### What's in the box?

- PIXMA TS8750 Series
- 6 set-up ink tanks
- Power cord
- Manuals and other documents

Live for the story\_