

Lenovo USB-C Dual Display Travel Dock

A smarter way to work.



Smarter
technology
for all

Lenovo

Lenovo USB-C Dual Display Travel Dock

A smarter way to work.

The Lenovo USB-C Dual Display Travel Dock* is an essential companion for the modern remote professional. This compact dynamo supports dual 4K displays and powers your USB-C laptop with up to 100W PD (with an additional 135W USB-C adapter). Crafted with 66% post-consumer recycled content in the chassis, it's designed to reduce the global reliance on virgin plastics. And don't forget the adjustable cable management, balancing efficiency and convenience flawlessly. It's a true productivity booster at home, work, or anywhere in between.

Why you need Lenovo USB-C Dual Display Travel Dock



Powerful performance: Your ultimate productivity companion

Achieve more with our USB-C Travel Dock - a hub of 7 expertly engineered ports. Two for dual 4K displays that transform your workspace into a visual powerhouse. Then, there are the DP and HDMI ports that keep entertainment at your fingertips. All while the super-fast USB and ethernet ports redefine connectivity. Power. Performance. Productivity. All in your pocket.



Universal compatibility: Connect, create, collaborate


Unleash limitless productivity with our sleek, universal travel dock, engineered for seamless compatibility across all USB-C laptops. Keep your mobile devices always charged, always ready - thanks to our 'Always-On' USB port that delivers a continuous power supply. With the model that includes a power adapter, a 100W USB-C charger is included, providing 65W power delivery. If you need a power delivery boost, an optional 135W charger provides 100W to your laptop.



Modern aesthetic: Sustainable, innovative, and elegant

Reimagining your workspace, the Lenovo USB-C Dual Display Travel Dock merges style, productivity, and sustainability. Encased in a modern Eclipse Black design, it makes a distinctive, minimalist statement. With 66% Post-Consumer Recycled Content (PCC) in the chassis and packaging free from plastic, it's a step towards reducing the global reliance on virgin plastics.

* Lenovo USB-C & Thunderbolt™ docks function with laptops that support industry-standard USB-C Alt-Mode, DisplayLink or Thunderbolt™ protocols through their USB Type-C port.



Smarter
technology
for all

Lenovo

Lenovo USB-C Dual Display Travel Dock



Specifications

Performance

USB Ports

1 x USB-A 3.2 Gen 2¹ (10 Gbps)
2 x USB-C 3.2 Gen 2 (10 Gbps)
(1 x always-on charging, 5V/2.4A)
1 x USB-C (Power Only)

Video Ports

1 x DP 1.4
1 x HDMI 2.1

Resolution

Dual 4K @ 60 Hz²

Operating Humidity

Max. : 95%
Min. : 20%

Operating Temperature

Max. : 40° C (104° F)
Min. : 0° C (32° F)

System Charging

100W with 135W/140W Adapter
65W with 100W Adapter
45W with 65W Adapter
No Charging with <45W Adapter

Design

Dimension (W x D x H)

(mm) : 120 x 55 x 20
(inches) : 4.7" x 2.2" x 0.8"

Weight

Starting at 137 g (0.3 lbs)

Color

Eclipse Black

External Shell

66% Post-consumer
Recycled Content by Weight

Connectivity

Networking

1 x RJ45 (Support 10/100/1000M
Network Transmission, Plug-and-Play)

Docking Interface

Integrated USB-C Cable

Docking Cable Length

47 cm (18.5 inches)

Management Features

Preboot eXecution Environment
MAC Address Pass-through
Wake-on-LAN
Fast Role Swap

Information

Part Numbers (PN)

Dock without Adapter

WW : 40B90000WW

US : 40B90000US

Dock with Adapter

WW : 40B90100xx

US : 40B90100US

Supported OS

Windows 10, Windows 11

Qualified System

Select 2023 & 2024 Lenovo Notebooks

Warranty

Period : 3 Year

Type : CRU

Certifications

CE, CB, BSMI, EAC, cULus, FCC/ ICES,
KCC, NOM, RCM, LoA, Ukraine DoC, TUV-Mark,
VCCI

Ship Group (What's in the Box)

Lenovo Dual Display Travel Dock
User Guide
Warranty Poster

Packaging

No Plastic Cloth around Product
Recycled Paper Box with FSC Certification
Non-Mineral based Ink

¹ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2.

² Dock has capability to support max. 2 x 4K display, the real resolution will depends on your PC and Monitor capability.

accessorysmartfind.lenovo.com

Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic, or typographic errors. All images are for illustration purposes only. For full Lenovo product, service, and warranty specifications, visit www.lenovo.com. Lenovo makes no representations or warranties regarding third-party products or services. **Trademarks:** The following are trademarks or registered trademarks of Lenovo: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkServer, ThinkVantage, and ThinkVision. Other company, product, and service names may be trademarks or service marks of others. Battery life (and recharge times) will vary based on many factors, including system settings and usage. Visit www.lenovo.com/lenovo/us/en/safecomp/ periodically for the latest information on safe and effective computing. ©2024 Lenovo. All rights reserved.

Smarter
technology
for all

Lenovo