HP Color LaserJet Professional CP5220 Printer series





Cover all your colour business printing needs from postcards to oversize documents, with this versatile and affordable A3 desktop printer. Get superior print quality with HP ColorSphere toner, fast speeds and ease of use, with unrivalled reliability.

For small workteams from 3-15 users in unmanaged environments in small and medium sized businesses, who need a versatile printer for all their printing needs, from spreadsheets, marketing materials and client presentations to oversize documents.

Handle all your business printing with this affordable, versatile A3 colour printer.

Print everyday business documents as well as wide-format projects, and save money by printing colour marketing materials in house. Enjoy exceptional versatility: print from postcard-size up to poster-size and on a variety of paper types including plain, premium and glossy and weights up to 220 gsm. Handle big jobs easily with an expandable input capacity: from 350 sheets standard with 100-sheet multipurpose tray and 250-sheet tray, up to a maximum of 850 sheets with an optional 500-sheet tray.

Achieve consistently high-quality output with HP ColorSphere toner on a range of business documents.

Get sharp, black text and vibrant colour: Original HP cartridges with HP ColorSphere toner deliver consistent, professional quality results on a range of documents. Achieve superior print quality at high speeds of up to 20 ppm black and colour A4. Start fast and finish sooner with Instant-on Technology which provides a first page out in less than 18 seconds from low-power mode. See amazing results with HP ImageREt 3600, image resolution technology that creates smooth colours and sharp images.

Simple to use, share, and maintain with an intuitive control panel and easily replaced supplies.

Easy to use – an intuitive control panel shows clear device status communications. Connect your printer directly to a computer with the High-speed USB 2.0 port and cable. Easily connect to a network and share resources among up to 15 users ¹ using built-in Fast Ethernet 10/100 Base-T networking. Minimise printer interaction with easy-to-replace all-in-one print cartridges and convenient front-door supplies access. Time-saving tools include HP SureSupply² and HP Easy Printer Care Software.



 2 HP SureSupply programme features and availability may vary by country For more information, visit www.hp.com/learn/suresupply



HP Color LaserJet Professional CP5225 Printer



HP Color LaserJet Professional CP5225n Printer



HP Color LaserJet Professional CP5225dn Printer

Product walkground

HP Color LaserJet Professional CP5225dn Printer shown

- 1. 250-sheet top output bin
- 2. One-door access to the easy to-install print cartridges
- 3. 250-sheet input tray 2 with close-assist
- 4. Intuitive control panel with two-line LCD display
- 5. 100-sheet multipurpose tray with long paper extension handles a variety of special papers
- 6. Illuminated front-access On/Off switch
- 7. 192 MB memory expandable to 448 MB, and a 540 MHz processor
- 8. Built-in Fast Ethernet 10/100 Base-T networking with IPv4/IPv6 allows up to 15 users to easily share the printer
- 9. Hi-Speed USB 2.0 port for direct connection to printer
- 10. In-line (one-pass) print engine ensures reliable, accurate print quality
- 11. Built-in automatic two-sided printing



Series at a glance



HP Color LaserJet Professional CP5225 Printer

- Print speed of up to 20 ppm black and colour
- ImageREt 3600
- 600 x 600 dpi effective output quality
- 192 MB
- expandable to 448 MB via one open DDR2 DIMM slot
- 540 MHz processor
- standard input capacity of 350-sheets with one 100-sheet multi-purpose tray 1 and 250-sheet input tray 2 plus optional 500-sheet tray 3



HP Color LaserJet Professional CP5225n Printer

 As base model plus built-in Fast Ethernet 10/100 Base-T networking



HP Color LaserJet Professional CP5225dn Printer

 As base model plus automatic two-sided printing and built-in Fast Ethernet 10/100 Base-T networking

Recommended accessories



CB423A

Q

Q6264A

J8021A HP Jetdirect ew2500

CE860A
HP Color LaserJet 500-sheet
Paper Tray
Enhance productivity with a
simple-to-install paper tray
that allows you to print more
pages without reloading
paper and keep two
different types of paper
loaded.

CB421A
HP 64 MB DDR2 144-pin
DIMM
Improve printing
performance of complex
documents by enhancing
data flow with HP memory
upgrades.

CB422A
HP 128 MB DDR2 144-pin
DIMM
Improve printing
performance of complex
documents by enhancing
data flow with HP memory
upgrades.

HP 256 MB DDR2 144-pin DIMM Improve printing performance of complex documents by enhancing data flow with HP memory upgrades.

HP Hi-Speed USB Cable (6 ft./1.8 m)
The HP Hi-Speed USB Cable easily connects your printer with a PC or Mac. It reliably delivers speeds of up to 480 Mbps and is perfect for connecting your computer to the printer on your desk.

802.11b/g Wireless Print Server Get the best of both worlds — share HP printers and multifunction products via wireless or wired networks. Send and print documents protected by IPSec, 802.11x and several encryption options. Enjoy easy installation, set up and management.

Ordering information



HP Color LaserJet Professional CP5225 Printer (CE710A)
Printer, power cord, Getting Started Guide, CD with software
and documentation, preinstalled black, cyan, magenta, and
yellow HP Color LaserJet print cartridges with HP ColorSphere
toner, 100-sheet multipurpose tray, 250-sheet input tray



HP Color LaserJet Professional CP5225n Printer (CE711A)
Printer, power cord, Getting Started Guide, CD with software
and documentation, built-in Fast Ethernet 10/100 Base-T
networking, preinstalled black, cyan, magenta and yellow HP
Color LaserJet print cartridges with HP ColorSphere toner,
100-sheet multipurpose tray, 250-sheet input tray



HP Color LaserJet Professional CP5225dn Printer (CE712A)
Printer, power cord, Getting Started Guide, CD with software
and documentation, built-in Fast Ethernet 10/100 Base-T
networking, built-in automatic two-sided printing, preinstalled
black, cyan, magenta and yellow HP Color LaserJet print
cartridges with HP ColorSphere toner, 100-sheet multipurpose
tray, 250-sheet input tray

Accessories, Supplies and Support

CE860A	S	CG964A	HP Professional Glossy Laser Paper 120 gsm-250	
CLUUUA	HP Color LaserJet 500-sheet Paper Tray		sht/A4/210 x 297 mm	
CB421A	HP 64 MB DDR2 144-pin DIMM	CG969A	HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	
CB422A	HP 128 MB DDR2 144-pin DIMM	CG966A	HP Professional Glossy Laser Photo Paper 200 gsm-100	
CB423A	HP 256 MB DDR2 144-pin DIMM	CO700A	sht/A4/210 x 297 mm	
Supplies		Connecti	ivity	
CE740A	HP Color LaserJet CE740A Black Print Cartridge	Q6264A	HP Hi-Speed USB Cable (6 ft./1.8 m)	
	Average cartridge yields 7000 standard pages. Declared yield value in accordance with ISO/IEC	J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print Server	
	19798*	Service 8	& support	
CE741A	HP Color LaserJet CE741A Cyan Print Cartridge Average cartridge yields 7300 standard pages. Declared yield value in accordance with ISO/IEC 19798*	UT431E HP Care Pack, Next Business Day On-site Color LaserJet CP5225 Hardware Support, 3 years UQ497E HP Care Pack, 4-Hour, 13x5 Same Business Day On-site Color LaserJet CP5225 Hardware Support, 3 years		
CE742A	HP Color LaserJet CE742A Yellow Print Cartridge Average cartridge yields 7300 standard pages. Declared yield value in accordance with ISO/IEC 19798*	UT430E HP Care Pack, Next Business Day On-site Color LaserJet CP5225 Hardware Support, 4 years UQ502E HP Care Pack, Next Business Day On-site Color LaserJet CP5225 Hardware Support, 5 years		
CE743A	HP Color LaserJet CE743A Magenta Print Cartridge Average cartridge yields 7300 standard pages. Declared yield value in accordance with ISO/IEC 19798*	UQ498PE HP Care Pack, Post Warranty Service, Next Business Day On-site Color LaserJet CP5225 Hardware Support, 1 year UQ492PE HP Care Pack, Post Warranty Service, 4-Hour, 13x5 Same Business Day On-site Color LaserJet CP5225 Hardware Support, 1 year		
Media supplies CHP370 HP Colour Laser Paper 90 g/m²-500 sht/A4/210 x 297			plete list of supplies, accessories and services, please p://www.hp.com	

®

Technical specifications

Print technology	Laser					
Print speed	First page out Black: < 16 sec (from "ready"), Colour: < 17 sec (from "ready")					
	A4 Black: Up to 20 ppm , Colour: Up to 20 ppm					
	Exact speed varies depending on the system configuration, software application, driver and document complexity.					
Processor	540 MHz, Motorola Coldfire® V5x					
Memory	1 slot, 144-pin, DD	DR2 DIMM , Expandable to 448 MB through one D	DDR2 DIMM slot			
Print resolution	Black: Up to 600 x 600 dpi					
	Colour: Up to 600 x 600 dpi					
Print quality						
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation					
Typefaces/fonts	84 scalable TrueType fonts Up to 75,000 pages					
Duty cycle (monthly, A4)						
Recommended Monthly Page Volume	1500 to 5000					
Print margins	top: 4.23 mm, left: 4.23 mm, right: 4.23 mm, bottom: 4.23 mm					
Media handling	Input Tray 1	Capacity sheets: 100, envelopes: 20	Weight 60 to 220 g/m ²	Size A3, A4, A5, A6, RA3, SRA3, B4, B5, 10 x 15		
	iray i	sileeis. 100, elivelopes. 20	00 10 220 g/ III-	cm, envelopes (DL, C5, B5), 76 x 127 to 320 x 457 mm		
	Tray 2	sheets: 250	Up to 120 g/m² plain papers, up to 160 g/m² coated papers	A3, A4, A5, B4, B5, 148 x 182 to 297 x 432		
	Tray 3	sheets: 500	Up to 120 g/m ² plain papers, up to 160 g/m ² coated papers	A3, A4, B4, B5, 148 x 210 to 297 x 432 mm		
	Duplex printing:	CP5225: Manual (driver support provided); CP5225n: Manual (driver support provided); CP5225dn: Automatic (standard)	Up to 120 g/m² non-coated papers, up to 160 g/m² coated papers)	A3; A4; A5; SRA3; B4; B5		
	Output:	Sheets: Up to 250. Envelopes: Up to 15				
Media types			printed, prepunched, recycled, rough), cardstock, g	ossy film transparencies labels envelopes		
Interface and connectivity			st Ethernet 10/100Base-TX; CP5225dn: Hi-Speed L			
Network Capabilities		OBase-TX networking	is Ellicine 10, 100base 17, el 3223an. 111 Speca e	SD 2.0, DOM IN TOST EMERIES TO, TOOD GOE TA		
Operating systems compatibility		9	3, XP Media Center, XP Professional x64; Windows	Vista®: Windows® 7 (HP UPD only): Mac OS X		
	v10.3, v10.4 or higher; Linux (see http://www.hplip.net) Optional: Latest printer driver information available at http://www.hp.com/support					
Network operating systems compatibility						
Minimum system requirements	Microsoft® Windows® 2000, Server 2003: any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space, USB or Ethernet port; (print driver only); Microsoft® Windows® XP-32 Home, XP-32 Professional: any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, USB port; (full install); Microsoft® Windows® XP-x64: any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, USB or Ethernet port; (print driver only); Windows Vista®-32 Home, -32 Professional: 1 GHz processor, 512 MB RAM, 250 MB hard disk space, USB or Ethernet port; (full install); SVGA 800 x 600 with 16-bit colour display, CD-ROM drive, Internet Explorer 5.5 or higher, Mac OS X v10.3 or higher; PowerPC G3, G4, G5, or Intel® Core processor; 150 MB available hard disk space; CD-ROM drive; USB or Ethernet port					
Software						
Control panel	2-line, 16-character backlit front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back), 2 LEDs (Attention, Ready)					
Printer management						
Upgradability	Memory upgradeable to 448 MB, optional 500 sheet tray, only one additional tray may be added					
Power	Requirements: Input voltage 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: 440 watts (active), 30 watts (standby), 4.4 watts (powersave), 0.5 watts (off); Typical Electricity Consumption (TEC): 1.787 kWh/Week					
Dimensions (w x d x h)	Out of package: CP5225: 545 x 599 x 338 mm; CP5225n: 545 x 599 x 338 mm; CP5225dn: 545 x 599 x 338 mm Packaged: CP5225: 718 x 702 x 478 mm; CP5225n: 718 x 702 x 478 mm; CP5225dn: 718 x 702 x 478 mm					
Weight	Out of package: 40.9 kg Packaged: 43 kg					
Operating environment	Operating temperature: 10 to 30° C. Recommended operating temperature: 15 to 27° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 20 to 60% RH. Storage temperature: 0 to 35° C. Storage humidity: 10 to 90% RH. Noise level per ISO 9296: Sound power: LwAd6.3 B(A). Sound pressure: LpAm49 dB(A)					
Product certifications	Safety certifications: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, GS License (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe), other safety approvals as required by individual countries EMC certifications: CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, ICES-003, GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries					
	One-year, return to authorised service centre. Warranty and support options vary by product, country and local legal requirements.					

http://www.hp.com/uk















