

Network Management Card, UPS Network Management Cards, for Easy UPS 3 Series, 3-Phase, remotely monitor and manage the **UPS** 

AP9547

### Overview

#### Presentation

The Network Management Card for Easy UPS 3 Series (AP9547) enables secure remote monitoring and control of one Easy UPS 3S, Easy UPS 3M or Easy UPS 3L through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 12-month Secure NMC Subscription, that allows the customer to access future firmware updates, is included with the purchase of the card. Upon expiration of the provided Secure NMC Subscription the purchase of a new Secure NMC Subscription is required to access future firmware updates..

**Lead Time** 

#### Main

Product Or Component Type	Network interface
Provided Equipment	User manual USB cable

### **Physical**

Height	4.4 cm
Width	5.2 cm
Depth	8.0 cm
Net Weight	0.05 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

#### Conformance

Standards	CISPR 32
	EN 55024
	EN 61000-4-2
	EN 61000-4-3
	EN 61000-4-4
	EN 61000-4-5
	EN 61000-4-6
	EN 61000-4-8
	EN 61000-6-2
	EN/IEC 62040-2
Product Certifications	FCC Class A
	ICES-003
	VCCI class A

## **Environmental**

Life Is On Schneider 27 Feb 2024

AS/NZS

Ambient Air Temperature For Operation	-545 °C
Operating Altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1565 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

# **Communications & Management**

Communication Network Type 10/100/1000BASE-T

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	17.0 cm
Package 1 Length	24 cm
Package 1 Weight	300 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	44
Package 2 Height	49 cm
Package 2 Width	35 cm
Package 2 Length	62 cm
Package 2 Weight	15.08 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	352
Package 3 Height	114.9 cm
Package 3 Width	97 cm
Package 3 Length	97 cm
Package 3 Weight	125.6 kg

## **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration